elev: 383'				
County: Clarke Permit #: Office of Land a P.O. E Jackson, M Date drilling completed: 12-20-12 Date (601)35	ell Report art 1 t of Environmental Quality nd Water Resources lox 10631 IS 39289-0631 961-5210 4-6938 (fax)	For Office Use Only: Aquifer: 8 3 Well #: L. S. Blevation: E-log #:		
State Law requires that this report be prepared by the	driller in detail and filed w	ith the Department within		
Owner Name Alache Mailing Address: US V. Sartbuston Irkway ste 2010 Houston TX 770 42	Latitude: 31 • 52 • 44 Method of Lat/Long (circle or USGS quad. Hand-held	GPS, Survey-grade GPS		
City State Zip Code Telephone No. ()	Distance Direction 7 Miles V/NV	Nearest Town of hubuta		
	Irrigation Fish Culture	Other:		
Purpose of Well (circle one) Home Industrial Public Supply		-20-12		
Date well drilling started: 12-17-12 Date well drilling completed: 12-20-12				
If flowing, method of flow regulation: Valve Other (describe)				
Method of Measurement (circle one) steel tape electric tape air line other: Hole depth:				
Type of grout (circle one): Cement Bentonite Mix Casing length: 50 feet Casing diameter:				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s):	econdence with all annifoshi	e requirements of the Mississinni		
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.				
John W Thompson 0-679 John W Thompson				
Print Name of Water Well Contractor and License No. Signature of Water Well Contractor				

RECEIVED

JAN 2 8 2013

If well telescopes please sketch below and show depths

Ground Level	Description of Formations Encountered	From	To
	Yay	0	180
	The state of the s		Γ
.,	Clay + Sand	280	320
			<u> </u>
		320	360
I	clay & sand	210	1
e e e e e e e e e e	The state of the s	360	1380
Ţ	Clay + rock strips	380	500
· · · · · · · · · · · · · · · · · · ·		Caron Se	
İ	clay & said	500	
** 	4		
	Sand	520	600
	fine sand & clay	1 00	75.7
Not support	Fine saw Clay	600	623

* -			
1			
	•		

Himore than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures aid in locating the well; 3) any roads, power lines, or other items that may aid in locating	the propert	perty that may y and the well;
4) indicate direction. oil figure the f	2. Imi	H-y 45
Landowner Name: Apache		

Signature of Water Well Contragtor

STATE W	ELL REPORT		
Pump Installer	Part 2 Ps Completion Report ant of Environmental Quality Aguifer		
Office of Land	and Water Resources		
7.0.	Box 10631 MS 39289-0631 Well #:		
(CONS)	1)961-5210 54-6938 (fax) Elevation:		
Copy agromation from stock on Part 1			
This part of the report must be completed by a licensed water well report must be attached and both parts filed with the Department	at the above address within 30 days of well completion.		
Well Owner Information	Well Location		
Owner Name: Tracke	Latitude: 31°57 44" Longitude: 88°49'40		
Mailing Address: LOW W San Hourton Arkery ste De	Method of Lat/Long (check one): Conventional Survey,		
Howton TX 77042	USGS quad, Hand-held GPS, Survey-grade GPS		
City State Zip Code	Distance Direction Nearest Town		
Telephone No. ()	7 Miles WNW of Shubuta		
, 100ptono 10. ()			
Pump Type	Power Type Power Type		
Circle one	Circle one		
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston Turbine	Electric Motor Hand Tractor PTO		
Centrifugal Rotary Flowing Well	Windmill Other (specify):		
Other (specify):	Horse Power Rating of Motor: 7. 5		
Date Pump Installed: 12-20-12	Setting Depth: 160 feet		
Rated Pump Capacity: 85 Gallons Per Minute	Number of Stages:		
Canons real visities	Number of Stages.		
Pump Test Data	Method of Measuring Water Level		
Date Well Tested: 12-20-12	Circle one		
Static Water Level (A): 126 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape		
11/1	Other (specify):		
Pumping Water Level (B): 140 Feet Below Land Surface			
Drawdown [(B) – (A)]: Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate: Gallons Per Minute	Well yielded GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours	feet after hours of pumping		
1 HEREBY CERTIFY that the above statements are true to the best o	of my knowledge /		
T/1/11 0170	in my minowicalled		
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer		
	Form: OLWR-SWR-1B		
	RECEIVE		

JAN 2 8 2013

BY: OLWR