State Well Report				
	Priller's Log For Office Use Only:			
Mississippi Departmen	t of Environmental Quality Aquifer:			
	nd Water Resources ox 10631 Well #:			
Driller: Jackson, M	IS 39289-0631 L. S. Elevation:			
	961-5210 4-6938 (fax) E-log #:			
(601)354	4-6938 (fax) E-log #:			
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well Owner	Well or Borehole Location			
(Landowner if borehole is not for a water well)	Latitude: 3.3 · 37 · 749 Longitude 088 · 30 · 309			
Owner Name (JM) Wright	Method of Lat/Long (circle one): Conventional Survey,			
Mailing Address: 091 J Dune				
7.6.	USGS quad, Hand-held GPS, Survey-grade GPS			
1 (any D) 35502				
1 Jimm, Hb 35542 City State Zip Code	Distance Direction Nearest Town Miles COOT of U. POINT			
Telephone No. <u>205</u>) 112-0062	Miles CAST of UJ, POLYT			
Weil / Bore	hole Data			
Date drilling started: 6 23/08 Date drilling completed: 6 24/08 Hole depth: 140 Hole diameter: 41				
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development: A 12 # QAMALLAN				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 20 feet above of below circle one) land surface Date measured: 10 34 08				
Method of Measurement (circle one)				
Well depth: Well grouted to a depth of 20 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 80 feet Casing diameter: 4 inches Type of casing: PVC				
Screen length:				
Screen slot size: O 13 inches Setting depth: From 100 feet to 140 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:				
	Form: OLWR-SWR-1A			

RECEIVED

JUL 0 3 2008

BY: OLWR

The sketch below only required for water wells	Description of formations encountered must be provided for all		
The Skeich below only required for white west	wells and boreholes, unless specifically exempted by regulations		
	Wells with bor enotes; allows appear		
If well telescopes, show depths on sketch.		(2 (2)	n / t . 41.5
	Description of Formations Encountered	From (depth)	To (depth)
Ground Level	Brown Dandy Clay	Ground Level	a 3_
	Sandy Blues Clay	23	52
1 1 1		53	58
	riay 0	734	
	Sandy Clay	58,	13
	Lair Way	72	18
Packer	Sandy Chay	18 1	95
	Sandostrock	95	106
		106	111
'111'	Glay,	100	1110
II LI3' Blamb.	santa basa	 111	1110
1 10 100	Sandy Clay	118	193
-13' Blank - Shale trap -10' Blank	Sand Strade	199	138
7	Clan	138	147
111 map	Cury		
11110 '.		 	
1 1- 10' 13lank		 	
			
14			<u> </u>
40' Screen		T	
70			
		 	
ا ا		+	<u> </u>
		 	
\mathcal{U}		<u> </u>	<u> </u>
			ì

Bario-ferry Rd
River Daks Sudu N
well x I Future Hoose

Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No. Date

Signature of Licensee

If more than one screen, show location of each on sketch

laws.

RECEIVED

JUL 0 3 2008 BY: OLWR

STATE WELL REPORT

Part 2

County:

Pump Installer's Completion Report

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631

For Office Use Only:		
Aquifer:		
Well #:	J-156	
Elevation:		

Permit # Driller: Jackson, MS 39289-0631 Date completed: (601)961-5210 (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Latitude: 330 37. 749 Longitude: W 0886 30 309 Owner Name: Mailing Address: Method of Lat/Long (check one): Conventional Survey_ USGS quad , Hand-held GPS , Survey-grade GPS 1/4 Sec Distance Direction Nearest Town Telephone No. 200 Pump Type Power Type Circle one Circle one Air Lift Submersible Diesel Engine Gasoline Engine **Natural Gas** Bucket Piston Turbine Electric Motor Hand Tractor PTO Windmill Other (specify): Centrifugal Rotary Flowing Well Horse Power Rating of Motor: Other (specify): 6125108 Date Pump Installed: Setting Depth: Gallons Per Minute Rated Pump Capacity: Number of Stages: Method of Measuring Water Level **Pump Test Data** Circle one Date Well Tested: Air Line Electric Measuring Line Steel Tape Static Water Level (A):) Feet Below Land Surface Other (specify): Pumping Water Level (B): _____Feet Below Land Surface Feet Below Land Surface For flowing well, measured shut in head: Drawdown [(B)-(A)]: Well yielded GPM with a drawdown of Gallons Per Minute Test Pumping Rate: feet after hours of pumping Duration of Pump Test (minimum 4 hours): _____hours

I HEREBY CERTIFY that the above statements are true to the best of n	ny knowledge.	
Donald B. Clardy 0-496	Da. Clals	
Print Name of Pump Installer and License/No. (if applicable)	Signature of Pump Installer	

Form: OLWR-SWR-1B

RECEIVED

JUL 0 3 2008

BY: OLWR