State W	ell Report	
1	Oriller's Log	For Office Use Only:
ivississippi Departner	nt of Environmental Quality	Aquifer: 36
	nd Water Resources Box 2309	Well #:
Dis AMALL KOLOM	n, MS 39225	
Date drilling completed:	961- 5210	L. S. Elevation:
(601)96	1- 5228 (fax)	E-log #:
State Law requires that this report be prepared by the lic		
Department at the above address within 30 days of comp		
Information on Well Owner (Landowner if borehole is not for a water well)	Well of Bo	rehole Location
Owner Name Carl Gordon	Latitude: 34° 25, 34	" Longitude: 096 29, 27"
Mailing Address: 668 moon Rd	Method of Lat/Long (circle or	ne): Conventional Survey,
Mailing Address: W & JIIVVI 142	USGS quad, Hand-held	GPS, Survey-grade GPS
Engla 400 70417	SE 4 SW & Sec 35	Twn 30N Rng 3W
City State Zip Code	Distance Direction Miles	Nearest Town
Telephone No. (663 337-27 46	Miles	of <u>2919</u>
Well / Bore	hole Data	
Date drilling started: 6-4-11 Date drilling completed: 4-4-	// Hole depth:	Hole diameter: 7
Location of the source of any surface water used for drilling: Way Witch Method of dosing and volume of Chlorine used in drilling and development: Chlorine Tarble To		
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):		
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump		
Seismic Survey Other (describe)		
If drilling is not related to water well construction, skip the remainder of this block		
Purpose of Well (check one): Home Industrial Public Supply Irrigation V Fish Culture Other:		
If a flowing well, method of flow regulation: Valve Other (describe)		
Static Water Level: 22 feet above or below circle one) land surface Date measured: 6-4-11		
Method of Measurement (circle one) steel tape electric tape air line other: Rope + weight		
Well depth: Well grouted to a depth of _12_ feet Type of grout (circle one): Neat Cement Bentonite Mix		
Casing length: 84 feet Casing diameter: 4 inches Type of casing: PVC TO PSI		
Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC S/offed		
Screen slot size: mold b inches Setting depth: From 84 feet to 104 feet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development		
Other (describe):		
Top of lap pipe or reduction in casing:feet. If te	lescoped or more than one scre	en, describe on next page

Form: OLWR-SWR-1A (04/08)



The sketch	below (only	required .	for	water wells

If well telescopes, show depths on sketch. Ground Level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered ,	From (depth)	(depth)
toosoil + Brown Sand	Ground Level	20
Grown & Med Sand	2.0	40
cand & grave	.40	60
grave,	60	20.
gravel	00	104
<u> </u>	0	
	ļ	
	 	
· · · · · · · · · · · · · · · · · · ·	 	
	 	
		
		ļ
	ł	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any p aid in locating the well; 3) any roads, power lines, or other items that 4) a north arrow. Helenature Anon Ld,	ermanent structures on the property that may may aid in locating the property and the well; Ly 19 WY 19 WY 19 Cen + 17
Landowner Name: Carl Gordon	Clarks dule

Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws. Bryant 0-639 7-/-// Willi J. Byans
sible Licensee and License No. Date Signature of Licensee

Print Name of Responsible Licensee and License No.

report must be attached and both parts filed Well Owner Informatio		Aquifer: Well #: Elevation: I pump installer. A copy of Part 1 of the hin 30 days of well completion. Well Location
Owner Name: Car Gordon Mailing Address: UB MOON Coghoma ms City State Telephone No. (662 337 - 27)	USGS quad	Longitude: 090 2921 W 2 2 38 37 (check one): Conventional Survey
Bucket Piston	Setting Depth:	Power Type Circle one Gasoline Engine Natural Gas Hand Tractor PTO Other (specify): of Motor: feet
Drawdown [(B) – (A)]:Feet B	Air Line Electory Contact Con	circle one ctric Measuring Line Steel Tape OPR J. WP/Jhf assured shut in head:feet GPM with a drawdown of et afterhours of pumping
I HEREBY CERTIFY that the above stateme Willie Bryan + 0 Print Name of Pump Installer and License No.	nts are true to the best of my knowledge.	Pump Justaller Form: OLWR-SWD-1C (07-09)

BV-01MR