County:	Coahoma
Permit #:	GW-45580
Driller:	Irrigation Equipment
1	ing completed: 01/31/2012

State Well Report Part 1 – Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225
(601) 961-5210


(601) 961-5228 (fax)

	For Office Use Only:	
Aquifer:	B 75	
Well #:		
L.S. Eleva	ation:	
E-log#:		
~		

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Well or Dorobole Location
Well or Borehole Location
Latitude: 34 ° 23 ' 23 " Longitude: 90 ° 34 ' 57 "
Method of Lat/Long (check one): Conventional Survey,
☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
NW 1/4 NW 1/4 Sec 14 Twn 29N Rng 4W
Distance Direction Nearest Town
3 Miles Northeast of Friars Point
orehole Data
31/2012 Hole depth: 114 Hole diameter: 24"
e Water nent: 50 PPM
a Ray
l/Geological Investigation Ground Source Heat Pump
describe)
onstruction, skip the remainder of this block
pply 🛛 Irrigation 🗀 Fish Culture 🗀 Other:
escribe)
nd surface Date measured:
air line other:
Type of grout (check one): Neat Cement Bentonite Mix
inches Type of casing: PVC
inches Type of screen: PVC
72 feet to 111 feet
Inderreamed Telescoped Open hole Natural Development
rcle S Irrigation will set pump
f telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (04/08)



The	chotch	helmu	amby :	reauired	for wat	er welle
ine.	sneun	DELUTY	unuv i	eunu eu	IUT WUU	T WELLS

7f	well	tela	eco:	200	show	depths	on s	sketch
	weu	***		ress, a	3144714	werens .	un i	INCILIE.

<u>f well</u>	telescopes,	show	<u>depths</u>	on	<u>sketch.</u>
G	round leve	el .			

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground level	22
Fine Sand	23	38
Fine Sand & Gravel	39	54
Medium Sand & Gravel	55	110
Fine Sand	111	114
(111-114) Blanked 3' on bottom		

If more than one screen, show location of each on sketch

aid in	yout and include the following: 1) the well location; 2) any polocating the well; 3) any roads, power lines, or other items that orth arrow.	ermanent structures on the property that may t may aid in locating the property and the well;
Landowner Name:	Johnny Larson	
I contify that the well/he	nahala waa duillad aanatawatad and aanata' ta aa aa aa	Form: OLWR-SWR-1A (04/08)
Mississippi Department	rehole was drilled, constructed, and completed in accordance wit of Environmental Quality and the Mississippi Department of He	an applicable requirements of the lift in

02/01/2012

Signature of Licensee

Patrick Chism/Irrigation Equipment 0695

Print Name of Responsible Licensee and License No.

laws.



Google earth feet 4000

FEB 07 2012 EV OLUR

STATE WELL REPORT

Part 2

Permit #: GW - 45380

COAHOMA

Driller: IRRIGATION EQUESMENT

Date completed: /-31-/2

Copy information from block on Part 1

Pump Installer's Completion Report

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225

(601)961-5210 (601)961-5228 (fax)

For Office Use Only:
Aquifer: B 75
Well #:
Elevation:

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Latitude: 34. 23. 23. 52 Longitude: 90. 34. 57. 50. JOHNAY LARSON Owner Name: Mailing Address: 206 DUA AK Method of Lat/Long (check one): Conventional Survey USGS quad____, Hand-held GPS___, Survey-grade GPS___ CLA2cs0Acs prs City State 1 29N R 4W Distance Nearest Town Telephone No. (662) 627-7772 3 1/2 Miles NE of FREAZS POINT

	Pump Type Circle one			Power Type Circle one	
Air Lift	Jet	Submersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket	Piston (Turbine	Electric Motor	Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill	Other (specify):	
Other (specify):			Horse Power Rating	of Motor:	
Date Pump Installed:	3-1-12		Setting Depth:	16	_feet
Rated Pump Capacity:	1400	Gallons Per Minute	Number of Stages:	4	

Pump Test Data	Method of Measuring Water Level Circle one		
Date Well Tested:	Choic one		
Static Water Level (A):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape		
Pumping Water Level (B):Feet Below Land Surface	Other (specify):		
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping		

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer

Form: OLWR-SWR-1B (04/08)

MAR 3 0 2012

BY: OLWR