

Coahoma Co
C 27

10-69
GW-12867

10-3-69
date well completed

MISSISSIPPI
BOARD OF WATER COMMISSIONERS
416 North State Street
Jackson, Mississippi 39201

CODED

WATER WELL DRILLERS LOG
Herndon-Homan Well & Supply, Inc.

P. O. Box 42
SHANNON, MISSISSIPPI 38868

Coahoma

county well located

LANDOWNER: Coahoma

Utilities Assoc.

Coahoma, Miss.
(mailing address)

WELL LOCATION:

sec 20 T 29 R 3
0 miles of Coahoma
(distance) (direction) (nearest town)

WELL PURPOSE: Municipal
(home, irrigation, municipal, industrial)

WELL COMPLETION DATA:

- (1) diameter (inches) 8"
- (2) total depth (feet) 1075
- (3) static water level (feet) 10 below top of ground.
- (4) casing Steel 300' (material) (depth)
8" (size) If telescope see back.
- (5) screen 40' 1025' (length) (depth to top)
4" 304 Stainless (size) (material)
- (6) pump 20 150 (HP) (yield gpm)
Electric (type power)
- (7) electric log yes (yes or no)
Miss. Geological Survey (organization running log)
- (8) how well bottom plugged Backwash

description of formations encountered

from to

| | | |
|---------------------------|------|------|
| Brown Clay | 0 | 10 |
| Blue & Brown Sand | 10 | 63 |
| Coarse Sand & Fine Gravel | 63 | 110 |
| Gravel | 110 | 160 |
| Clay | 160 | 220 |
| Sand | 220 | 420 |
| Gummy Blue Clay | 420 | 435 |
| Sand | 435 | 570 |
| Gummy Blue Clay | 570 | 910 |
| Fine Sand | 910 | 940 |
| Gummy Blue Clay | 940 | 980 |
| Fine Sand | 980 | 1000 |
| Gummy Blue Clay | 1000 | 1030 |
| Coarse Sand | 1030 | 1080 |
| Gummy Blue Clay | 1080 | 1090 |
| Sand | 1090 | 1150 |
| Gummy Blue Clay | 1150 | 1165 |
| Sand | 1165 | 1220 |
| Gummy Blue Clay | 1220 | 1225 |

CODED

DEC 11 1969

MISS. BD. OF
WATER COMR.

DRILLERS REMARKS:

Coahoma
C 27
11-19-69
M 65
11-19- 1969

MISSISSIPPI
BOARD OF WATER COMMISSIONERS
416 North State Street
Jackson, Mississippi 39201

CODED

WATER WELL DRILLERS LOG

date well completed 11-19- 1969 Yerndon-Hornum Wells firm name Coahoma county well located Supply

| LANDOWNER: <u>Coahoma Utilities Association</u> | Description of formations encountered | from | to |
|---|---------------------------------------|-------------|-------------|
| <u>Coahoma Miss.</u> (mailing address) | <u>Brown Clay</u> | <u>0</u> | <u>10</u> |
| WELL LOCATION: sec <u>30 T29 N</u> R <u>3 E</u> <u>0</u> miles of <u>Coahoma</u> (distance) (direction) (nearest town) | <u>Grey & Brown Sand</u> | <u>10</u> | <u>63</u> |
| WELL PURPOSE: <u>municipal</u> (home, irrigation, municipal, industrial) | <u>Coarse Sand & Fine Gravel</u> | <u>63</u> | <u>110</u> |
| WELL COMPLETION DATA: | <u>Gravel</u> | <u>110</u> | <u>160</u> |
| (1) diameter (inches) <u>8"</u> | <u>Clay</u> | <u>160</u> | <u>220</u> |
| (2) total depth (feet) <u>1075</u> | <u>Sand</u> | <u>220</u> | <u>420</u> |
| (3) static water level (feet) <u>10</u> below top of ground. | <u>Gummy Blue Clay</u> | <u>420</u> | <u>435</u> |
| (4) casing <u>Steel</u> <u>300</u> (material) <u>461</u> (depth) | <u>Sand</u> | <u>435</u> | <u>570</u> |
| <u>8 in</u> <u>4 in</u> (size) if telescope see back. | <u>Gummy Blue Clay</u> | <u>570</u> | <u>910</u> |
| (5) screen <u>40'</u> <u>1035'</u> (length) (depth to top) | <u>Fine Sand</u> | <u>910</u> | <u>940</u> |
| <u>4"</u> <u>304 Stainless</u> (size) (material) | <u>Gummy Blue Clay</u> | <u>940</u> | <u>980</u> |
| (6) pump <u>20</u> <u>150</u> (HP) (yield gpm) | <u>Fine Sand</u> | <u>980</u> | <u>1000</u> |
| <u>Electric</u> (type power) | <u>Gummy Blue Clay</u> | <u>1000</u> | <u>1030</u> |
| (7) electric log <u>yes</u> (yes or no) | <u>Coarse Sand</u> | <u>1030</u> | <u>1080</u> |
| <u>Miss. Geological</u> (organization running log) | <u>Gummy Blue Clay</u> | <u>1080</u> | <u>1090</u> |
| (8) how well bottom plugged <u>BW</u> | <u>Sand</u> | <u>1090</u> | <u>1150</u> |
| | <u>Gummy Blue Clay</u> | <u>1150</u> | <u>1165</u> |
| | <u>Sand</u> | <u>1165</u> | <u>1220</u> |
| | <u>Gummy Blue Clay</u> | <u>1220</u> | <u>1225</u> |

CODED

JAN - 8 1970

DRILLERS REMARKS: Test hole drilled to 1225'

MISS. BD. OF
WATER COMM.