

10-224

Part 2 never received

County: Coahoma  
 Permit #: GW-44024 ✓  
 Driller: Pete Sappington  
 Date drilling completed: 6-27

**State Well Report**  
**Part I - Driller's Log**  
 Mississippi Department of Environmental Quality  
 Office of Land and Water Resources  
 P.O. Box 2309  
 Jackson, MS 39225  
 (601)961- 5210  
 (601)961- 5228 (fax)

For Office Use Only:  
 Aquifer: F 107  
 Well #: \_\_\_\_\_  
 L. S. Elevation: \_\_\_\_\_  
 E-log #: \_\_\_\_\_

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Information on Well Owner (Landowner if borehole is not for a water well)	Well or Borehole Location
Owner Name: <u>Tavelletti Bros. Coleman Allen</u>	Latitude: <u>34° 15' 12.5"</u> Longitude: <u>90° 30' 55.8"</u>
Mailing Address: <u>1101 West Second St.</u>	Method of Lat/Long (circle one): Conventional Survey,
<u>Clarksdale Ms. 38614</u>	USGS quad. (Hand-held GPS) Survey-grade GPS ✓
City State Zip Code	<u>N 1/4 S W 1/4 Sec 33 Twn 28 N Rng 3 W</u>
Telephone No. <u>(662) 624-9908</u>	Distance Direction Nearest Town
	<u>1 1/2</u> Miles <u>N</u> of <u>Clarksdale</u>

**Well / Borehole Data**

Date drilling started: 6-27 Date drilling completed: 6-27 Hole depth: 105 Hole diameter: 18"

Location of the source of any surface water used for drilling: Canal 1/2 mile North

Method of dosing and volume of Chlorine used in drilling and development: Sodium Hypochlorite @ 10 ppm

Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: \_\_\_\_\_

Name of organization running log(s): \_\_\_\_\_

Purpose of borehole (check one): Water Well  Geotechnical/Geological Investigation \_\_\_\_\_ Ground Source Heat Pump \_\_\_\_\_

Seismic Survey \_\_\_\_\_ Other (describe) \_\_\_\_\_

*If drilling is not related to water well construction, skip the remainder of this block*

Purpose of Well (check one): Home \_\_\_\_\_ Industrial \_\_\_\_\_ Public Supply \_\_\_\_\_ Irrigation  Fish Culture \_\_\_\_\_ Other: \_\_\_\_\_

If a flowing well, method of flow regulation: Valve \_\_\_\_\_ Other (describe) \_\_\_\_\_

Static Water Level: 24 feet above or below (circle one) land surface Date measured: 6-28

Method of Measurement (circle one) steel tape electric tape air line other: \_\_\_\_\_

Well depth: 105' Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix

Casing length: 65 feet Casing diameter: 10 inches Type of casing: PVC Sch 40

Screen length: 40 feet Screen diameter: 10 inches Type of screen: PVC Sch 40

Screen size: .032 inches Setting depth: From 65 feet to 105 feet

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development

Other (describe): \_\_\_\_\_

Top of lap pipe or reduction in casing: \_\_\_\_\_ feet. *If telescoped or more than one screen, describe on next page*

Form: OLWR-SWR-1A (04/08)

**RECEIVED**  
 JUL 21 2010  
 BY: OLWR



F107

FLETCHER FIELD

Black Lake

17'30"

3797

JONESTOWN 4 MI

3796

3795

3794

3793000m N

34° 15'

90° 30'

(TUT)



Fleets Ch

BM 107

Clover Hill

Heavenly Rest Memorial Park  
Lake

Bayou

St Clair Ch

RECEIVED

JUL 21 2010

BY: OLWA

Tavoletti Bros. (Coleman Allen) 6-27-10

CLARKSDALE (CH) 5 MI.  
CLEVELAND 37 MI.

228000m E

INTERIOR-GEOLOGICAL SURVEY, WASHINGTON

ROAD CLASSIFICATION