

County: Coahoma  
 Permit #: 44781 ✓  
 Driller: Will Young  
 Date drilling completed: 10-10-11

**State Well Report**  
 Part I -- Driller's Log  
 Mississippi Department of Environmental Quality  
 Office of Land and Water Resources  
 P.O. Box 10631  
 Jackson, MS 39289-0631  
 (601)961-5210  
 (601)354-6938 (fax)

For Office Use Only:  
 Aquifer: \_\_\_\_\_  
 Well #: F117  
 L. S. Elevation: \_\_\_\_\_  
 E-log #: \_\_\_\_\_

*State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.*

**Information on Well Owner**  
*(Leave blank if borehole is not for a water well)*

Owner Name: Turner Massey  
 Mailing Address: 5 Bridge Street  
Rich Ms 38617  
 City State Zip Code  
 Telephone No. (\_\_\_\_) \_\_\_\_\_

**Well or Borehole Location**

Latitude: 34.17.56 Longitude: 90.33.02  
 Method of Lat/Long (circle one): Conventional Survey.  
 USCIS quad: Hand-held GPS Survey-grade GPS  
SW NW Sec. 18 Twp. 28N Rng. 3W  
 Distance \_\_\_\_\_ Miles Direction N of Nearest Town Clarksdale

**Well / Borehole Data**

Date drilling started: 10/10/11 Date drilling completed: 10/10/11 Hole depth: 135 Hole diameter: 24  
 Location of the source of any surface water used for drilling: Ditch  
 Method of dosing and volume of Chlorine used in drilling and development: \_\_\_\_\_  
 Logs run (circle all applicable): No log run Electric: Gamma Ray Density Sonic Neutron Other: \_\_\_\_\_  
 Name of organization running log(s): \_\_\_\_\_  
 Purpose of borehole (check one): Water Well  Geotechnical/Geological Investigation \_\_\_\_\_ Ground Source Heat Pump \_\_\_\_\_  
 Seismic Survey \_\_\_\_\_ Other (describe) \_\_\_\_\_  
*If drilling is not related to water well construction, skip the remainder of this block*

Purpose of Well (check one): Home \_\_\_\_\_ Industrial \_\_\_\_\_ Public Supply \_\_\_\_\_ Irrigation  Fish Culture \_\_\_\_\_ Other: \_\_\_\_\_  
 If a flowing well, method of flow regulation: Valve \_\_\_\_\_ Other (describe) \_\_\_\_\_  
 Static Water Level: 20 feet above or below (circle one) land surface Date measured: 10/10/11  
 Method of Measurement (circle one) steel tape electric tape air line other: \_\_\_\_\_  
 Well depth: 135 Well grouted to a depth of \_\_\_\_\_ feet Type of grout (circle one): Neat Cement Bentonite Mix  
 Casing length: 95 feet Casing diameter: 12 inches Type of casing: PVC  
 Screen length: 40 feet Screen diameter: 12 inches Type of screen: PVC  
 Screen slot size: .050 inches Setting depth: From 95 feet to 135 feet  
 Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development  
 Other (describe): \_\_\_\_\_  
 Top of lap pipe or reduction in casing: \_\_\_\_\_ feet. *If telescoped or more than one screen, describe on next page*



