

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
Bureau of Land and Water Resources

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED Coahoma	
WELL NUMBER 1781	CODED <input checked="" type="checkbox"/>
PERMIT NUMBER	
NAME OF DRILLING FIRM Lipe Well & Supply Co.	
Osage, MS 38654	
DATE WELL COMPLETED June 1995	

NAME & MAILING ADDRESS OF LANDOWNER
Wendy Hawkins
1871 Bennett Rd
Clarksdale, MS 38614

WELL LOCATION: SEC **25** TOWNSHIP **27** RANGE **5**

DISTANCE **9** Miles **W** of **Clarksdale**

OTHER LANDMARK

WELL PURPOSE: Home Irrigation, Municipal, Industrial, Fish Pond, etc.

PUMP DATA

PUMP TYPE (Circle One): Submersible, Turbine, Jet, Flowing Well,
Other (Describe) _____

POWER TYPE (Circle One): Electric, Tractor, Diesel, Gasoline, Butane,
Other (Describe) _____ H/P **1**

Pump Capacity (GPM) **15** No. of Stages _____ Setting Depth **80** FT.

PUMP TEST
Well yielded **12** GPM with
a drawdown of **5** ft.
after **1** hours of pumping

WELL DATA

Well Depth 497'	Casing Diameter (In.) 4"	Casing Length (Ft.) 487'
Type of Casing PVC	Hole Depth 497'	Depth to Static Water Level 25

TYPE OF COMPLETION: (Circle One or More):
 Gravel Packed, Underreamed, Telescoped,
 Natural Development, Open Hole, Other

Top of Lap Pipe or Reduction in Casing
FEET IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

LOG DATA

TYPE OF LOG RUN (Circle One): No Log Run, Electric, Gamma Ray, Density, Sonic, Neutron,
Other (Describe) _____

Name of Organization Running Log

SCREEN DATA

Diameter - Inches 4"	Length - Feet 10	Slot Size - Inches .013
Screen Type PVC	Depth to Bottom - Feet 497	

GEOLOGIC DATA (Office Use Only)

Surface Elev	Geologic	Unit	Interval	Depth to Top
Subs. Elev	Date	Analysis	Acidular Test	

Driller's Remarks **JUN 11 1998**

Dept. of Environmental Quality
Office of Land & Water Resources

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued)	FROM	TO
TOP SOIL + clay	0	20	clay, streaks of sand	220	260
clay + sand	20	40	sand, streaks of clay	260	300
black clay + sand	40	60	sand, streaks of clay	300	340
black clay + sand	60	80	brittle clay	340	400
sand	80	100	sand, clay,	400	420
gravel, sand + rock	100	120	sand, brittle clay	420	440
sand, 1/2" sst peagars	120	140	sand, set screen	440	460
sand, streaks of clay	140	160	sand.	460	500
clay, streaks of sand	160	180			
clay, streaks of sand	180	200			
clay, streaks of sand, gravel	200	220			

IF MORE SPACE IS NEEDED, USE BACK