

Coahoma

MISSISSIPPI BOARD OF WATER COMMISSIONERS

T 2000  
10-59

WATER WELL DRILLERS LOG

11/5/66  
778

Date: Oct. 22, 1959, Driller: Layne-Central Company County Coahoma

(1) Owner of Land: King & Anderson, Inc.  
(Name)  
Clarksdale, Mississippi  
(Address)

(2) Location: 1/4, 1/4, Sec 27 T 4 R  
27 N R 4 W  
miles northwest of Clarksdale  
(distance) (direction) (Nearest Town)

(3) Topography: flat  
(Hilly) (Flat) (Level)

(4) Purpose of Well: domestic  
(Domestic Irrigation  
Municipal, Industrial, Other)

Description & Color of Materials Sand, Clay, Red Clay, Shell, etc.	Thick- ness Feet	Depth Feet
Clay	5	5
Sandy clay	10	15
Fine sand	53	68
Coarse sand	17	85
Coarse sand & pea gravel	85	170
Clay	110	280
Shale	65	345
Fine sand, strks. shale	15	360
Sand	57	417
Hard shale	22	439
Sand	62	501
Hard shale	183	684
Sandy shale	33	717
Sand	21	738
Sand with strks. shale	48	786
Rock	1	787
Hard shale	5	792
Rock	1	793
Shale	3	796
Rock	1	797
Shale	4	801
Hard rock	1	802
Shale	8	810
Rock	1	811
Shale	6	817
Rock	2	819
Shale	9	828
Rock	1	829
Shale	111	970
Sandy shale	41	1011
Hard shale	139	1150
Shale with strks. sandy shale	80	1230
(Over)		1300

Information upon completion of well:

(1) Diameter 8 1/4 inches.

(2) Total Depth 1332 feet.

(3) Water Level 6' feet below top of ground.  
1116' 4"

(4) Cased to 193' Size 8"  
22' of lap

(5) Screen: Size 4" Length 41"

(6) Were any formations sealed against pollution?  
yes yes, no no.

If YES depth of formation cemented to top,  
has mechanical seal and B.P.V.  
Why \_\_\_\_\_

Drillers Remarks:  
75 GPM.

Electric power.

(Over)

(Use Back Side)