State Well Report					
/ · /	Oriller's Log For Office Use Only:				
Mississippi Departmer	nt of Environmental Quality Aquifer: 130				
Trrigation Equipment Office of Land a	nd Water Resources Box 2309 Well #:				
Driller: Jackson	n. MS 39225				
Date drilling completed: $6 - 18 - 11$ (601)	961- 5210 L. S. Elevation:				
(601)96	1- 5228 (fax) E-log #:				
State Law requires that this report be prepared by the lic					
Department at the above address within 30 days of comp	pletion of drilling of the well or borehole.				
Information on Well Owner	Well or Borehole Location				
(Landowner if borehole is not for a water well)	Latitude: 34 · 08 · 25.2 · Longitude: 90 · 27 · 33.2				
Owner Name / ripp Hays	Landide. 7 00 4-12 Longitude. 70 4 7 0002				
Owner Name Tripp Hays  Mailing Address: 5060 Old Hwy 49	Method of Lat/Long (circle one): Conventional Survey,				
	USGS quad, Hand-held GPS, Survey-grade GPS				
Clark 1 1 M. 386114	SE 1/4 MW/4 Sec 12 V Twn 26N Kng 3W				
Clanksdale Ms. 38614 City State Zip Code	I Sin ( N.D.				
•	Distance Direction Nearest Town  Miles SE of Clarks onle				
Telephone No. ()					
Well / Bore	Phole Data				
Date drilling started: 6-18-11 Date drilling completed: 6-18	-// Hole depth: 125 Hole diameter: 24 h				
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and deve	Surface Water				
Logs run (circle all applicable) No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron Other:				
Purpose of borehole (check one): Water WellGeotechnical/Geol	ogical Investigation Ground Source Heat Pump				
Seismic Survey Other (describe	2)				
If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level:feet above or below (circle one) land surface					
Method of Measurement (circle one) steel tape electric tape	air line other:				
Well depth: 125 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 85 feet Casing diameter: 16	inches Type of casing: PVC				
Screen length: 40 feet Screen diameter: 16	inches Type of screen: PVC				
Screen slot size: 050 inches Setting depth: From_	86 feet to 125 feet				
Type of completion (circle all applicable): Gravel packed Under	rreamed Telescoped Open hole Natural Development				
Other (describe):					

feet. If telescoped or more than one screen, describe on next page

Circle S Irrigation will set pump.

Top of lap pipe or reduction in casing: \_



Form: OLWR-SWR-1A (04/08)

AUG 0 3 2011



f well telescopes, show depths on sketch.			
Ground Level.	Description of Formations Encountere	f From (depth)	To (depth)
	Claus	Ground Level	16
	Fine Sand	17	32
:	Ang Sand + Grave		7./_
	Medium Sand + Cra	ve/ 12	125
			<u> </u>
-	_		
			·
			<u></u>
•			
If more than one screen, show location of each on sketch		—: <u> </u>	*
aid in locating the well; 3) any roads, power lin 4) a north arrow.	well location; 2) any permanent structures on es, or other items that may aid in locating the	the property that may property and the well;	
aid in locating the well; 3) any roads, power lin 4) a north arrow.	well location; 2) any permanent structures on es, or other items that may aid in locating the	the property that may property and the well;	
ndowner Name: Tripp Hays	res, or other items that may aid in locating the	property and the well;	(04/08)
ndowner Name: Tripp Hays	res, or other items that may aid in locating the	property and the well;	(04/08)
ndowner Name: Tripp Hays	es, or other items that may aid in locating the	property and the well;  prm: OLWR-SWR-1A  ple requirements of the	(04/08) ne
ndowner Name: Tripp Hays	es, or other items that may aid in locating the	property and the well;  prm: OLWR-SWR-1A  ple requirements of the	(04/08) ne
ndowner Name: Tripp Hays  rtify that the well/borehole was drilled, constructed, and sissippi Department of Environmental Quality and the last.	For other items that may aid in locating the Ford completed in accordance with all applical Mississippi Department of Health regulation.  Date Signature of Lice	property and the well;  prm: OLWR-SWR-1A  ple requirements of the control of the	(04/08) ne



AUG 0 3 2011
BY: OLWR

## STATE WELL REPORT County: COAHOMA Part 2 For Office Use Only: Pump Installer's Completion Report Permit #: GW-445780K Mississippi Department of Environmental Quality Aquifer: Driller: IRRIGATION EQUIPMENT Office of Land and Water Resources P.O. Box 2309 Well #: M 130 Jackson, MS 39225 Date completed: (2-18-11 (601)961-5210 (601)961-5228 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Owner Name: ELLENDALL FARMS Latitude: 340 08.285" Longitude: 900 27.332" Method of Lat/Long (check one): Conventional Survey 33. Mailing Address: 5060 OLO HWY 49 USGS quad , Hand-held GPS \_\_\_, Survey-grade GPS\_ ARKSDALS, MS 38614 itv State Zip Code SW 4NE 4 Sec 12 T26N'R3WV Distance Direction Nearest Town Telephone No. (627) 624-2412 3.8 Miles E of LURAND Pump Type Power Type Circle one Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Turbine Piston Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Horse Power Rating of Motor: \_ 60 Other (specify): \_\_\_\_ Date Pump Installed: 7 - 19 - 11 Setting Depth: feet Rated Pump Capacity: Z200 Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: Electric Measuring Line Air Line Steel Tape Static Water Level (A): Feet Below Land Surface Other (specify): Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: \_\_\_\_\_ Feet Below Land Surface For flowing well, measured shut in head: \_\_\_\_\_ feet Test Pumping Rate: \_\_\_\_\_ Gallons Per Minute Well yielded \_\_\_\_\_GPM with a drawdown of Duration of Pump Test (minimum 4 hours): hours feet after hours of pumping

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer

Form: OLWR-SWR-1B (04/08) AUC 9 2011

