		-
County;	Coahoma	
Permit #:	GW-49768	
Driller:	Irrigation Eq	uipment, Inc.
Date drilli	ing completed:	10-28-16

# STATE WELL REPORT Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601) 961-5210
(601) 360-0535 (fax)

For Office Use Only:					
Well #:	<u>N187</u>				
Aquifer:					
E-Log #:					

	ner Information	npletion of drilling of the well or borehole.  Well or Borehole Location
	ole is not for a water well)	
Owner Name: Westchester	Group	Latitude: 34 04' 04.9" Longitude: 090 36' 43.3"
Mailing Address: 1207 Card	dinal Circle	Method of Lat/Long (check one):   Conventional Survey,
***************************************		☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Indianola City	MS 38751 State Zip code	<u>SW</u> ¼ <u>NĚ</u> ¼, Sec <u>4</u> T <u>25N</u> R <u>4W</u>
Telephone No. ( )		Miles North of Roundaway (Distance) (Direction) (Nearest Town)
	Well / Bo	orehole Data
Date drilling started: 10-28-	16 Date drilling completed:	
-	surface water used for drilling:	
·	of Chlorine used in drilling and de	
		mma Ray ☐ Density ☐ Sonic ☐ Neutron ☐ Other:
Name of organization running		
Purpose of borehole (check or		chnical/Geological Investigation
Harbase of botellole (check of	<u> </u>	
TE duilling	-	Other (describe)
	,	nstruction, skip the remainder of this block
_	olicable): ☐ Home ☐ Industrial ☐	Public Supply ⊠ Irrigation ☐ Fish Culture
Other (describe):		
If a flowing well, method of flow	w regulation: Valve	Other (describe)
Static Water Level: 45	feet [ above or  bel (check one)	ow] land surface Date measured: 10-29-16
Method of Measurement (chor	•	
weared or measurement (CHEC	ck one) 🛭 Steel tape 🗌 Electric ta	ape Air line Other: (describe)
	ck one) 🛛 Steel tape 🗌 Electric ta	et Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix
	ck one)  Steel tape  Electric ta	et Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix
Well depth: 128' Well gr	ck one)  Steel tape  Electric ta routed to a depth of: 10 fee feet Casing diameter: 16	et Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix
Well depth: 128' Well gr Casing length: 88  Screen length: 40	ck one)  Steel tape  Electric ta routed to a depth of: 10 fee feet Casing diameter: 16	et Type of grout (check one):  Neat Cement Bentonite Mix inches Type of casing: PVC inches Type of screen:
Well depth: 128' Well gr Casing length: 88  Screen length: 40  Screen slot size: .050	ck one) Steel tape Electric to routed to a depth of: 10 fee feet Casing diameter: 16 feet Screen diameter: 16 inches Setting depth	et Type of grout (check one):  Neat Cement Bentonite Mix inches Type of casing: PVC inches Type of screen:
Well depth: 128' Well gr Casing length: 88  Screen length: 40  Screen slot size: .050	ck one) Steel tape Electric to routed to a depth of: 10 fee feet Casing diameter: 16 feet Screen diameter: 16 inches Setting depth	et Type of grout (check one):  Neat Cement Bentonite Mix inches Type of casing:  PVC inches Type of screen:  PVC  The From 89 feet to 128 feet  Underreamed Open hole Natural Development
Well depth: 128' Well gr Casing length: 88  Screen length: 40  Screen slot size: .050  Type of completion (check all a	ck one)  Steel tape  Electric to routed to a depth of: 10 fer feet Casing diameter: 16 feet Screen diameter: 16 inches Setting depth applicable):  Gravel packed	et Type of grout (check one):  Neat Cement Bentonite Mix inches Type of casing:  PVC inches Type of screen:  PVC  The From 89 feet to 128 feet  Underreamed Open hole Natural Development

Form: OLWR-SWR-1A (4/13) BY OLW R

County: Coahoma		For Office Use Only:  Well #: N18.7				
Permit #: <b>GW-49768</b>						
The sketch below only required for water w	vells.		countered must be provided for cally exempted by regulations	all wells		
If well telescopes, show depths on sketch.				To (double)		
Ground level		Description of Formations E		Ground level 48		
		Fine Sand	49	57		
• •	•	Fine Sand & Gravel	58	73		
		Med. Sand & Gravel	74	128		
	•					
			···			
.				<del>                                     </del>		
				+		
	•			<del>-  </del>		
			·····			
			· · · · · · · · · · · · · · · · · · ·			
			······································			
İ	•		,			
f more than one screen, show location	of each on sketch					
Sketch the property layout and incli 1) the well location 2) any permanent structures of 3) any roads, power lines, or of 4) a north arrow	n the property that may	y aid in locating the well I in locating the property and th	ne well			
	٠					
•						
,						
			•			
andowner Name:						
<del></del>			Form: OLWP	SWR-1A (04/08)		
HEREBY CERTIFY that the well/b	orehole was drilled, co	nstructed, and completed in ac	cordance with all applicable Department of Health regula	tions.		
<sup>r</sup> equirements of the Mississippi Der f applicable, and state laws. <b>0695</b>		11-14-16				

NOV 16 2016

•		
County:	Coahoma	
Permit #:	GW-49768	,
Driller:	Irrigation Eq	uipment, Inc.
Date drilli	ing completed:	10-28-16
Copy	information from	m block on Part 1

## STATE WELL REPORT Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210

(601) 360-0535 (fax)

For	or Office Use Only:			
Well #:	N187			
Aquifer:				

of the report must be attached a Well Owner		filed with the Depa	rtment at th	e above addr	ess within 30 Well Loc		well completion.
Owner Name: Westchester G	roup		Latitude:	34 04' 04	. <b>9"</b> Lo	ngitude:	090 36' 43.3"
Mailing Address: 1207 Cardin			Method o	f Lat/Long (c	heck one):	☐ Con	ventional Survey,
			1				-
Indianola MS 38751				☐ USGS quad, ☒ Hand-held GPS, ☐ Survey-grade GPS  SW ¼ NE ¼, Sec 4 T 25N R 4W			
Indianola City	State	Zip code	1	<u>344</u> %	<u>INE</u> 1/4, Sec	4 1 231	1 K 4VV
Telephone No. (				Miles	North	of	Roundaway
			(Distan	ce)	(Direction)		(Nearest Town)
<del></del>		Pump Typ	e (check on	e)			
☐ Submersible ☐ Turbine ☐ Air	· Lift ☐ Centri	fugal	ell.□ Jet □	Piston □ R	otary  ☐ Oth	er (deşci	ribe):
Date Pump Installed 10-29-16	5	F	ated Pump	Capacity:	2000+/-		Gallons Per Minute
Is This Pump (check one): Ne		ed 🔲 Replacement					_
		Power Typ	e (check or	e)			
· ☐ Electric ☑ Diesel ☐ Gasoline				•			······································
Horse Power Rating of Motor:	60 .	Setting Depth:	80	f	eet Numbe	r of Stag	jes: <b>2</b>
		Pump Test Data fo	r Non Flo	ving Well			
Date Well Tested:				_	(minimum 4	hours):	Hours
Static Water Level (A):							
Drawdown [(B) (A)]:							
Method of measurement (check of				-			
4,9 ***		Pump Test Data					
Measured shut in head:	Fee			٧.			
Well yielded GF	PM with a drav	wdown of		_ feet after _		hc	ours of pumping
-1		Meter Ir	stallation				
Meter Manufacturer:		• •		Serial Numb	er:		
Meter Model Number/Name:							
Totalizer Register Unit and Multip							
Installation Date:							
Is This Meter (check one):   Ne		_			<del></del>		·
Important: By submitting th	-	•	ifving that i	this meter wa	s installed to	manufa	cturer standards.
		wells, a list of appr					Vr Nevertees 10170
· · · · · · · · · · · · · · · · · · ·	<del></del>						~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

11-14-16

Date

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Histaller, Form: OLWR-SWR-1B (4/13)

NOV 16 2016



P.O. Box 129 Stoneville, MS 38776 Tel.: (662) 686-7712

Fax: (662) 686-9078 www.ymd.org

# Yazoo Mississippi Delta Joint Water Management District

November 11, 2016

Westchester Group Scott Mitchell 1207 Cardinal Circle Indianola MS 38751

RE: Receipt for Notification of Construction of Replacement Well MS-GW-49768 which will be replacing GW-05926 located at

Location: SE¼ of the NE¼ Section 04 Township 25N Range 04W County Coahoma Latitude: 34 04 04 Longitude 90 36 43

### Dear Scott Mitchell:

This letter acknowledges your notification to the state that you intend to replace a previously permitted well in the Mississippi River Valley Alluvial Aquifer and that this replacement construction will meet the requirements for a groundwater replacement well specified in 11 Miss. Admin. Code Part 7, Chapter 1, Rule 1.4.F.1 (see minched/back of page). Construction may begin immediately on your replacement well.

Remember that you are still required to submit a permit application (enclosed) for the replacement well within 5 days of construction beginning. You are also required to properly decommission (plug and abandon) the replaced well within 160 days of the replacement well's construction.

A copy of this letter, or a water use permit for the replacement well, must be attached to the State Well Report submitted by your driller to MDEQ and they must also submit a copy to YMD, as specified in the Water Well Contractor regulations found in 11 Miss. Admin. Code Part 7, Chapter 2, Rule 2.9.

If you have any questions, please call YMD at 662-686-7712.


Multon

Sincerely,

Dillard Melton, Jr

**Permitting Director** 

RECEIVED MOV 16 2016 BYOLWR



RECEIVED NOV 16 2016 BY OLWR