STATE V	VELL REPORT	······
county: Copiah	Part 1	For Office Use Only:
Di Di	iller's Log	Well #: 124
Permit #: Mississippi Departm	nent of Environmental Quality Id and Water Resources	Aquifer:
Driller: SUPPLY, INC.	O. Box 2309	E-Log #:
	n, MS 39225-2309	
	01)961-5210 )360-0535 (fax)	
State Law requires that this report be prepared by the	icense halder responsible for t	he work and filed with the
Department at the above address within 30 days of con	upletion of drilling of the well	or borehole.
Well Owner Information		hole Location
(Landowner if borehole is not for a water well)	Latitude: 31 43.86 Lor	ngitude: <b>90° 35.357</b>
Owner Name: WIII am Irays	Method of Lat/Long (check one	e): Conventional Survey,
Mailing Address: 1712 Timberlane		PS, Survey-grade GPS
Estates Dr.	USGS quad, Handelleto G	
Harvey LA 70058 City State Zip Code	56 1/4 NE 1/4, Sec_	22 T9N RGE
	12 Miles NE	f <u>W2550n</u>
Telephone No. (504) 615-6655	(Distance) (Direction)	(Nearest Town)
Weit / B	orehole Data	
Date drilling started: 11-12-13 ate drilling completed:		7_Hole diameter:
Location of the source of any surface water used for drilling	Non on the Owner of the Owner o	
Method of dosing and volume of Chlorine used in drilling a		t-gravel pack
Logs run (circle all applicable): No log rup Electric Gam		and the second
Name of organization running log(s):		
	ical/Geological Investigation	Ground Source Heat Pump
	(describe)	
If drilling is not related to water well of		er of this block
Purpose of Well (circle all applicable): (Home) Industrial	Public Supply Irrigation	Fish Culture
	Cablic Supply Intigation	
Other (describe):		
If a flowing well, method of flow regulation: Valve		
(circle one)	Land surface Date measure	
Method of measurement (circle one): Steel tape		
Well depth: <b>9</b> Well grouted to a depth of: <u>10</u>	feet Type of grout (circle one	): Neat Cement Bentonite Mix
Casing length: <b>88</b> feet Casing diameter:	4inches Type o	f casing: <u>PVC</u>
Screen length:feet Screen diameter:		of screen: <u>PVC</u>
Screen slot size:inches Setting dept	n: Fromfeet	to
Type of completion (circle all applicable): Gravel packed	Underreamed Open hole	e Natural Development
Other (describe):		
Top of lap pipe or reduction in casing;feet		franke in the second
If telescoped or more than	one screen, describe on next	page

Form: OLWR-SWR-1A (4/13)

β<sup>2</sup> Alema Na ma T £,

If more than one screen, show location of each on sketch  If more than one screen, show location of each on sketch  Sketch the property layout and include the following:  1) the well location  3) any permanent structures on the property that may aid in locating the well  4) north arrow  28hwy	The sketch below			Well #:	
Ground Level			Description of formations el and boreholes, unless specif	ncountered must be provid fically exempted by regula	<u>led for all</u> tions
If more than one screen, show location of each on sketch  Sketch the property layout and include the following:  1 the well location  2 any permanent structures on the property that may aid in locating the well  4 north arrow  28hwy		<u>show depths on sketch</u> .			
If more than one screen, show location of each on sketch  Sketch the property layout and include the following:  1 the well location  2 any permanent structures on the property that may aid in locating the well  3 any roads, power times, or other items that may aid in locating the well  4 north arrow  2 Showy	Ground Level				
If more than one screen, show location of each on sketch  Sketch the property layout and include the following:  1 the well location  2 any permanent structures on the property that may aid in locating the well  3 any permanent structures on the property that may aid in locating the well  4 north arrow  28 hury					
If more than one screen, show location of each on sketch  If more than one screen, show location of each on sketch  Sketch the property layout and include the following:  1 the well location  2 any permanent structures on the property that may aid in locating the well  3 any roads, power lines, or other items that may aid in locating the property and the well  4 north arrow  28 huy			gravel	9	101
more than one screen, show location of each on sketch  incret than one screen, show location of each on sketch  incret the property layout and include the following:  1) the well location  2) any permanent structures on the property that may aid in locating the well  3) any roads, power lines, or other items that may aid in locating the well  4) north arrow  28hwy			1114142 010	V IST	1.49
tch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow 28hwy			WILLIGE CIU	101	101
tch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow 28hwy					
tch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow 28hwy					
tch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow 28hwy					<u> </u>
tch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow 28hwy					
tch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow 28hwy					
tch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow 28hwy					
tch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow 28hwy					
tch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow 28hwy					+
tch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow 28hwy					
the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow 28hwy					ļ
tch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow 28hwy					
<ul> <li>ketch the property layout and include the following:</li> <li>1) the well location</li> <li>2) any permanent structures on the property that may aid in locating the well</li> <li>3) any roads, power lines, or other items that may aid in locating the property and the well</li> <li>4) north arrow</li> </ul>			The second se		1
	ketch the property lay 1) the well location 2) any permanent	rout and include the following: n structures on the property that may a	Note that well		· · · · ·
	Sketch the property lay 1) the well location 2) any permanent: 3) any roads, power 4) north arrow	rout and include the following: n structures on the property that may a	n locating the property and the wel	28hwy	*
	ketch the property lay 1) the well location 2) any permanent: 3) any roads, power 4) north arrow	rout and include the following: n structures on the property that may a er lines, or other items that may aid in	house D	y seat Rd.	2
	ketch the property lay 1) the well location 2) any permanent: 3) any roads, power 4) north arrow	rout and include the following: n structures on the property that may a er lines, or other items that may aid in	house D	y seat Rd.	<b>1</b>
	ketch the property lay 1) the well location 2) any permanent : 3) any roads, power 4) north arrow	rout and include the following: n structures on the property that may a er lines, or other items that may aid in	house D	y seat Rd.	2
	ketch the property lay 1) the well location 2) any permanent : 3) any roads, power 4) north arrow	rout and include the following: n structures on the property that may a er lines, or other items that may aid in	house D	y seat Rd.	1
	ketch the property lay 1) the well location 2) any permanent: 3) any roads, power 4) north arrow	rout and include the following: n structures on the property that may a er lines, or other items that may aid in	house D	y seat Rd.	2
	ketch the property lay 1) the well location 2) any permanent: 3) any roads, power 4) north arrow	rout and include the following: n structures on the property that may a er lines, or other items that may aid in	house D	y seat Rd.	<b>1</b>
Kwell Midway Rd.	ketch the property lay 1) the well location 2) any permanent : 3) any roads, power 4) north arrow	Tout and include the following: n structures on the property that may a er lines, or other items that may aid in Tour I. Hory Ref	house D	y seat Rd.	<b>f</b>
	ketch the property lay 1) the well location 2) any permanent : 3) any roads, power 4) north arrow	Tout and include the following: n structures on the property that may a er lines, or other items that may aid in Tour I. Hory Ref	house D	y seat Rd.	

	STATE WELL REPORT					
County: Copiah	Part 2	For Office Use Only:				
Permit #:	Pump Installer's Completion Report Mississippi Department of Environmental Quality					
Driller: GRENN WATER WELL &	Office of Land and Water Resources	Well #:				
SUPPLY, INC. Date completed: 11-14-13	P.O. Box 2309					
Copy information from block on Part 1	Jackson, MS 39225-2309 (601)961-5210	Aquifer:				
	(601) 360-0535 (fax)					
This part of the report must be complete of the report must be attached and both	d by a licensed water well contractor or a licensed pu parts filed with the Department at the above address t	mp installer. A copy of Part 1 vithin 30 days of well completion.				
Well Owner Informati	on Well L	ocation				
Owner Name: William BM	Latitude: 31° 13.860 Loi	igitude: 10°35_357				
Mailing Address: 1712 Timbe	erlane Method of Lat/Long (check one	e): Conventional Survey,				
Estates Dr	USGS guad, Hand-held G	PS_X, Survey-grade GPS				
Harvey LA	70058 34 1/ WIF 1/ Ser	22 TAN RGE				
	Zip Code	5 1 2 5 L D L I				
Telephone No. (504) 615-66	<u>55</u> (Distance) (Direction)	f UPCSSON( (Nearest Town)				
	Pump Type (circle one)					
Submersible) Turbine Air Lift Centrif	ugal Flowing Well Jet Piston Rotary Other (de	escribe):				
	Rated Pump Capacity:					
Is This Pump (circle one): New Rep						
	Power Type (circle one)					
Electric Diesel Gasoline Natural Gas	Tractor PTO Windmill Other (describe):					
Horse Power Rating of Motor: 1/2 Setting Depth: 9.5 feet Number of Stages: 9						
	Pump Test Data for Non Flowing Well					
Date Well Tested: 11-14-13	Duration of Pump Test (minin	num 4 hours): hours				
Static Water Level (A): 5(6 Fee	t Below Land Surface Pumping Water Level (B):	62 Feet Below Land Surface				
Drawdown [(B) - (A)]:	Feet Below Land Surface Test Pumping Rate:	Gallons Per Minute				
Method of measurement (circle one): St	teel tape Electric tape hir line Other (describe):					
	Pump Test Data for Flowing Well					
Measured shut in head:feet						
Well yielded GPM with a c	rawdown of feet after	_hours of pumping				
	Meter Installation					
Meter Manufacturer:	Meter Serial Number:					
	Type of Meter:					
	actor (AF x .001, gal x 1000, etc):					
1	Meter installed by:	the second se				
		$\sum_{i=1}^{n} \sum_{j=1}^{n} \sum_{i=1}^{n} \sum_{i=1}^{n} \sum_{j=1}^{n} \sum_{i=1}^{n} \sum_{i=1}^{n} \sum_{j=1}^{n} \sum_{i=1}^{n} \sum_{i=1}^{n} \sum_{j=1}^{n} \sum_{i=1}^{n} \sum_{i$				
	is this meter (circle one). New Repaired Replacement					
Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website.						
I HEREBY CERTIFY that the above state	ments are true to the best of my knowledge.					
		. //				
MICHAEL W. KEES RPO-000 Print Name of Pump Installer and Licen	<u>00801</u> se No. ( <i>if applicable</i> ) <u>11-14-13</u> <u>11/11</u> Date Signa	ature of Pump Installer				

۰.

Form:	OLWR-SWR-1B (4/13)	