

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
Bureau of Land and Water Resources

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED
COVINGTON

WELL NUMBER
2087

DATE WELL COMPLETED
4-21-92

PERMIT NUMBER

NAME OF DRILLING FIRM
PARKER WELL SERVICE

NAME & MAILING ADDRESS OF LANDOWNER
EARLEAN CROSBY
COLLINGS MISS.

WELL LOCATION: SEC **14** TOWNSHIP **9 N** RANGE **15 E**

DISTANCE **3** Miles DIRECTION **WEST** of NEAREST TOWN **HOT COFFEE**

OTHER LANDMARK
HOT COFFEE

WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc.
HOME

PUMP DATA

PUMP TYPE (Circle One):
Submersible, Turbine, **Jet** Flowing Well,
Other (Describe) _____

POWER TYPE (Circle One):
Electric, Tractor, Diesel, Gasoline, Butane,
Other (Describe) _____ H/P **1/2**

Pump Capacity (GPM) 8	No. of Stages 2	Setting Depth 55' FT.
---------------------------------	---------------------------	---------------------------------

PUMP TEST

Well yielded **6** GPM with
a drawdown of **NO** ft.
after **6** hours of pumping

WELL DATA

Well Depth 67'	Casing Diameter (In.) 2"	Casing Length (Ft.) 57'
Type of Casing PVC	Hole Depth 67'	Depth to Static Water Level 50'

TYPE OF COMPLETION: (Circle One or More):
Gravel Packed, Underreamed, Telescoped,
Natural Development, Open Hole, Other

Top of Lap Pipe or Reduction in Casing
FEET IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

LOG DATA

TYPE OF LOG RUN (Circle One):
Electric, Gamma Ray, Density, Sonic, Neutron,
Other (Describe) _____

Name of Organization Running Log
PARKER 28 1992

GEOLOGIC DATA (Office Use Only)

Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top

Bureau of Land & Water Resources

Subs. SWL	Date	Analysis	Aquifer Test

SCREEN DATA

Diameter - Inches 2"	Length - Feet 10'	Slot Size - Inches 008
Screen Type PVC	Depth to Bottom - Feet 67'	

Driller's Remarks
COURSE SAND
GOOD DRINKING
WATER

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued)	FROM	TO
Red CLAY	0	30	WELLS DRILLED		
SAND	30	67			
			50 FT.		
			APART		

IF MORE SPACE IS NEEDED, USE BACK