
•	. State W	ell Report	
	1	art l	For Office Use Only:
County: Coving ton 031	1	t of Environmental Quality	Aquifer:
Permit #;		nd Water Resources	Well #: 5-28
Driller James Wells Ime.		lox 10631	
	-	IS 39289-0631	L. S. Elevation:
Date drilling completed: $9 - 3 - 0.4$		961-5210 4-6938 (fax)	E-log #:
ames Wello Water Wel	le Dennie		
State Law requires that this rep	ort be prepared by the	driller in detail and filed w	ith the Department within
30 days of completion of drilling	s of the well.	Well	Location
Well Owner Information			
Owner Name Douge Rogen		Latitude:^'	_" Longitude:'
Mailing Address: P. D. B 4 1805		Method of Lat/Long (circle one): Conventional Survey,	
			GPS, Survey-grade GPS
Colling has	39422	N 14 hE 14 Sec 6	K 16W = 7 h
<u>Collim Ms</u> City Stz	ate Zip Code		-
Telephone No. (601) 765-2983		Distance Direction Nearest Town	
Telephone No. $(B01) / 0 = -$	elephone No. (<u>601</u>) <u>65 2765</u> <u>4</u> Miles		01
) The Determined States	mall drilling completed: 7 5	~ (\4
Date well drilling started: 7.5	lve Other (d		
If flowing, method of flow regulation: Va Static Water Level: <u>105</u> feet al	lve Other (d	lescribe)	RECF
If flowing, method of flow regulation: Va Static Water Level:fcet al	live Other (d bove or below (circle one) teel tape electric tape	lescribe) land surface Date measured: air line other:	RECF
If flowing, method of flow regulation: Va Static Water Level:feet al Method of Measurement (circle one) & Hole depth: Well de	live Other (d bove or below (circle one) i teel tape electric tape spth:	lescribe) land surface Date measured: air line other:	RECE
If flowing, method of flow regulation: Va Static Water Level: <u>105</u> feet al Method of Measurement (circle one) 4 Hole depth: <u>Well de</u> Type of grout (circle one): <u>Cement</u>	live Other (d bove or below (circle one) i teel tape electric tape epth: Bentonite Mix	lescribe) land surface Date measured: air line other: Well grouted to a depth of	RECE 10 feet OCT 07 BY: OL
If flowing, method of flow regulation: Va Static Water Level: <u>105</u> feet al Method of Measurement (circle one) & Hole depth: <u>Well de</u> Type of grout (circle one): <u>Cement</u> Casing length: <u>220</u> feet Casi	live Other (d bove or below (circle one) i teel tape electric tape epth: Bentonite Mix ing diameter:	lescribe) land surface Date measured: air line other: Well grouted to a depth of inches Type of casing:	RECE 10 feet OCT 07 BY: OL PVC.
If flowing, method of flow regulation: Va Static Water Level: <u>105</u> feet al Method of Measurement (circle one) & Hole depth: <u>Well de</u> Type of grout (circle one): <u>Cement</u> Casing length: <u>220</u> feet Casi	live Other (d bove or below (circle one) i teel tape electric tape epth: Bentonite Mix ing diameter:	lescribe) land surface Date measured: air line other: Well grouted to a depth of	RECE 10 feet OCT 07 BY: OL PVC.
If flowing, method of flow regulation: Va Static Water Level: <u>105</u> feet al Method of Measurement (circle one) 4 Hole depth: <u>Well de</u> Type of grout (circle one): <u>Cement</u> Casing length: <u>220</u> feet Casi Screen length: <u>25</u> feet Screen	live Other (d bove or below (circle one) i teel tape electric tape epth: Bentonite Mix ing diameter: een diameter:	lescribe) land surface Date measured: air line other: Well grouted to a depth of inches Type of casing:	RECE 10 feet OCT 07 BY: OL PVC.
If flowing, method of flow regulation: Va Static Water Level: feet al Method of Measurement (circle one) & Hole depth: Well de Type of grout (circle one): Cement Casing length: 220 feet Casi Screen length: feet Screen Screen slot size: feet Screen	live Other (d bove or below (circle one) i tect tape electric tape pth: Bentonite Mix ing diameter: cen diameter: Setting depth: From	lescribe) land surface Date measured: air line other: Well grouted to a depth of inches Type of casing: inches Type of screen: feet to2	RECE 10 feet OCT 07 BY: OL PVC. 40 feet
If flowing, method of flow regulation: Va Static Water Level: <u>105</u> feet al Method of Measurement (circle one) 4 Hole depth: <u>Well de</u> Type of grout (circle one): <u>Cement</u> Casing length: <u>220</u> feet Casi Screen length: <u>25</u> feet Screen	live Other (d bove or below (circle one) i tect tape electric tape pth: Bentonite Mix ing diameter: cen diameter: Setting depth: From	lescribe) land surface Date measured: air line other: Well grouted to a depth of inches Type of casing:	RECE 10 feet OCT 07 BY: OL PVC. 40 feet
If flowing, method of flow regulation: Va Static Water Level: feet al Method of Measurement (circle one) & Hole depth: Well de Type of grout (circle one): Cement Casing length: 220 feet Casi Screen length: feet Screen Screen slot size: feet Screen	live Other (d bove or below (circle one) i tect tape electric tape pth: Bentonite Mix ing diameter: cen diameter: Setting depth: From cravel packed Under	lescribe) land surface Date measured: air line other: Well grouted to a depth of inches Type of casing: inches Type of screen: feet to2	RECE 10 feet OCT 07 BY: OL PVC 40 feet
If flowing, method of flow regulation: Va Static Water Level: feet al Method of Measurement (circle one) & Hole depth: Well de Type of grout (circle one): Cement Casing length: 220 feet Casi Screen length: feet Screen Screen slot size: feet Screen	live Other (d bove or below (circle one) i tect tape electric tape path: Bentonite Mix ing diameter: cen diameter: Setting depth: From cravel packet Under Other (describe):	lescribe)	RECE <u>ieet</u> OCT 07 BY: OL <u>PVC</u> <u>ub</u> feet hole Natural Development
If flowing, method of flow regulation: Va Static Water Level: feet al Method of Measurement (circle one) & Hole depth: Well de Type of grout (circle one): Cement Casing length: 220 feet Casi Screen length: feet Screen Screen slot size: feet Screen Screen slot slot slot slot slot slot slot slot	live Other (d) bove or below (circle one) if tect tape electric tape spth: Bentonite Mix ing diameter: Setting depth: From Setting depth: From Other (describe):	lescribe)	RECE feet OCT 07 BY: OL PVC. UD feet hole Natural Development een, describe on back of page
If flowing, method of flow regulation: Va Static Water Level:feet al Method of Measurement (circle one) & Hole depth: Well de Type of grout (circle one): Cement Casing length: 220feet Casi Screen length:feet Screene Screen slot size:feet Screene Screen slot size:feet Screene Type of completion (circle all applicable): Top of lap pipe or reduction in casing: Logs run (circle all applicable): No log run Name of organization running log(s):	live Other (d) bove or below (circle one) if tect tape electric tape spth: Bentonite Mix ing diameter: Yeen diameter: Setting depth: From Setting depth: From Cravel packed Under Other (describe):	lescribe)	RECE
If flowing, method of flow regulation: Va Static Water Level: feet al Method of Measurement (circle one) & Hole depth: Well de Type of grout (circle one): Cement Casing length: 220 feet Casi Screen length: feet Screene Screen slot size: feet Screene Screen slot size: feet Screene Type of completion (circle all applicable): Top of lap pipe or reduction in casing:	live Other (d) bove or below (circle one) if tect tape electric tape spth: Bentonite Mix ing diameter: Yeen diameter: Setting depth: From Setting depth: From Cravel packed Under Other (describe):	lescribe)	RECE
If flowing, method of flow regulation: Va Static Water Level:feet al Method of Measurement (circle one) & Hole depth: Well de Type of grout (circle one): Cement Casing length: 220feet Casi Screen length:feet Screene Screen slot size:feet Screene Screen slot size:feet Screene Type of completion (circle all applicable): Top of lap pipe or reduction in casing: Logs run (circle all applicable): No log run Name of organization running log(s):	live Other (d) bove or below (circle one) if teel tape electric tape attribute Mix Bentonite Mix ing diameter:	land surface Date measured:	RECE feet OCT 07 BY: OL PVC. UD feet hole Natural Development een, describe on back of page Other:
If flowing, method of flow regulation: Va Static Water Level:feet al Method of Measurement (circle one) & Hole depth: Well de Type of grout (circle one): Cement Casing length: 220feet Casi Screen length:feet Screene Screen slot size:feet Screene Screen slot size:feet Screene Type of completion (circle all applicable): Top of lap pipe or reduction in casing: Logs run (circle all applicable): No log run Name of organization running log(s): I certify that the well was drilled, constitution	live Other (d) bove or below (circle one) if Bentonite Mix Bentonite Mix ing diameter:	land surface Date measured:	RECE 1.0 feet OCT 07 BY: OL PVC. 40 feet hole Natural Development een, describe on back of page Other: requirements of the Mississippi

5-28

If well telescopes please sketch below and show depths.



If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction. #r 49 Hy 84 West Collins . store RECEIVED OCT 0 7 2004 BY: OLWR will Norm Daug Rogers Landowner Name: _

Signature of Water Well Contractor

C Z Z Z Z	· · · ·	ELL REPORT Part 2	For Office Use Only:
County: Cowing Ton	Pump Installer	Pump Installer's Completion Report	
	Mississippi Departme	Mississippi Department of Environmental Quality	
Permit #:		Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631	
Driller: Jam's Wells I	Jackson,		
Date completed: <u>9-3-04</u>	(60)	1)961-5210	Well #: <u>5-28</u> Elevation:
	(601)3	54-6938 (fax)	
This report should be prepa	red by the pump installer in det	ail and filed with the Departme	nt within 30 days of the
installation of pump. Well Owner Information		Well Location	
Dwner Name: Dorry Rogan		Latitude: Longitude:	
Mailing Address: P. D. Bux 1805		Method of Lat/Long (circle one): Conventional Survey,	
		-	
		USGS quad, Hand-held GPS, Survey-grade GPS	
Colling MS. J9428 City State Zip Code Telephone No. (6d) 765 2983		W 1/4 ME 1/4 Sec 6	Twn 16 W Rng 7 N
		Distance Direction Nearest Town	
		6 Miles West of Collins	
Telephone No. (<u>()</u> / 63	2703	Miles	or <u>Cornan</u>
Pum		Po	wer Type
Pump Type Circle one		Circle one	
Air Lift Jet	Submersible	Diesel Engine Gasoli	ine Engine Natural Gas
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTC
Centrifugal Rotary	Flowing Well	Windmill Other	(specify):
Other (specify):		Horse Power Rating of Moto	RECI
Date Pump Installed:		Setting Depth: 3 (BECL
Rated Pump Capacity:	/ 5 Gallons Per Minute	Number of Stages:	UCT O
Kaled Pump Capacity:			BY: OI
Pump Test Data		Method of M	easuring Water Level
Date Well Tested:			Circle one
		Air Line Electric Me	asuring Line Steel Tape
Static Water Level (A): Feet Below Land Surface		Other (specify):	
Pumping Water Level (B): 13	O Feet Below Land Surface	Other (specify):	<u></u>
Drawdown [(B) – (A)]:/ ①		For flowing well, measured s	shut in head:fee
Test Pumping Rate: Gallons Per Minute		Well yielded / 5 GPM with a drawdown of	
Duration of Pump Test (minimum	n 4 hours): <u>S</u> hours	feet after	<u> </u>
	bove statements are true to the bes	A of my later later	

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer