State W	ell Report	For Office Use Only:		
Causa Na Part 1 - I	riller's Log	Aquifer:		
Mississippi Departmen	Mississippi Department of Environmental Quality Office of Land and Water Resources			
P.C.	Box 2309	Well#:		
Driller: TAMES WELLS Jackson	, MS 39225	L. S. Elevation:		
$\epsilon \leq 12$ (601)	961- 5210 I- 5228 (fax)			
		E-log#:		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole. Well or Borehole Location				
Denartment at the above address wanth 50 days of conq		orehole Location		
Information on Well Owner (Landowner if borehole is not for a water well)	31834 84	7. Longitude: 089 38.268		
Owner Name Norwood Harmon		114		
	Method of Lat/Long (circle or			
Mailing Address: 311 Lake Mike Conner Rd.	USGS quad, Hand-held	GPS, Survey-grade GPS		
	5 W 14 5W 14 Sec 18	Twn 70 Rng 16W		
Collin 5 MS 39428 City State Zip Code State Zip Code State Zip Code Direction 8 Nearest Town Miles State of Collin 5		Nearest Town		
City State Zip Code	Distance Direction Miles	of Collins		
Telephone No. ()		v v v v v v v v v v v v v v v v v v v		
Wall / Rors	hole Data			
7 9 13				
Date drilling started: 5-8-12 Date drilling completed: 5-8-12 Hole depth: 120 Hole diameter: 7'5"				
Silver of any surface water used for drilling: COMMIANITY				
Method of dosing and volume of Chlorine used in drilling and development				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s):				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
a : : 5 Other (decerity	a)			
If drilling is not related to water well construction	on, skip the remainder of this b	lock		
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level:				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 120 Well grouted to a depth of 10 feet Type of grout (circle one); Neat Cement Bentonite Mix				
Casing length: 100 feet Casing diameter: 4 inches Type of casing: 500				
Screen length: 20 feet Screen diameter: 4	inches Type of screen: _	PVC		
Screen slot size: 008 inches Setting depth: From	100 feet to 10	20fcet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Type of completion (circle all applicable). (Circle all applicable):				
Top of lap pipe or reduction in easing:feet. If telescoped or more than one screen, describe on next page				
Top of lap pipe or reduction in casing:feet. If t	elescoped or more than one Scr	cen, uestine vii i da reat		
		Form: OLWR-SWR-1A (04/08)		

JUL 1 2 2012

BY: OLWR

<u>Description of formations encountered must be provided for all</u> <u>wells and boreholes, unless specifically exempted by regulations</u>

	Ground Level	
ciàre	70	120
`		
	OLWR-SWR-1A	(04/08)
	requirements of tl	he
Form	requirements of the	he
Form District Form District Form District Form For	requirements of the if applicable, and the if applicable, and the if applicable is a second to the interest of	he I state
	or other items that may aid in locating the proj	l location; 2) any permanent structures on the property that may or other items that may aid in locating the property and the well;

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level

STATE WELL REPORT Part 2 For Office Use Only: Covington Pump Installer's Completion Report Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 2309 Well #: Jackson, MS 39225 Date completed: (601)961-5210 Elevation: (601)961-5228 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information 47 Longitude: 0 Method of Lat/Long (check one): Conventional Survey_ USGS quad_____, Hand-held GPS____, Survey-grade GPS_ Direction Distance Miles SW of Telephone No. (Power Type Pump Type Circle one Circle one Natural Gas Gasoline Engine Diesel Engine Submerst Jet Air Lift Tractor PTO Hand Electric Moto Turbine Bucket Piston Other (specify): Windmill Flowing Well Rotary Centrifugal Horse Power Rating of Motor: Other (specify): Setting Depth: Date Pump Installed: Number of Stages: Gallons Per Minute Rated Pump Capacity: Method of Measuring Water Level Pump Test Data Circle one Date Well Tested: Electric Measuring Line Air Line Feet Below Land Surface Static Water Level (A) Other (specify): Feet Below Land Surface Pumping Water Level (B): For flowing well, measured shut in head: Feet Below Land Surface Drawdown [(B) - (A)]: GPM with a drawdown of Well yielded_ Gallons Per Minute Test Pumping Rate: hours of pumping Duration of Pump Test (minimum 4 hours):

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

TAMES WELLS 0-586

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer

Form: OLWR-SWR-18