State W	ell Report		
	For Office Use Only:		
County: Mississippi Departmen	t of Environmental Quality Aquifer:		
Permit #: 0-586 Office of Land ar	nd Water Resources		
7.0.1	DUX 2303		
$Q = / \sqrt{-n} $ (601)	961- 5210 L. S. Elevation:		
Date drilling completed: 8-14-08 (601)96	- 5228 (fax)   E-log #:		
State Law requires that this report be prepared by the lice	ense holder responsible for the work and filed with the		
Department at the above address within 30 days of comp	letion of drilling of the well or porenole.		
Information on Well Owner	Well or Borehole Location		
(Landowner if borehole is not for a water well)	Latitude:°' Longitude:°'		
Owner Name Chester King			
Mailing Address: 1537 old Hury 495	Method of Lat/Long (circle one): Conventional Survey,		
- 1	USGS quad, Hand-held GPS, Survey-grade GPS		
Semerary, 11/539479			
City State Zip Code	Distance Direction Nearest Town  3 Miles Sente of Santana		
Telephone No. 60() 722 - 3927	3 Miles Seth of Sennary		
Telephone No. (X/I) / A A J A J			
Well / Bore	hole Data		
Date drilling started: 8-14- Date drilling completed: 8-14-	Hole depth: 175 Hole diameter:		
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and devel	opment: 216- South Stork		
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):			
Purpose of borehole (check one): Water WellGeotechnical/Geole	ogical Investigation Ground Source Heat Pump		
Seismic Survey Other (describeOther (describe	) n, skip the remainder of this block		
Purpose of Well (check one): Home Industrial Public Supply	Irrigation Fish Culture Other:		
If a flowing well, method of flow regulation: ValveO	ther (describe)		
Static Water Level: 25 feet above of below (circle one) I	and surface Date measured: 3-14-08		
Method of Measurement (circle one) steel tape electric tape	air line other:		
Well depth: 170 Well grouted to a depth of 10 feet Type			
Casing length: 150 feet Casing diameter: 4	_inches Type of casing:		
Screen length: 20 feet Screen diameter: 4	inches Type of screen: PVC		
Screen slot size: .008 inches Setting depth: From	150 feet to 170 feet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			
Top of lap pipe or reduction in casing:feet. If tell			
	Form: OLWR-SWR-1A (04/08)		

**RECEIVED** 

SEP 1 0 2008

BY: OLWR

Ground Level	Description of Formations Encountered	From (depth)	To (depth)
	Description of 1 of handers in accounts	Ground Level	2
	Cluz	7	15-
	5020	15	170
	50.10	100	170
	3 4 4		1 / 1
			<del>                                     </del>
		<del></del>	<del> </del>
		+	+
Ì			
			<del> </del>
		-	<del>                                     </del>
			<del>                                     </del>
		<del>- </del>	
d A a A			
ndowner Name: <u>Chlstle Kin</u>		OI WP SWP. 1	A ((M/08)
rtify that the well/borehole was drilled, constructed, an	For d completed in accordance with all applicable		f the
rtify that the well/borehole was drilled, constructed, an assisppi Department of Environmental Quality and the	For d completed in accordance with all applicable Mississippi Department of Health regulation	e requirements of	f the
ertify that the well/borehole was drilled, constructed, and salesippi Department of Environmental Quality and the SEAMES WELLS 6.586	For d completed in accordance with all applicable Mississippi Department of Health regulation	e requirements of s, if applicable, a	f the nd state
rtify that the well/borehole was drilled, constructed, and sissippi Department of Environmental Quality and the	Fond completed in accordance with all applicable Mississippi Department of Health regulation	e requirements of s, if applicable, as	the nd state
rtify that the well/borehole was drilled, constructed, an usissippi Department of Environmental Quality and the	For d completed in accordance with all applicable Mississippi Department of Health regulation	e requirements of s, if applicable, as	f the nd state

## STATE WELL REPORT Part 2 For Office Use Only: **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601)961-5210 Elevation (601)961-5228 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location Well Owner Information Longitude: Latitude: Owner Name: Method of Lat/Long (check one): Conventional Survey\_ Mailing Address: USGS quad\_\_\_\_\_, Hand-held GPS\_\_\_\_, Survey-grade GPS\_ City State Zip Code Direction Distance Miles Southof S Power Type Pump Type Circle one Circle one Natural Gas Submersible Diesel Engine Gasoline Engine Air Lift **Tractor PTO** Electric Motor Hand **Turbine** Pieton **Bucket** Windmill Other (specify): \_ Flowing Well Centrifugal Rotary Horse Power Rating of Motor: Other (specify): 8-14-08 Setting Depth: Date Pump Installed: \_\_ Gallons Per Minute Number of Stages: Rated Pump Capacity: Method of Measuring Water Level Pump Test Data Circle one 8-14-08 Date Well Tested: \_ Steel Tape **Electric Measuring Line** Air Line Static Water Level (A): \_\_\_\_\_\_Feet Below Land Surface Other (specify): Pumping Water Level (B): 80 Feet Below Land Surface Feet Below Land Surface For flowing well, measured shut in head: Drawdown [(B) - (A)]: 25 GPM with a drawdown of ¬ S⁻\_Gallons Per Minute Well yielded \_ Test Pumping Rate: \_\_ hours of pumping Duration of Pump Test (minimum 4 hours): \_\_\_\_ I HEREBY CERTIFY that the above statements are true to the best of my knowledge. ames Wall

Print Name of Pump Installer and License No. (if applicable)

Form: OLWR-SWR-1B (04/08)

Signature of Pump Installer

RECEIVED

SEP 1 0 2008

BY: OLWR