State W	ell Report			
Part 1 - I	riller's Log	For Office Use Only:		
	t of Environmental Quality	Aquifer: M96		
P.O.	Office of Land and Water Resources P.O. Box 2309			
Dimen	, MS 39225	L. S. Elevation:		
	961- 5210 1- 5228 (fax)			
' '		E-log #:		
State Law requires that this report be prepared by the lice Department at the above address within 30 days of comp	ense holder responsible for Nation of drilling of the well	the work and jueu wan the		
Department at the above address within 50 days of comp Information on Well Owner	Well or Be	orehole Location		
(Landowner if borehole is not for a water well)	J. 27 .62	_" Longitude: 89 • 31 · 01"		
Owner Name Callaway Custom Homes		1		
Mailing Address: 540 Lott Town Rd.	Method of Lat/Long (circle o	1		
Waning Address.		GPS, Survey-grade GPS		
11 ME 39487	3W 1/2 W 1/2 Sec 28	Twn 6N Rng 15W		
Sumrall MS 39482 City State Zip Code	Distance Direction	Nearest Town		
3.1.5	Miles	of Suma		
Telephone No. (601) 596-7889	:	·		
Well / Bore	hole Data			
Date drilling started: 3-1-11 Date drilling completed: 3-1-1	Hole depth: 210	Hole diameter: 7/3		
Location of the source of any surface water used for drilling: Funding Creek Method of dosing and volume of Chlorine used in drilling and development: Shock				
Logs run (circle all applicable): No log un Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron	Other:		
	Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump			
Seismic Survey Other (describe	e)	to ale		
If drilling is not related to water well construction	on, skip the remainder of this o	(OCK		
Purpose of Well (check one): Home Industrial Public Suppl	y Irrigation Fish Culture	Other:		
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 90 feet above of below circle one) land surface Date measured: 3-1-1/				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 210 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 190 feet Casing diameter: 4 inches Type of casing: 6 CC				
Screen length: 30 feet Screen diameter: 4 inches Type of screen: 100				
Screen slot size: .008 inches Setting depth: From 190 feet to 310 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				

RECEIVED

Form: OLWR-SWR-1A (04/08)

APR 1 8 2011

		,	, -
The sketch below only required for water wells	<u>Description of formations encountered</u> wells and boreholes, unless specifically	must be provide exempted by res	d for all gulations
If well telescopes, show depths on sketch. Ground Level	Description of Formations Encountered	From (depth)	To (depth)
	+0/250il	Ground Level	
	clay		150
	sand	150	210
i i	1	1	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent struc aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the well in the well location; 2) any permanent structure.	tures on the property that may ating the property and the well;
4) a north arrow.	
Lott Town Rd X	
2	
383	
# A	
Landowner Name: <u>Callaway</u> Custon Homes	
	Form: OLWR-SWR-1A (04/08

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

JAMES WELLS 0-586		James Wells	
Print Name of Responsible Licensee and License No.	Date	Signature of Licensee	RECEIVED

APR 1 8 2011

BY: OLWR

STATE WELL REPORT

Covington Permit #: Driller JAMES Date completed: 3-1-11

Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210

(601)354-6938 (fax)

Aquifer: Well#: Elevation

For Office Use Only:

This report should be prepared by the pump installer in detail and filed with the Department was 25 may on the		
installation of pump. Well Owner Information	Well Localisa	
Owner Name: Callaway Custon Homes	Latitude: Longitude:	
Mailing Address: 540 Lott Town Rd.	Method of Lat/Long (circle one): Conventional Survey,	
	USGS quad, Hand-held GPS, Survey-grade GPS	
Sunrall MS 39482	14 Sec_28 Twn 6N Rng 15W	
City State Zip Code	Distance Direction Nearest Town	
Telephone No. (601) 596 - 7889	8 Miles N of Sunral	
Pump Type Circle one	Power Type Circle one	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Flectric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Weil	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor:	
Date Pump Installed: 3-1-1	Setting Depth:feet	
Rated Pump Capacity: 28 Gallons Per Minute	Number of Stages:	
	Method of Measuring Water Level	
Pump Test Data	Method of Measuring Water Level Circle one	
Date Well Tested: 3-1-11	Air Line Electric Measuring Line Steel Tape	
Static Water Level (A): 90 Feet Below Land Surface	Other (specify):	
Pumping Water Level (B): 150 Feet Below Land Surface	- Frank	
Drawdown [(B) - (A)]: Peet Below Land Surface	For flowing well, measured shut in head:feet Well wielded	
Test Pumping Rate: 2 Gallons Per Minute	Well years	
Duration of Pump Test (minimum 4 hours):	feet afterhours of pumping	

I HEREBY CERTIFY that the above statements are true to the best of my knowledge. JAMES WELLS 0-586 Signature of Pump Installer

Print Name of Pump Installer and License No. (if applicable)

RECEIVED

APR 1 8 2011

BY: OLWR