	State Well Report	T 0 T 1 0 I		
County: Desoto	Part 1 – Driller's Log	For Office Use Only:		
Mi	ssissippi Department of Environmental Quality	Aquifer:		
Permit #:	Office of Land and Water Resources	Well #: D - 123		
Driller: Janes Us. Masan	P.O. Box 10631	well #: 1 / A 3		
1	Jackson, MS 39289-0631	L. S. Elevation:		
Date drilling completed: 5-14-06	(601)961-5210			
	(601)354-6938 (fax)	E-log #:		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well Own		rehole Location 26		
(Landowner if borehole is not for a	water well) [ stimule 34 .59 .644	" Longitude: 89 • 44 , 948"		
Owner Name Mott Plunket	Latitudes	Longitudo.		
Mailing Address: LoT #2	Method of Lat/Long (circle or	Method of Lat/Long (circle one): Conventional Survey,		
	USGS quad, Hand-held	USGS quad, Hand-held GPS, Survey-grade GPS		
Centerhill crossings. Sw 1/2 Sw 1/2 Sec_				
City State	38654			
	1 3141 341 - 1	Nearest Town		
Telephone No. (901) 1019-7887	A 4 Miles D	or viabac Carse		
	Well / Borehole Data			
Date drilling started: 5-14-06 Date drilling completed: 5-14-06 Hole depth: 170' Hole diameter: 63/4				
Location of the source of any surface water used for drilling: NA				
Method of dosing and volume of Chlorine used in drilling and development:				
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)				
If drilling is not related to	water well construction, skip the remainder of this bl	ock		
Purpose of Well (check one): Home / Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: feet above of below (circle one) land surface Date measured: 5-14-06				
Method of Measurement (circle one) steel tape electric tape air line other: String lucisht				
Well depth: 170 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 150 feet Casing diameter: 4 inches Type of casing: 50				
Screen length: 20 feet Screen diameter: 1 inches Type of screen: 20				
Screen slot size: 010 inches	Setting depth: From 150 feet to 1	7 🔾 feet		

Gravel packed Underreamed

Other (describe): \_\_\_\_\_A

MA.

Telescoped

feet. If telescoped or more than one screen, describe on next page

Open hole

Type of completion (circle all applicable):

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A

Natural Development

RECEIVED

JUN 13 2006

BY: OLWR

## The sketch below only required for water wells

## If well telescopes, show depths on sketch. Ground Level\_

## Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Cley dict.	Ground Level	30
greet	30	40
white clay	40	75
white sond	75	08
white clay	80	89
while soud	82	110
white clay	110	140
white sound	140	170
		1.

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well;			
4) a north arrow.	E		
S			
Landowner Name: Mott Plunkett			
	Form: OLWR-SWR-1A		

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws.

Tores us Moso 0-620 6-9-06.

Print Name of Responsible Licensee and License No. Date

RECEIVED

JUN 13 2006

BY: OLWR

## STATE WELL REPORT Part 2 For Office Use Only: **Pump Installer's Completion Report** Permit #: Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources Driller: Jones W. Moson. P.O. Box 10631 Jackson, MS 39289-0631 Well #: Date completed: 5-14-08 (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Owner Name: Matt Latitude: 34.59.644 Longitude: 89.44.448 Mailing Address: Method of Lat/Long (check one): Conventional Survey, contertill crossing USGS quad , Hand-held GPS , Survey-grade GPS SW 1/3W 1/Sec 16 T 15 R 5W Distance Direction Nearest Town Telephone No. (901) 619-7887 214 Miles N of houdy corner Pump Type **Power Type** Circle one Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas **Bucket** Electric Motor, Piston Turbine Hand Tractor PTO Centrifugal Flowing Well Windmill Other (specify): Rotary Horse Power Rating of Motor: \_\_\_\_\_ 1' \2 Other (specify): Date Pump Installed: 5-14-0% Setting Depth: *20* Rated Pump Capacity: \_\_\_\_ Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: 5-14-06 Electric Measuring Line Air Line Steel Tape Static Water Level (A): 80 Feet Below Land Surface Other (specify): String / weight Pumping Water Level (B): $\sim A$ Feet Below Land Surface Drawdown [(B) - (A)]: \_\_\_\_\_\_\_ Feet Below Land Surface For flowing well, measured shut in head: Test Pumping Rate: \_\_\_\_ Well vielded GPM with a drawdown of Gallons Per Minute hours of pumping Duration of Pump Test (minimum 4 hours): I HEREBY CERTIFY that the above statements are true to the best of my knowledge. in w. Ma ) ones w. Moso

Print Name of Pump Installer and License No. (if applicable)

Form: OLWE-SWR-18 PECEIVED

Signature of Pump Installer

JUN 13 2006

BY: OLWR