State Well Report For Office Use Only:				
	Part 1 – Driller's Log			
Mississippi Department	of Environmental Quality	Aquifer:		
	nd Water Resources ox 10631	Well #: H-172		
D.::11am . 1000+100:114 (C.)30/2	S 39289-0631	L. S. Elevation:		
Date drilling completed: $8 - 3 - \infty$ (601)	961-5210			
(601)354	-6938 (fax)	E-log #:		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well Owner	Well or Bo	rehole Location		
(Landowner if borehole is not for a water well)	Latitude: 34 . 52 . 289	" Longitude: 89 . 44 ,005"		
Owner Name K- C Builders	Latitude: 34 • 52 • 289 " Longitude: 89 ° Method of Lat/Long (circle one): Conventional S			
Mailing Address: LoT 15	Method of Lat/Long (circle one): Conventional Survey,			
Walling Address.	dailing Address: USGS quad Hand-held GPS			
Byholia My 38611 City State Zip Code	SE 4 ME 4 Sec 33	Twn 35 Rng Sw		
Byholia Ms 38611				
City State Zip Code	Distance Direction	Nearest Town of Stonewall		
Telephone No. (6) 890 - 5629				
Well / Bore	hole Data			
Date drilling started: 8-3-% Date drilling completed: 8-3-%	Hole depth: (10'	Hole diameter: 6314		
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development:				
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Purpose of borehole (check one): Water Well Geotechnical/Geol	ogical Investigation Ground	d Source Heat Pump		
Seismic SurveyOther (describe Other (describe Other (describe) n, skip the remainder of this bl	lock		
Purpose of Well (check one): Home / Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 50 feet above or below (circle one) land surface Date measured: 8-3-06				
Method of Measurement (circle one) steel tape electric tape air line other: 5 tring (weight				
Well depth: \(\lore\) Well grouted to a depth of \(\lore\) feet \(\text{Type of grout (circle one): Neat Cement \(\text{Bentonite} \) Mix				
Casing length: 100 feet Casing diameter: inches Type of casing:				
Screen length: 10 feet Screen diameter:inches Type of screen:				
Screen slot size:				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page				
FORM OLWESWATE				

AUG 3 1 200b

BY OLWR

The	sketch	below	only	required	for	water	wells

If well telescopes, show depths on sketch.

Ground Level

Description of forma	<u>tions encountered</u>	must be	<u>provided</u>	<u>for all</u>
wells and boreholes,	unless specifically	exempte	ed by regu	lations

Description of Formations Encountered	From (depth)	To (depth)
class dist.	Ground Level	15
gravel.	15	30
while clay	30	90
, wife soud.	50	(10
		-
	 	-
		
	 	-
	ļ	
	ļ	
	1	I

If more than one screen, show location of each on sketch

	ocation; 2) any permanent structures on the property that may other items that may aid in locating the property and the well;
4) a north arrow.	5
	العی
7 Nowse	
Landowner Name: K-C Builders.	~
	Form: OLWR-SWR-1/

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws.

Print Name of Responsible Licensee and License No.

AUG 3 1 2006

BY OLWA

STATE WELL REPORT Part 2 For Office Use Only: **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Permit # Aquifer: Office of Land and Water Resources Driller: Janes in Maron P.O. Box 10631 Well #: Jackson, MS 39289-0631 Date completed: 8-3-06 (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location **Well Owner Information** Latitude: 34.52, 289 Longitude: 89, 44, 005 Mailing Address: USGS quad , Hand-held GPS , Survey-grade GPS____ SE 4NE 4 Sec 33 T 25 R SW Direction Distance 11/2 Miles NE of stonewall Telephone No. (662.) 890 - 5629 Power Type Pump Type Circle one Circle one Gasoline Engine Natural Gas Submersible Diesel Engine Air Lift Jet Tractor PTO Electric Motor Hand Turbine Bucket Piston Windmill Other (specify): Flowing Well Centrifugal Rotary Horse Power Rating of Motor: Other (specify): Date Pump Installed: 8-3-06 Setting Depth: Rated Pump Capacity: 12 Gallons Per Minute Number of Stages: Method of Measuring Water Level Pump Test Data Circle one Date Well Tested: 8-3-06 Steel Tape Air Line Electric Measuring Line Static Water Level (A): ______________ Feet Below Land Surface Other (specify): Pumping Water Level (B): Feet Below Land Surface For flowing well, measured shut in head: Drawdown [(B) - (A)]: NA Feet Below Land Surface Test Pumping Rate: _ 12 GPM with a drawdown of Gallons Per Minute Well yielded hours of pumping I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Signature of Pump Installer

Print Name of Pump Installer and License No. (if applicable)