	State We	ell Report	For Office Use Only:		
County: Desoto	Part 1 – Driller's Log				
	Mississippi Department of Environmental Quality Aquifer:		Aquifer:		
Permit #:	Office of Land and Water Resources P.O. Box 10631 Well #:		Well #:		
Driller: Jones W. Moson	Jackson, MS 39289-0631 L. S. Elevation:		L. S. Elevation:		
Date drilling completed: 9-35-06	(601)9	061-5210			
Date drilling completed.	(601)354	-6938 (fax)	E-log #:		
State Law requires that this repo Department at the above addres	ort be prepared by the lice as within 30 days of comp	letton of arming of the wen	Of Bottester.		
Information on Well	Owner	AA CII OI DA	Ji Choic Location		
(Landowner if borehole is not	for a water well)	Tatituda 34 . 52 ,023	3" Longitude 9 .45,930"		
Owner Name Cory Kimbrough.		Latitude: 34 ° 53 ,073 " Longitude 99 ° 45 ,930 " Method of Lat/Long (circle one): Conventional Survey,			
Mailing Address: 12675 Jones to	anne lane	USGS quad, Hand-held	1 GPS, Survey-grade GPS		
Byloslia	B. 1. Mc 38611		Twn DS Rng Sw		
Byhalia MS 38611 City State Zip Code		Distance Direction Miles NW	of Stonewall		
Telephone No. (961) 39-3996					
Well / Borehole Data					
Date drilling started: 9-25-06 Date		OG Hole depth: 95	Hole diameter: 6314		
Location of the source of any surface w Method of dosing and volume of Chlor	nne used in drilling and deve				
Logs run (circle all applicable): No log Name of organization running log(s):	PA				
Purpose of borehole (check one): Water			nd Source Heat Pump		
If drilling is not rela	ic SurveyOther (describ ted to water well constructi	on, skip the remainder of this	block		
Purpose of Well (check one): Home	Industrial Public Supp	ly Irrigation Fish Cultur	re Other:		
If a flowing well, method of flow regulation: ValveA Other (describe)					
Static Water Level: 40 feet above of below (circle one) land surface Date measured: 9-39-06 Method of Measurement (circle one) steel tape electric tape air line other: 5tring (weight					
Method of Measurement (circle one) steel tape electric tape air line other: String (well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix					
Well depth: Well grouted to Casing length: & 5 feet C	a depth of feet f	inches Type of casing	PUC		
Casing length: O 3 teet C	asing diameter:		020		
Screen length:(\infty feet Screen slot size:inch	Screen diameter:	inches Type of screen:	7) feet		
Screen slot size:inch Type of completion (circle all applical			pen hole Natural Development		

Other (describe):

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A

feet. If telescoped or more than one screen, describe on next page

OCT 2 0 2006

BY: OLWR

The sketch below only required for water wells Description of formations encountered must be provided by a wells and boreholes, unless specifically exempted by a wells are description of formations.			
If well telescopes, show depths on sketch.	n enc with bot encest, with est opening source	y cocompical by reg	
Ground Level	Description of Formations Encountered	From (depth)	To (depth)
	- Clay dirt	Ground Level	33
	white clay	99	40
	white sad	40	45
	per growt	45	75
	1 3		
j			
l l	· · · · · · · · · · · · · · · · · · ·	1	1

If more than one screen, show location of each on sketch

4) a north arrov	رين .« العب	5		
	ho	₩5€		
3				4
		~	5)	

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensed		Date	Signature of Licensee	RECEIVED
Jours Whise	0-630	10-16-06	Good of Ma	

OCT 2 0 2006

BY: OLWR

STATE WELL REPORT

County: NESOTO Permit #: Date completed: 9-39-06 Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed nump installer. A copy of Part 1 of the

Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: _______ Feet Below Land Surface

12

Duration of Pump Test (minimum 4 hours):

Test Pumping Rate:

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality

Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only:		
Aquifer:		
Well #:	H-185	
Elevation:		

report must be att	ached and both par	ts filed with the Department	at the above address within 30 days of well completion.
	Well Owner Info		Well Location
Owner Name: Coy Kindring w Mailing Address: 19675 Janes towne (me			Latitude: 34.50.03 Longitude: 89.45.530 Method of Lat/Long (check one): Conventional Survey,
	yholie N City St	15 38611 ate Zip Code	USGS quad, Hand-held GPS, Survey-grade GPS
	Pump Typ Circle one		Power Type Circle one
Air Lift	Jet	Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket	Piston	Turbine	Electric Motor Hand Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill Other (specify):
Other (specify):			Horse Power Rating of Motor: 314
Date Pump Installe	- <i>テ</i> G-ア:b	<u>C</u>	Setting Depth:feet
Rated Pump Capac	ity: ()	Gallons Per Minute	Number of Stages:
Date Well Tested:	Pump Test D		Method of Measuring Water Level Circle one
Date Well Tested: 9-99-06 Static Water Level (A): 40 Feet Below Land Surface			Air Line Electric Measuring Line Steel Tape Other (specify): 5 tring (weight

I HEREBY CERTIFY that the above statements are true to the best	of my knowledge.
Print Name of Pump Installer and License No. (if applicable)	Jany W. Mas
Finit Name of Fump instance and License No. (if applicable)	Signature of Pump Installer

Well yielded _

Gallons Per Minute

For flowing well, measured shut in head: ____ A feet

GPM with a drawdown of

(2

NA feet after

OCT 2 0 2006

BY: OLWR