County: Desato.	State Well Report Part 1 – Driller's Log	For Office Use Only:
Permit #:  Driller: Jews w. Mosan  Date drilling completed: 3-9-08	Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210	Aquifer:
Date drining completed.	(601)354-6938 (fax)	E-log #:
State Law requires that this rep Department at the above addro	oort be prepared by the license holder responsible for ess within 30 days of completion of drilling of the well	the work and filed with the or borehole.
Information on We	Il Owner Well or Bo	orehole Location

(Landowner if borehole is not for a water well)  Owner Name William Dovis  Mailing Address: 2116 1055 rd  Olive Brace Mr. 38654  City State Zip Code  Telephone No. (663) 292-1840	Latitude: 34 ° 53 '472" Longitude: 89 ° 50 '886"  Method of Lat/Long (circle one): Conventional Survey,  USGS quad, Land-held GP3, Survey-grade GPS  Sw 1/4 Sw 1/4 Sec 2   Twn 25 Rng 6w  Distance Direction Nearest Town  A Miles NW of Lawisburs			
Well / Bore	hole Data			
Date drilling started: 3-9-08 Date drilling completed: 3-9-08 Hole depth: 300 Hole diameter: 63/4				
Location of the source of any surface water used for drilling:	opment:			
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):				
Purpose of borehole (check one): Water WellGeotechnical/Geol				
Seismic Survey Other (describe) What If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 100 feet above on below circle one) land surface Date measured: 2-11-08				
Method of Measurement (circle one) steel tape electric tape air line other: 5+1123 (weight				
Well depth: 300 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 180 feet Casing diameter:inches Type of casing:				
Screen length: 30 feet Screen diameter: 4 inches Type of screen:				
Screen slot size: 1010 inches Setting depth: From 100 feet to 300 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				
	Form: OLWR-SWR-1A			

RECEIVED

MAR 1 1 2008

BY: OLW P

The sketch	helow	only	required	for	water	wells
ine skeich	UEIUW	UILLY	<i>required</i>	,,,	much	IF CARD

If well	telescopes,	show	depths	on	sketch.
Gro	und Level-		7		

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
6 1 1 1 1	Ground Level	30
Clay dist	30	70
Ble clay	20	150
unite soud	120	200
		<u> </u>

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on t aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the 4) a north arrow.	he property that may property and the well;
<i>[17]</i>	
Landowner Name: William Davis.	<b>S</b>
	Form: OLWR-SWR-1

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws. Print Name of Responsible Licensee and License No.

RECEIVED

MAR 1 1 2008

BY: OLWA

## STATE WELL REPORT

## 

## Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631

For Office Use Only:		
Aquifer:		
Well #: H-204		
Elevation:		

(601)961-5210 (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Latitude: 34.53. 472 Longitude: 89.50. 886 Owner Name: William Dours. Method of Lat/Long (check one): Conventional Survey\_\_\_\_, Mailing Address: 3116 1955 13. USGS quad \_\_\_\_, Hand-held GPS\_\_\_\_, Survey-grade GPS\_\_\_\_ SW 1/2 SW 1/2 Sec 21 T 25 R 6W City State Nearest Town Distance Direction a Miles NW of Lewisburg Telephone No. (662) 292-1840 Power Type Pump Type Circle one Circle one Natural Gas Gasoline Engine Submersible Diesel Engine let Air Lift **Tractor PTO** Hand Electric Motor Turbine Piston Bucket Other (specify): Windmill Flowing Well Centrifugal Rotary Horse Power Rating of Motor: \_\_\_\_\_() &\_\_\_\_ Other (specify): Date Pump Installed: 3-11-08 160 Setting Depth: Rated Pump Capacity: \_\_\_\_\_\_ O \_\_\_\_\_ Gallons Per Minute Number of Stages: \_\_\_ Method of Measuring Water Level Pump Test Data Circle one Date Well Tested: 2-11-08 Steel Tape Electric Measuring Line Air Line Static Water Level (A): 100 Feet Below Land Surface Other (specify): String I weight Pumping Water Level (B): \_\_\_\_\_Feet Below Land Surface For flowing well, measured shut in head: \_\_\_\_\_feet Drawdown [(B) – (A)]: Feet Below Land Surface GPM with a drawdown of Well vielded Gallons Per Minute Test Pumping Rate: Duration of Pump Test (minimum 4 hours): \_\_\_\_\_\_\_hours

I HEREBY CERTIFY that the above statements are true to the best of	of my knowledge.
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer
Print Name of Pump Instance and Electise 140. (It appreciate)	Formeroell

MAR 1 1 2008

BY: OLWR