State Well Report				
County: Desoto	Part 1 – Driller's Log		For Office Use Only:	
	Mississippi Department of Environmental Quality		Aquifer:	
Permit #:	Office of Land and Water Resources P.O. Box 2309		Well #: H-2//	
Driller: Done ; w. Majon-	Jackson, MS 39225			
Date drilling completed: 8-31-08	(601)961- 5210 (601)961- 5228 (fax)		L. S. Elevation:	
	(001)30	1- 3220 (lax)	E-log #:	
State Law requires that this report Department at the above address	t be prepared by the lice	ense holder responsible for i	the work and filed with the	
Information on Well O			rehole Location	
(Landowner if borehole is not fo	•	34.54.60	8	
Owner Name Ricky Bowler	7 d	Latitude: 39° 34, 888	S, Longitude: $89 \circ 51, 438$, 26	
Mailing Address: 7454 du	Mathadafiatiana (ainala a		ne): Conventional Survey,	
		USGS quad, Aland-held	GPS) Survey-grade GPS	
		NE 1/5W1/ Sec 17	Twn Os Rng Gw	
City State	38654			
		Distance Direction Niles へい	Nearest Town of Cederulew	
Telephone No. (101) 485-1896				
	Well / Bore	hole Data		
Date drilling started: 2-31-08 Date drilling completed: 3-31-08 Hole depth: 155 Hole diameter: 63/4				
Location of the source of any surface water	used for drilling: NA			
Method of dosing and volume of Chlorine	used in drilling and devel	opment:		
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): Oct.				
Purpose of borehole (check one): Water We	IlGeotechnical/Geolo	ogical Investigation Ground	Source Heat Pump	
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level:				
Method of Measurement (circle one) steel tape electric tape air line other: String line other				
Well depth: 155 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 135 feet Casing diameter: 4 inches Type of casing: puc				
Screen length: 20 feet Screen diameter: 4 inches Type of screen: pvc				
Screen slot size:O(Oinches				
Type of completion (circle all applicable) Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page				

Form: OLWR-SWR-1A (04/08)

RECEIVED

SEP 2 2 2008

BY: OLWR

The sketch	holow	only	ronuirod	for	water	wolls
THE SKELLH	UELUW	only	requireu	<u>IVI</u>	Wulei	veus

If well telescopes, show depths on sketch. Ground Level_

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clark dict.	Ground Level	35
gravel	35	80
Blue clay	60	90
while soud	90	155
		<u> </u>
		İ

If more than one screen, show location of each on sketch

,-	north arrow.	my roads, power line	vell location; 2) ares, or other items	that may aid in loca	ating the property and the well;
کی	ho	2016	A. se 30		E
Landowner Name	D: 1	Bowland			

Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

Jones

0-620 9-18-08

Print Name of Responsible Licensee and License No.

RECEIVED

SEP 2 2 2008

BY: OLWR

STATE WELL REPORT				
County: Descto Permit #: Mississippi Department Office of Land P.O. Jackson Copy information from block on Part 1 This part of the report must be completed by a licensed water well report must be attached and both parts filed with the Department of Well Owner Information Owner Name: Ricky Bawland Mailing Address: 7454 down lane	For Office Use Only: Aquifer: Aquifer: Well #:			
City State Zip Code Telephone No. (901) 485-1896	NE 1/2 SW 1/2 Sec 17 T JS R 6W Distance Direction Nearest Town 11/2 Miles NW of Cederurew			
Pump Type Circle one Air Lift Jet Submersible Bucket Piston Turbine Centrifugal Rotary Flowing Well Other (specify): Date Pump Installed: 2-33-05 Rated Pump Capacity: Gallons Per Minute	Power Type Circle one Diesel Engine Gasoline Engine Natural Gas Electric Motor Hand Tractor PTO Windmill Other (specify): Horse Power Rating of Motor: Setting Depth: / / 2 feet Number of Stages: / 4			
Pump Test Data Date Well Tested: 8-30-08 Static Water Level (A): 6 Feet Below Land Surface Pumping Water Level (B): 6 Feet Below Land Surface Drawdown [(B) - (A)]: 6 Feet Below Land Surface Test Pumping Rate: 6 Gallons Per Minute Duration of Pump Test (minimum 4 hours): 6 hours	Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape Other (specify):			
HEREBY CERTIFY that the above statements are true to the best of my knowledge. Tones w. Mason 620 Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer Form: OLWR-SVIR-IB (2408)				

SEP 2 2 2008