•	county: Desoto
	Permit #:
	Driller: Jass w. Mason
	Date drilling completed: 12~13~ (16)

STATE WELL REPORT

Part 1 Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601)961-5210

(601)360-0535 (fax)

i care				
For Office Use Only:				
Well #: H 241				
Aquifer:				
E-Log #:				
,				

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Well Owner Information	Well or Borehole Location				
(Landowner if borehole is not for a water well)	Latitude: 34 5 a 1 a 8 3 1 Longitude: 89 4 3 58 . 98 " W				
Owner Name: Terry Poyne					
Mailing Address: 680 fairview trails	Method of Lat/Long (check one): Conventional Survey,				
	USGS quad, Hand-held GPS, Survey-grade GPS				
Byhalia Ms 3861	SE 14 NW / Sec 33 T DS R SW				
City State Zip Code	1314 Miles NE of Stonewall				
Telephone No. (901) 489-8678	(Distance) (Direction) (Nearest Town)				
	forehole Data				
Date drilling started: 12~13~16 Date drilling completed: 12~13~16 Hole depth: 1851 Hole diameter:					
Location of the source of any surface water used for drilling:					
Method of dosing and volume of Chlorine used in drilling and development:					
Logs run (circle all applicable) No log run Electric Gamr	na Ray Density Sonic Neutron Other:				
Name of organization running log(s):					
Purpose of borehole (circle one): Water Well Geotechni	cal/Geological investigation Ground Source Heat Pump				
Seismic Survey Other ((describe)				
	onstruction, skip the remainder of this block				
Purpose of Well (circle all applicable): Home Industrial					
Other (describe):	,				
If a flowing well, method of flow regulation: Valve	Other (describe)				
1					
Static Water Level:	y taild surface Date measured: (2 (3) 4				
Method of measurement (circle one): Steel tape Electric t	tape Air line Other (describe): String weight				
Well depth: 185 Well grouted to a depth of: 185	eet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 165 feet Casing diameter:	inches Type of casing:				
Screen length: <u>20</u> feet Screen diameter:	inches Type of screen:				
Screen slot size:, O (Oinches Setting depth:	From 165 feet to 135 feet				
Type of completion (circle all applicable). Gravel packed Underreamed Open hole Natural Development VED					
Other (describe):	JÁN 1 3 2017				
Top of lap pipe or reduction in casing:	JAN 1 3 201/				

If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (4/13)

County: Desoto		For Office Use Only:	
Permit #:		Well #:	
The sketch below only required for water wells		encountered must be provided for all we	
,	and boreholes, unless spec	s specifically exempted by regulations	
If well telescopes, show depths on sketch.	Description of Formations En	countered From (depth) To (depth)	
Ground Level	Clay dist	Ground level 30	
· 1	gravel	30 60	
	white clay	60 65	
	white soud	65 90	
	white clay	90 110	
	while sand	(10 120	
	white clay	150 172	
,	white soul	125 160	
	white clay	160 165	
	unite said	165 185	
	* _{Ps}		
	mg. Company		
	,	·	
etch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may a 3) any roads, power lines, or other items that may a	ay aid in locating the well id in locating the property and the w	vell <i>C</i>	
4) north arrow	2012 1/6 m		
\(\(\lambda\),	16:00	RECEIVED	
		JAN 1 3 2017	
		DV O	
		BYOLWR	
18'			
/			
		Green	
/·			
/		house vell	
/	1/8		
	Ke K	house are 1	
	S 2 kg/l	thouse are 1	
Torm Pana	e Santo kali	thouse are 1	
ndowner Name: Terry Paga	e Server Hoils	thouse are 1	
HEREBY CERTIFY that the well/borehole was drille quirements of the Mississippi Department of Envi	ed, constructed, and completed	in accordance with all applicable	
Indowner Name: Terry Ponth HEREBY CERTIFY that the well/borehole was drille quirements of the Mississippi Department of Envi applicable, and state laws.	ed, constructed, and completed	in accordance with all applicable	
HEREBY CERTIFY that the well/borehole was drille quirements of the Mississippi Department of Enviapplicable, and state laws.	ed, constructed, and completed ronmental Quality and the Missis	in accordance with all applicable sippi Department of Health regulations	

STATE WELL REPORT

Cocaty: Permit #: Driller:

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources

For Office Use Only:				
Well #: H24				
Aquifer:				

Triale completed. , (2) (4 1	P.O. Box 2309	1					
Jackso	on, MS 39225-2309 601)961-5210	Aquifer:					
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \) 360-0535 (fax)						
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.							
Well Owner Information	_	ocation					
Owner Name: Terry PayNe	Latitude 34 59 19.83 NLon	gitude: <u>89°43′58,98 "</u> w					
Owner Name: Terry Payne Mailing Address: 680 fairview trails	Method of Lat/Long (check one)	_					
B 1 12 ON 11	USGS quad Hand-held GI	PS, Survey-grade GPS					
Bytalia Ms 38611 City State Zip Code							
Telephone No. (201) 489-8678	$\frac{13/4}{\text{(Distance)}}$ Miles $\frac{\text{NE}}{\text{(Direction)}}$ of	Stonewall (Nearest Town)					
Pump Tvi	pe (circle one)						
Submersible Turbine Air Lift Centrifugal Flowing Well	· · ·	scribe):					
Date Pump Installed: 12-13-16							
Is This Pump (circle one): New Repaired Replacement	nt						
	pe (circle one)						
Electric Diesel Gasoline Natural Gas Tractor PTO Win	dmill Other (describe):	·					
Horse Power Rating of Motor: 314 Setting Dept	h: 120 feet Number	of Stages: \(\sum_{\text{stage}} \)					
Pump Test Data for Non Flowing Well							
Pump Test Data	for Non Flowing Well						
Date Well Tested: 12-13-16	Duration of Pump Test (minime	_					
	Duration of Pump Test (minime	_					
Date Well Tested: 12-13-16 Static Water Level (A): 85 Feet Below Land Surface Drawdown [(B) - (A)]: 14 Feet Below Land Surface	Duration of Pump Test (<i>minimo</i> Pumping Water Level (B):	Feet Below Land Surface Gallons Per Minute					
Date Well Tested: 12-13-16 Static Water Level (A): 85 Feet Below Land Surface Drawdown [(B) - (A)]: 16 Feet Below Land Surface Method of measurement (circle one): Steel tape Electric ta	Duration of Pump Test (minimal Pumping Water Level (B):ace Test Pumping Rate:ape Air line Other (describe):	Feet Below Land Surface Gallons Per Minute					
Date Well Tested: 12-13-16 Static Water Level (A): 85 Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Method of measurement (circle one): Steel tape Electric ta Pump Test Date	Duration of Pump Test (<i>minimo</i> Pumping Water Level (B):	Feet Below Land Surface Gallons Per Minute					
Date Well Tested: 12-13-16 Static Water Level (A): 85 Feet Below Land Surface Drawdown [(B) - (A)]: 12 Feet Below Land Surface Method of measurement (circle one): Steel tape Electric ta Pump Test Date Measured shut in head: 12 A feet.	Duration of Pump Test (minimal Pumping Water Level (B):	Feet Below Land Surface 10 Gallons Per Minute 5try weight					
Date Well Tested: 12-13-16 Static Water Level (A): 85 Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Method of measurement (circle one): Steel tape Electric ta Pump Test Date	Duration of Pump Test (minimal Pumping Water Level (B):	Feet Below Land Surface 10 Gallons Per Minute 5try weight					
Date Well Tested: 12-13-16 Static Water Level (A): 85 Feet Below Land Surface Drawdown [(B) - (A)]: 14 Feet Below Land Surface Method of measurement (circle one): Steel tape Electric ta Pump Test Date Measured shut in head: 15 Feet. Well yielded 15 GPM with a drawdown of 15 Feet.	Duration of Pump Test (minimal Pumping Water Level (B):	Feet Below Land Surface 10 Gallons Per Minute 5try weight					
Date Well Tested: 12-13-16 Static Water Level (A): 85 Feet Below Land Surface Drawdown [(B) - (A)]: 14 Feet Below Land Surface Method of measurement (circle one): Steel tape Electric ta Pump Test Date Measured shut in head: 15 Feet. Well yielded 15 GPM with a drawdown of 15 Feet.	Duration of Pump Test (minimal Pumping Water Level (B):	Feet Below Land Surface D					
Date Well Tested: 12-13-16 Static Water Level (A): 85 Feet Below Land Surface Drawdown [(B) - (A)]: 12-14 Feet Below Land Surface Method of measurement (circle one): Steel tape Electric ta Pump Test Date Measured shut in head: 12-14 feet. Well yielded 12-15 GPM with a drawdown of Meter Manufacturer: 12-14 Meter	Duration of Pump Test (minimal Pumping Water Level (B):	Feet Below Land Surface O Gallons Per Minute Stry weight					
Date Well Tested: 12-13-16 Static Water Level (A): 85 Feet Below Land Surface Drawdown [(B) - (A)]: 12-14 Feet Below Land Surface Method of measurement (circle one): Steel tape Electric ta Pump Test Date Measured shut in head: 12-14 feet. Well yielded 12-15 GPM with a drawdown of Meter Manufacturer: 12-14 Meter	Duration of Pump Test (minimal Pumping Water Level (B):	Feet Below Land Surface O Gallons Per Minute Stry weight					
Date Well Tested:	Duration of Pump Test (minimal Pumping Water Level (B):	Feet Below Land Surface O Gallons Per Minute Stry weight					
Date Well Tested:	Duration of Pump Test (minimal Pumping Water Level (B):	Feet Below Land Surface O Gallons Per Minute Stry weight					
Date Well Tested:	Duration of Pump Test (minimal Pumping Water Level (B):	Feet Below Land Surface Gallons Per Minute Stry weight hours of pumping RECEIVED JAN 1 3 2017 Jed to manufacturer standards.					
Date Well Tested:	Duration of Pump Test (minimal Pumping Water Level (B):	Feet Below Land Surface Gallons Per Minute Stry weight hours of pumping RECEIVED JAN 1 3 2017 Jed to manufacturer standards.					

Print Name of Pump Installer and License No. (if applicable) Date Signature of Pump Installer