	State W	<sup>7</sup> ell Report		
County: Desoto	Part 1 – Driller's Log		For Office Use Only:	
Permit #:		t of Environmental Quality	Aquifer:	
		and Water Resources Box 10631	Well #: <u>J-/26</u>	
Driller: Jones w. Masur.		1S 39289-0631	L. S. Elevation:	
Date drilling completed: 7-3-06		961-5210	L. S. Elevation:	
	(601)35	4-6938 (fax)	E-log #:	
State Law requires that this report Department at the above address	within 30 days of comp			
Information on Well O			rehole Location	
(Landowner if borehole is not for	r a water well)	Latitude: 34 . 48 , 055	" Longitude: <u>90 ° 09 '261 "</u>	
Owner Name Jones white.		<u></u>	15	
Mailing Address: 9318 Borbie	Method of Lat/Long (circle or			
			GPS, Survey-grade GPS	
Hernando MS 38633  City State Zip Code Distançe Direction Nearest Town			Twn 35 Rng 9w	
City State	Zip Code	Distance Direction	Nearest Town	
Telephone No. (662) 429 - 72	7220 118 Miles NW of CUL		of cub lake	
	Well / Bore	l Phole Data		
Date drilling started: 7-3-04 Date dril	1: 7 3	V- 11-1-4-4	17-1-4: 63/4	
Date drilling started: 7 3 4 Date dril	ling completed: 7° 3°	Hole depth: O	Hole diameter: 4571 1	
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and development:				
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Purpose of borehole (check one): Water We	ellGeotechnical/Geol	ogical Investigation Ground	Source Heat Pump	
Seismic SurveyOther (describe)				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 50 feet above or below (circle one) land surface Date measured: 7-5-06				
Method of Measurement (circle one) steel tape electric tape air line other: String weight:				
Well depth: 84 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cemen Bentonite Mix				
Casing length:				
Screen length: 30 feet Screen diameter: 4 inches Type of screen: 20C				
Screen slot size: OlO inches Setting depth: From Gu feet to 84 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A

feet. If telescoped or more than one screen, describe on next page

**RECEIVED** 

JUL 27 2006

BY: OLWR

The sketch below only required for water wells	Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations  Description of Formations Encountered From (depth) To (depth)			
If well telescopes, show depths on sketch. Ground Level				
Ground 2010.	Clay dirt.	Ground Level	20	
	gravel	<u>ට</u> ං	४५	
	3			
			-	
			_	
			ļ	
			<b></b>	
			<del></del>	
		1	1	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) and aid in locating the well; 3) any roads, power lines, or other items to 4) a north arrow.	y permanent structures on the property that may hat may aid in locating the property and the well;
Landowner Name: Jones white	Form: OI WP SWP.
	Form: OLWR-SWR-1

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Jones W. Major. 0-620	7-23-66	gus ur Man	-
Print Name of Responsible Licensee and License No.	Date	Signature of Licensee	RECEIVED

JUL 27 2006

BY: OLWR

## STATE WELL REPORT

## County: Desoto Permit #:

## Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality

For Office Use Only:		
Aquifer:		
Well #: <b>J</b> - 126		
Elevation:		

	Office of Land and Water Resources		
Driller: Jones W. Masu		ox 10631	Well #: 1- 26
Date completed: 2-5-06	l '	S 39289-0631 061-5210	,
Copy information from block on Part 1	. ,	-6938 (fax)	Elevation:
	i hv a licensed water well co	ontractor or a licensed numn in	staller. A copy of Part 1 of the
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.			
Well Owner Information		Well	Location
Owner Name: Jones white		Latitude: 34.48.055 Longitude: 90.09. 261	
Mailing Address: 9318 Borbi	e rol.	Method of Lat/Long (check one): Conventional Survey,	
		USGS quad, Hand-held GPS, Survey-grade GPS	
Hernando M City State	(5 38637	NW 1/4 NE 1/2 Sec 28 T 35 R 9W	
City State	Zip Code	Distance Direction Nearest Town	
Telephone No. (662 479 - 72	20	118 Miles NW of CUB Lake	
Pump Type Circle one			wer Type ircle one
Air Lift Jet	Submersible	Diesel Engine Gasolin	ne Engine Natural Gas
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO
Centrifugal Rotary	Flowing Well	Windmill Other	(specify):
Other (specify):		Horse Power Rating of Motor:	
Date Pump Installed: 7-5-06		Setting Depth:	<b>L</b> feet
Rated Pump Capacity:	_Gallons Per Minute	Number of Stages:	
Pump Test Data	ı		easuring Water Level Circle one
Date Well Tested: 7 - 5-06		Air Line Electric Mea	asuring Line Steel Tape
Static Water Level (A):Fee	et Below Land Surface	Other (specify): Strict	
Pumping Water Level (B): Feet Below Land Surface		Other (specify): 31178	1
Drawdown [(B) – (A)]:Feet Below Land Surface		For flowing well, measured shut in head:feet	
Test Pumping Rate: Gallons Per Minute		Well yielded CPM with a drawdown of	
Duration of Pump Test (minimum 4 hours): 24 hours		feet after <u> </u>	
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.			
Print Name of Pump Installer and License No. (if applicable)  Signature of Pump Installer			
Print Name of Pump Installer and License No. (if applicable)  Signature of Pump Installer  Signature of Pump Installer			

Form: OLWR-SWR-1B **RECEIVED** 

JUL 27 2006

BY: OLWR