	State W	ell Report				
County: Desoto		Oriller's Log	For Office Use Only:			
Permit #:		nt of Environmental Quality	Aquifer:			
Driller: Janes W. Mason	Office of Land and Water Resources P.O. Box 2309		Well #:			
		n, MS 39225 961- 5210	L. S. Elevation:			
Date drilling completed: $\frac{2-9-12}{}$, ,	1- 5228 (fax)	E-log #:			
State Law requires that this report	he prepared by the lic	ansa haldar raspansihla for t				
Department at the above address						
Information on Well O			rehole Location			
(Landowner if borehole is not for	·	Latitude: 34 ° 81 ° 149" Longitude: 90 ° 11 ° 846, A8 A3 O8 55 Method of Lat/Long (circle one): Conventional Survey, USGS quad, (Hand-held GPS) Survey-grade GPS				
Owner Name Fronk Wear						
Mailing Address: 3333 hwy	301s.					
	***	SE 14 NEV 14 Sec DO				
Hernando M	38632	SE % NOC % Sec BOO	γιwn <u>JJ</u> kng (ω			
City State	e Zip Code	Distance Direction Miles 5	Nearest Town			
Telephone No. (901) 409 - 8881		Tartes	01_ 2 02014			
	Well / Bore	hole Data				
Date drilling started: 2-9-12 Date dril	ling completed: <u> </u>	12 Hole depth: 185	Hole diameter: 63/4			
Location of the source of any surface water Method of dosing and volume of Chlorine	used for drilling:	opment:				
Logs run (circle all applicable): No log run Name of organization running log(s):	Electric Gamma Ray	Density Sonic Neutron	Other:			
Purpose of borehole (check one): Water We	II Geotechnical/Geol	ogical Investigation Ground	Source Heat Pump			
	urvey Other (describe					
		n, skip the remainder of this blo				
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:						
If a flowing well, method of flow regulation: Valve Other (describe)						
Static Water Level: 80 feet above of below (Orcle one) land surface Date measured: 3-9-12						
Method of Measurement (circle one) steel tape electric tape air line other:						
Well depth: 185 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix						
Casing length: 165 feet Casing diameter: 4 inches Type of casing: 150						
Screen length: 30 feet Screen						
Screen slot size:inches	Setting depth: From _	165 feet to 18	feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development						
Other (describe):						
Top of lap pipe or reduction in casing:	feet. If tel	escoped or more than one scree	n, describe on next page			

Form: OLWR-SWR-1A (04/08)

RECEIVED

MAR 0 9 2012

BY: OLWR

The sketch below only required for water wel	The	sketch	below !	only	required	for	water well
--	-----	--------	---------	------	----------	-----	------------

If well telescopes.	, show	depths	on	sketch.
Ground Level		7		

<u>Description of formations encountered must be provided for all</u> <u>wells and boreholes, unless specifically exempted by regulations</u>

Description of Formations Encountered	From (depth)	To (depth)
clay dist	Ground Level	10
grovel	10	40
hord Rock	40	41
Blue clay	41	140
white soud	140	185
		İ
		" ' '

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) aid in locating the well; 3) any roads, pow			ing the property and the well;	
4) a north arrow.	-		30rd huy	
	2	1		
		W.		
		[]		
•			E	
می		į		
	havie Del	Drug D	B A 2 -	
	Sulliva rd.			
Landowner Name: Fronk wess	**************************************	- ح	Form OI WP SWP 14	(0.4./00)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Jaws.	w.Mesca	0-60	3-6-12	Gos w Man	
Print Name of R	Responsible Licensee	and License No.	Date	Signature of Licensee	RECEIVED

MAR 0 9 2012

BY: OLWR

STATE WELL REPORT

Part 2 County: Desoto For Office Use Only: **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 2309 Well #: J153 Jackson, MS 39225 Date completed: 2-9-12 (601)961-5210 Elevation: (601)961-5228 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. **Well Owner Information** Well Location Latitude: 34. 81-149 Longitude: 90-14, 846 Owner Name: Fronk Weas 3015. Mailing Address: Method of Lat/Long (check one): Conventional Survey, USGS quad_____, Hand-held GPS____, Survey-grade GPS____ Hermondo Ms 38632 City State Zip Code NE 14 NE 14 Sec 21 T 35 R 9W Distance Direction Nearest Town Telephone No. (901) 409 - 8881 Miles 5 of Endera Power Type Pump Type Circle one Circle one Gasoline Engine Natural Gas Air Lift Jet Submersible Diesel Engine Bucket Piston Turbine Electric Motor Hand **Tractor PTO** Other (specify): Windmill Centrifugal Rotary Flowing Well Horse Power Rating of Motor: 314 Other (specify): Date Pump Installed: 3-9-12 Setting Depth: ____ | OO feet Rated Pump Capacity: Gallons Per Minute Number of Stages: ____ Method of Measuring Water Level Pump Test Data Circle one Date Well Tested: 3-9-12 Air Line Electric Measuring Line Steel Tape Static Water Level (A): 80 Feet Below Land Surface Other (specify): String I weight Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: _______Feet Below Land Surface For flowing well, measured shut in head: ______feet Test Pumping Rate: ___ (O ___ Gallons Per Minute Well yielded (O GPM with a drawdown of feet after 24 hours of pumping I HEREBY CERTIFY that the above statements are true to the best of my knowledge. eou M. w. Meson Signature of Pump Installer 0-630 Print Name of Pump Installer and License No. (if applicable) ller RECEIVE Form: OLWR-SWR-1B (04/08)

MAR 0 9 2012