	State W	ell Report		
County: Desoto	Part 1 – Driller's Log		For Office Use Only:	
	Mississippi Department of Environmental Quality		Aquifer:	
Permit #:	Office of Land and Water Resources P.O. Box 2309		Well#: <u> </u>	
Driller: Jones w. Majon	Jackson, MS 39225		L. S. Elevation:	
Date drilling completed: 7-15-09	, ,	961- 5210	L. S. Elevation.	
	(601)96	1- 5228 (fax)	E-log #:	
State Law requires that this report				
Department at the above address				
Information on Well O (Landowner if borehole is not fo			rehole Location	
	,	Latitude: 34 ° 44 , 213	" Longitude: 90° 00', 933	
Owner Name Cindy wick		43 Method of Lat/Long (circle on		
Mailing Address: 1430 whee	eler rd.		GPS, Survey-grade GPS	
			Twn 45 Rng 8w	
Hernando M City State	ns 38632	3E 1/4 300 1/4 Sec_ 11	Twn C3 Rng OW	
City State	e Zip Code	Distance Direction	Nearest Town	
Telephone No. (911) - 485 - 57		31-(Miles	of Copapen din	
Telephone No. (14)				
	Well / Bore	hole Data		
Date drilling started: 7-15-09 Date dril	ling completed: 7-15-	Hole depth: 190'	Hole diameter: 63/4	
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development:				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home				
If a flowing well, method of flow regulation	: Valve O	ther (describe)		
Static Water Level: 80 feet above & below circle one) land surface Date measured: 7-15-09				
Method of Measurement (circle one) steel tape electric tape air line other: String / weight				
Well depth: 190 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 186 feet Casing diameter: 4 inches Type of casing: poc				
Screen length: 10 feet Screen diameter: 4 inches Type of screen: 500				
Screen slot size: 000 inches Setting depth: From 180 feet to 60 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				
Form: OLWR-SWR-1A (04/08)				

RECEIVED

SEP 1 0 2009

BY: OLWR

The sketch	helow	only	reauired	for	water wells
I HE SHELLH	DCION	CILLY.	, cq att cu	,,,,	

If well telescopes,	show	depths	on	sketch.
Ground Level		7		

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay dirt.	Ground Level	35
scere 1	35	62
yrael	67	60
while clay	08	(20
inhite sud	120	145
white clay	145	150
while clay	150	190
		<u> </u>

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1 aid in locating the well; 3) any roads, pov) the well location; 2) any permanent ver lines, or other items that may aid	structures on the property that may in locating the property and the well;
4) a north arrow.	N	
dre wet	house	E
	5	
Landowner Name: Cindy Vick		Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

Jores v. Major 0-620 Print Name of Responsible Licensee and License No.

Signature of Licensee RECEIVED

SEP 1 0 2009

BY: OLWR

STATE WELL REPORT Part 2 County: Desato For Office Use Only: **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 2309 K267 Jackson, MS 39225 Date completed: 7-15-09 (601)961-5210 Elevation: (601)961-5228 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Latitude: 34.44.713 Longitude: 90.00.833 Owner Name: Circle Vick Mailing Address: (430 wheeler rd USGS quad____, Hand-held GPS , Survey-grade GPS SE 1/ SW/ Sec 11 T 45 R 8W Nearest Town Distance Direction 23/4 Miles S of robertion gin Telephone No. (901) 485-5314 Power Type Pump Type Circle one Circle one Natural Gas Diesel Engine Gasoline Engine Submersible Air Lift Jet Tractor PTO Electric Motor Hand Piston Turbine Bucket Other (specify): ___ Windmill Flowing Well Rotary Centrifugal Horse Power Rating of Motor: _____3/4 Other (specify): Setting Depth: 120 Date Pump Installed: 7-15-09 Number of Stages: Rated Pump Capacity: ____ Gallons Per Minute Method of Measuring Water Level Pump Test Data Circle one Date Well Tested: 7-15-09 Air Line Electric Measuring Line Steel Tape Static Water Level (A): 86 Feet Below Land Surface Other (specify): _ > +riry / weight Pumping Water Level (B): Feet Below Land Surface For flowing well, measured shut in head: Drawdown [(B) - (A)]: _____Feet Below Land Surface Well yielded _____ GPM with a drawdown of Test Pumping Rate: () Gallons Per Minute feet after 24 hours of pumping Duration of Pump Test (minimum 4 hours): 24 hours I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Signature of Pump Installer Print Name of Pump Installer and License No. (if applicable)

Form: OLWR-SWEECEVED

SEP 1 0 2009

BY: OI WR