	State W	ell Report	
200		-	For Office Use Only:
County: <u>Desoto</u>	Part 1 – Driller's Log Mississippi Department of Environmental Quality		Aquifer:
Permit #:	Office of Land and Water Resources		The case of the ca
Driller: Joses w. Mason	P.O. Box 10631		Well #: <u>M- /73</u>
	Jackson, M	IS 39289-0631	L. S. Elevation:
Date drilling completed: 9-27-05	(601)	961-5210	
	(601)354	4-6938 (fax)	E-log #:
State Law requires that this report Department at the above address			
Information on Well		Well or Bo	rehole Location
(Landowner if borehole is not f	or a water well)	Taring 34 . 46 ,496	" Langituda 89 . 43 ,516 "
Owner Name Pon Arche	Mars Roma Roma Roma Co		Longitude: $89 \cdot 43$, 516 , 37
Mailing Address: Lot 5 county line 10		Method of Lat/Long (circle one): Conventional Survey,	
Mailing Address: Lot) County like 10		USGS quad, Hand-held GPS, Survey-grade GPS	
Bytholia Ms 38611 City State Zip Code		<u>SE 1/4 SE 1/4 Sec 333</u>	$_{\text{Twn}}$ $\frac{3s}{R_{\text{ng}}}$ $\frac{5\omega}{}$
City Sta	ite Zip Code	Distance Direction	Nearest Town
		3 Miles SE	Nearest Town of Ingone mill
Telephone No. (663) 838- 790	24		
Well / Borehole Data			
0.2-			
Date drilling started: 9-27-05 Date dr	rilling completed: (1-37)	Hole depth:	Hole diameter:
Location of the source of any surface wat Method of dosing and volume of Chlorin	er used for drilling:	opment: NA	
Logs run (circle all applicable) No log run Rame of organization running log(s): Electric Gamma Ray Density Sonic Neutron Other:			
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump			
Seismic Survey Other (describe)			
If drilling is not related to water well construction, skip the remainder of this block			
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation: Valve $\stackrel{\triangleright}{\longrightarrow}$ Other (describe)			
Static Water Level: 36 feet above of below (circle one) land surface Date measured: 5 to 100 feet above of below (circle one) land surface			
Method of Measurement (circle one) steel tape electric tape air line other: String [weight			
Well depth: 125 Well grouted to a depth of 16 feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length:			
Screen length: 10 feet Screen diameter: 1 inches Type of screen: public			puc
Screen slot size: , 010 inches Setting depth: From 115 feet to 125 feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			

Top of lap pipe or reduction in casing:

RECEIVED

OCT 3 1 2005

BY: OLWR

feet. If telescoped or more than one screen, describe on next page

The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground Level-

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Description of Formations Encountered	Ground Level	90
crosel	30	36
white Soud	36	(25

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well aid in locating the well; 3) any roads, power lines,	location; 2) any permanent structures on the or other items that may aid in locating the pr	operty and the well;
4) a north arrow.	&	
		337
V 4		2
₹ @ .s		
d 3.5		
County line id.		
0 0 0		4.
Landowner Name: Archer		
		Form: OLWR-SWR-1

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws. W. Moson

Print Name of Responsible Licensee and License No.

Date

OCT 3 1 2005

BY: OLWR

STATE WELL REPORT

County: Ocsoto Permit #: Date completed: 9-27-05 Copy information from block on Part 1

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631

(601)961-5210 (601)354-6938 (fax)

For Office Use Only:		
Aquifer		
Well #:	M-	173
Elevatio	on:	

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

Well Owner Information	Well Location
Owner Name: Pom Archer	Latitude: 34 ~ 46.496 Longitude: 89.43, 516
Mailing Address: Lot 5 carry line 1d.	Method of Lat/Long (check one): Conventional Survey,
	USGS quad, Hand-held GPS, Survey-grade GPS
Bylodia MS 38611 City State Zip Code	<u>SE 1/4 SE 1/4 Sec 33 T 3s R 5w</u>
	Distance Direction Nearest Town
Telephone No. (663) 838- 7904	3 Miles SE of Ingress Mill

x 3/	Pump Type Circle one	· 17 3v 12		Power Type Circle one	7
Air Lift	Jet	Submersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket	Piston	Turbine	Electric Motor	Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill	Other (specify):	
Other (specify):			Horse Power Rating	g of Motor: 3/4	
Date Pump Installed: _	9-27-05		Setting Depth:	50	feet
Rated Pump Capacity:	12	Gallons Per Minute	Number of Stages:	((_

Pump Test Data	Method of Measuring Water Level Circle one	
Date Well Tested: 9-37-05		
Static Water Level (A): Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify): 5tring weight	
Pumping Water Level (B): NA Feet Below Land Surface	Silet (specify).	
Drawdown [(B) – (A)]:NAFeet Below Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate: Gallons Per Minute	Well yieldedGPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping	

I HEREBY CERTIFY that the above statements are true to the best of	f my knowledge.
Jones W. Mesu. 0-620.	Gos w. Men
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer
	Form: OT WR-SWR-1B

OCT 3 1 2005 BY: OLWR