| State V | Vell Report | For Office Viscosian | | |
|---|-------------------------------|--|--|--|
| | Driller's Log | For Office Use Only: | | |
| Wilsissippi Departine | nt of Environmental Quality | Aquifer: | | |
| | and Water Resources | Well #: M-192 | | |
| I Drillore \ Society in L. 19 Mr. Sec. 1. | Box 10631 MS 39289-0631 | | | |
| |)961-5210 | L. S. Elevation: | | |
| , | 54-6938 (fax) | E-log #: | | |
| State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole. | | | | |
| Information on Well Owner | | rehole Location | | |
| (Landowner if borehole is not for a water well) | Latitude: 34. 48 , 062 | L" Longitude: 89 • 48 • 457 " ne): Conventional Survey, | | |
| Owner Name Trent Ross | <u> </u> | 27 | | |
| Mailing Address: 10305 Holly Springs 18. | Method of Lat/Long (circle di | ne): Conventional Survey, | | |
| Mailing Address: 10 30 Helly Springs 18. | USGS quad, Hand-held | GPS, Survey-grade GPS | | |
| Hermands MS 38637 | NE 1/2 SE 1/2 Sec 26 | _ _{Twn_} 3s_ _{Rng} €ω | | |
| Hernenado MS 38637 City State Zip Code | | Nearest Town | | |
| Telephone No. (901) 508-620 7 | Miles SE | of Cockrum. | | |
| Wall / Day | ehole Data | | | |
| | | 4 31 W | | |
| Date drilling started: 7-31-06 Date drilling completed: 7-31- | Hole depth: 140 | Hole diameter: 6314 | | |
| Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development: | | | | |
| Logs run (circle all applicable) No log nur Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): | | | | |
| Purpose of borehole (check one): Water Well_ Geotechnical/Geo | ological Investigation Ground | i Source Heat Pump | | |
| Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block | | | | |
| Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other: | | | | |
| If a flowing well, method of flow regulation: Valve Other (describe) | | | | |
| Static Water Level: 80 feet above on below (circle one) land surface Date measured: 7-31-06 | | | | |
| Method of Measurement (circle one) steel tape electric tape air line other: String loveight | | | | |
| Well depth: 140 Well grouted to a depth of 16 feet Type of grout (circle one): Neat Cement Bentonite Mix | | | | |
| Casing length: 120 feet Casing diameter: inches Type of casing: | | | | |
| Screen length: 30 feet Screen diameter: 1 inches Type of screen: poc | | | | |
| Screen slot size: OLO inches Setting depth: From 170 feet to 140 feet | | | | |
| Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development | | | | |
| Other (describe): | | | | |

Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page

Form: OLPREWR-1A

AUG 2: 2004

BY: OLVER

| The sketch below only required for water wells | Description of formations |
|--|---------------------------|
| | |

| If well telescopes, show depths on sketc |
|--|
|--|

| If well telescopes, | show depth: | s on sketch. |
|---------------------|-------------|--------------|
| Ground Level | | |

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

| Description of Formations Encountered | From (depth) | To (depth) |
|--|--------------|------------|
| Clay dirt | Ground Level | 30 |
| Stevel | 30 | <i>V</i> |
| white clay | ५० | 50 |
| while soud | 50 | 75 |
| while clay | 75 | 85 |
| white soid white clay white soud | 85 | 140 |
| | | |
| | | |
| | | |
| | | ļ |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | <u> </u> | |

If more than one screen, show location of each on sketch

| iketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow. House Well House | |
|--|----|
| andowner Name: Trent Ross | |
| Form: OLWR-SWR- | 1A |

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the

| Mississippi Department of Environmental Quality an | ıd the Mississippi Depar | tment of Health | regulations, if applicable, and sta |
|--|--------------------------|-----------------|-------------------------------------|
| laws. | | | |
| Jones V. Moson. | 8-15-06 | Gonza | w. Mor Dran |
| <u> </u> | | 1900 | |

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

RECEIVED

AUG 2 1 2006

BY: OLWR

STATE WELL REPORT Part 2 For Office Use Only: **Pump Installer's Completion Report** Permit #: Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources Driller: Janes W. Maran P.O. Box 10631 Well #: Jackson, MS 39289-0631 Date completed: 7-21-06 (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Owner Name: Trent Ross Latitude: 34, 48, 062 Longitude: 89, 48, 451 Method of Lat/Long (check one): Conventional Survey_ Mailing Address: 10305 Holly Socials (d. USGS quad , Hand-held GPS , Survey-grade GPS NE 4 SE 4 Sec 26 T 35 R 6W Distance Direction Nearest Town Telephone No. (901) 508-6207 1)8 Miles SE Cockrum. Power Type Pump Type Circle one Circle one Diesel Engine Gasoline Engine Natural Gas Air Lift Jet Submersible Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Horse Power Rating of Motor: Other (specify): Date Pump Installed: 7- 21-06 110 Setting Depth: feet 90 14 Rated Pump Capacity: Gallons Per Minute Number of Stages: Method of Measuring Water Level **Pump Test Data** Circle one Air Line Electric Measuring Line Steel Tape Static Water Level (A): Feet Below Land Surface Other (specify): String (weight Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: ______ Feet Below Land Surface For flowing well, measured shut in head: _______ oC GPM with a drawdown of Test Pumping Rate: Gallons Per Minute Well yielded feet after hours of pumping Duration of Pump Test (minimum 4 hours): I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Jass w. Mosa

Print Name of Pump Installer and License No. (if applicable)

AUG 2 1 2006

Signature of Pump Installer

BY: OLWE