	1 State we	ı Keport 💢 📗	For Office Use Only:	
County: Desoto	Part 1 − <b>D</b> r	iller's Log	For Office Use Omy:	
County, CACO	Mississippi Department of Environmental Quality		Aquifer:	
Permit #:	Office of Land and Water Resources		Well #: 195	
Driller: Jones w. Mason.	P.O. Box 10631		·	
	Jackson, MS 39289-0631		L. S. Elevation:	
Date drilling completed: 7-34-06	(601)96		E-log #:	
	(601)354-6	938 (fax)	E-log #:	
	. 1	l l.d u nam o u nihla fan s	he work and filed with the	
State Law requires that this repo Department at the above address	rt be preparea by the licen. Swithin 30 days of comple	se notuer responstble for i	ne work und jueu wun inc or horehole.	
Information on Well	Owner	Well or Bo	rehole Location	
(Landowner if borehole is not j	for a water well)		<b>On</b>	
	Í	atitude: 34 · 50 · 239	" Longitude: 89 98 1765"	
vner Name Brain Herry.		Latitude: 34 ° 50 ' 739" Longitude: 89 ° 48 ' 765"  Method of Lat/Long (circle one): Conventional Survey,		
N 27 A 11 16		Method of Lat/Long (circle or	e): Conventional Survey,	
Mailing Address: the very dead end of		USGS quad, Hand-held GPS) Survey-grade GPS		
box corner rd.	pox corner rd. no-oddress.		_	
		VE 1/2 NE 1/2 Sec 10	Twn_ <u>35</u> Rng <u>6</u> დ	
Bytalia A City St	15 38611	en e	Name of Tana	
City Sta	ate Zip Code	Distance Direction	Nearest Town of Lewisburg	
Telephone No. (663) 890- 545		T 40 Miles	01	
1 cicphone 140. (				
	Well / Boreho	le Data		
Date drilling started: 7-34-06 Date d	rilling completed: >-3406	Hole depth: 110	Hole diameter: 63/4"	
Iti	ton wood for drilling: A (A			
Location of the source of any surface wa	rer used for drilling: NA	ment: NA		
Location of the source of any surface wa Method of dosing and volume of Chlorin	ic used in drining and develop	тепс. <u>10</u> /-		
Logs run (circle all applicable): No log n Name of organization running log(s):	in Electric Gamma Ray	Density Sonic Neutron	Other:	
Purpose of borehole (check one): Water V	Well Geotechnical/Geolog	ical Investigation Ground	d Source Heat Pump	
Seismic	SurveyOther (describe)			
If drilling is not relate	d to water well construction,	skip the remainder of this bl	ock	
Purpose of Well (check one): Home	mousurar ruone suppry_	milgation rish Culture	Outor	
If a flowing well, method of flow regulat				
Static Water Level: 28 feet	above of below (circle one) lan			
Method of Measurement (circle one)			ring Luciont.	
Well depth: 110' Well grouted to a c				
Casing length: 100 feet Cas			•	
Screen length: 10 feet Scr			•	
Screen slot size: inches				
Type of completion (circle all applicable				
	,			
Top of lap pipe or reduction in casing: _	feet. If tele	scoped or more than one scr	een, describe on next page	

Form: OLWR-SWR-1A

RECEIVED

AUG 2 4 2006

BY: OLWR

of formations encountered oreholes, unless specifically	must be provided exempted by regu	for all lations
Formations Encountered	From (depth)	Γο (depth)
dirt.	Ground Level	30
Soud.	30	110.
		,,,,,
ss		-
		<u> </u>
	-	
		-
	1	
		<del> </del>
	<del> </del>	
at may aid in locating the pr	operty and the we	
,		
T +42 TP 20 T	Form: OLW	
cordance with all applicab rtment of Health regulation		
Your W. Mar		
G: A SI	nsee	
		partment of Health regulations, if applicable, a

AUG 2 4 2006 BY: OLWR

## STATE WELL REPORT Part 2 County: Desato For Office Use Only: **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Permit # Aquifer: Office of Land and Water Resources Driller: Jones w. Mason P.O. Box 10631 Well #: Jackson, MS 39289-0631 Date completed: 7-24-06 (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location **Well Owner Information** Latitude: 34. 50, 739 Longitude: 89, 48, 765 Owner Name: Broin Henry USGS quad , Hand-held GPS , Survey-grade GPS\_\_\_\_ NE 1/2 NE 1/2 Sec 16 T 35 R GW Zip Code Direction Nearest Town Distance 116 Miles SE of Lewisburg Telephone No. (662) 890 - 5454 Power Type **Pump Type** Circle one Circle one Natural Gas Submersible Diesel Engine Gasoline Engine Air Lift Jet Tractor PTO Electric Motor Hand Bucket Piston Turbine Other (specify): \_ Flowing Well Windmill Centrifugal Rotary Horse Power Rating of Motor: 3/4 Other (specify): 60 feet Date Pump Installed: 7-24-06 Setting Depth: 12 Gallons Per Minute Number of Stages: Rated Pump Capacity: Method of Measuring Water Level Pump Test Data Circle one Date Well Tested: 7-34-06 Electric Measuring Line Steel Tape Air Line Static Water Level (A): \_ 28 ` Other (specify): String | weight Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: NA Feet Below Land Surface For flowing well, measured shut in head: \_\_\_\_\_\_A\_\_\_\_feet 19 GPM with a drawdown of Test Pumping Rate: \_\_\_ (2 Gallons Per Minute Well vielded Duration of Pump Test (minimum 4 hours): I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Signature of Pump Installer

Print Name of Pump Installer and License No. (if applicable)

Form: OPYRSWEIVED