	State W	ell Report			
O 1-	State Well Report Part 1 – Driller's Log		For Office Use Only:		
County: Desato	Mississippi Department of Environmental Quality		Aquifer:		
Permit #:	Office of Land and Water Resources		Well #: M - 198		
Driller: James w. Mason		Sox 10631			
Date drilling completed: 8-1-06		IS 39289-0631 961-5210	L. S. Elevation:		
Date drifting completed: 8 ( SS		4-6938 (fax)	E-log #:		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.					
Information on Well Ow	ner		rehole Location		
(Landowner if borehole is not for a	ı water well)	Latitude: 34 . 48 , 159	" Langitude: 89 • 57 · 378"		
Owner Name Builders Contract	tors	Daniade.	Longitude: 89 · 51 · 378"  128: Conventional Survey,		
_		Method of Lat/Long (circle or	ie): Conventional Survey,		
Mailing Address: 1632 Holly Spri	us La.	USGS quad, (Hand-held	GPS, Survey-grade GPS		
	<del> </del>		Twn 3S Rng 6w		
Hemmeta MS	38637		IWII 23 RIIg 600		
Hernando MS. City State	Zip Code	Distance Direction	Nearest Town		
Telephone No. (662) 429-4603	7	17/8 Miles <u>\(\cdot\)</u>	of actours.		
Well / Borehole Data					
Date drilling started: 8-1-06 Date drilling completed: 8-1-06 Hole depth: 165 Hole diameter: 63/4					
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and development:					
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):					
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump					
Seismic Survey Other (describe)  If drilling is not related to water well construction, skip the remainder of this block					
	Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: 100 feet above of below (circle one) land surface Date measured: 8-7-06					
Method of Measurement (circle one) steel tape electric tape air line other: String (reignt)					
Well depth: 165 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 155 feet Casing diameter:inches Type of casing:					
Screen length: 10feet Screen diameter:inches Type of screen:puc					
Screen slot size:O_LOinches Setting depth: From					
Type of completion (circle all applicable). Gravel packed Inderreamed Telescoped Open hole Natural Development					

Other (describe):

Top of lap pipe or reduction in casing: \_\_\_\_\_\_\_feet. If telescoped or more than one screen, describe on next page

Form: QUVR-SWR-1A [-]

BY OLWE

Description of formations encountered must be provided for all

wells and boreholes, unless specifically exempted by regulations

If well telescopes, show depths on sketch.  Ground Level———————————————————————————————————	Description of Formations Encountered	From (depth)	To (depth)
Glound Ecvel	Clay dit.	Ground Level	30
	gravel	30	90
	white clay	90	100
	while soul.	100	165
			ļ
			<u> </u>
			<del> </del>
ketch the property layout and include the following: 1) the aid in locating the well; 3) any roads, power line 4) a north arrow.	well location; 2) any permanent structures on the nes, or other items that may aid in locating the p	e property that may roperty and the wel	l;
	- Jel 1	E	
n) house	d'ue regi	L	
4	>		
Landowner Name: Buildus Contractor	·S		

The sketch below only required for water wells

Form: OLWR-SWR-1A
I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the
Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws.			$\sim$
Jose W Morin C	1-630	20-25-06	( Donn Low Man
JONES W. MAIN	3 600	0.03	Jens Cu- 10 and
Print Name of Responsible Licensee ar	nd License No.	Date	Signature of Licensee

STATE WE	LL REPORT	
Permit #:  Driller: Jackson, Mosor  Date completed: 8-7-06  Pump Installer's Mississippi Departmen Office of Land a P.O. B Jackson, M (601)	For Office Use Only:  Aquifer:  Aquifer:  MS 39289-0631  M961-5210  4-6938 (fax)  Acopy of Part 1 of the	
Telephone No. (42479-4403	SE 1/2 SW 1/2 Sec 21 T 35 R 6W  Distance Direction Nearest Town  1/8 Miles W of Cock/um	
Pump Type Circle one Air Lift Jet Submersible	Power Type Circle one Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine (	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well  Other (specify):  Date Pump Installed: 2 Gallons Per Minute	Windmill Other (specify):  Horse Power Rating of Motor:  Setting Depth:feet  Number of Stages:	
Pump Test Data  Date Well Tested: 8-7-06  Static Water Level (A): 6  Pumping Water Level (B): 6  Feet Below Land Surface  Drawdown [(B) - (A)]: 6  Test Pumping Rate: 6  Gallons Per Minute  Duration of Pump Test (minimum 4 hours): 6  hours	Method of Measuring Water Level Circle one  Air Line Electric Measuring Line Steel Tape  Other (specify): String well well well with a drawdown of feet after At hours of pumping	
I HEREBY CERTIFY that the above statements are true to the best  Tones w. Masow  Print Name of Pump Installer and License No. (if applicable)	of my knowledge.  Signature of Pump Installer  Form: OLWR-SWR-1B	