ſ	and the second	1 State Well Report	r****
	county: Desate	Part 1 – Driller's Log	For Office Use Only:
		Mississippi Department of Environmental Quality	Aquifer:
	Permit #:	Office of Land and Water Resources	well #: M-256
	Driller: James us. Moson	P.O. Box 10631	Well #: /// 406
	Dillier 10462 03: 14(030~	Jackson, MS 39289-0631	L. S. Elevation:
	Date drilling completed: 12-17-07	(601)961-5210	2. 0. 2.0
		(601)354-6938 (fax)	E-log #:

. •

٠

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Information on Well Owner	Well or Borehole Location		
(Landowner if borehole is not for a water well)	24 48 220 GD 40 (22)		
Owner Name Stewart Lott	Latitude: $34 \circ 48$, 733 , Longitude: $89 \circ 49$, 672 , " 47 Method of Lat/Long (circle one): Conventional Survey, 40		
Mailing Address: 9142 Alex Bea			
	USGS quad, Hand-held GPS, Survey-grade GPS		
Hernodia Mrs 381032	<u>Sw 1/2 NW 1/2 Sec DD Twn 35 Rng Gue</u>		
City State Zip Code	Distance Direction Nearest Town <u>28</u> Miles <u>N</u> of <u>CCE</u> rum		
Telephone No. (201) 568 - 292			
Well / Bore	chole Data		
Date drilling started: バークーシア Date drilling completed: レーリー	on Hole depth: 140' Hole diameter: 63/4		
Location of the source of any surface water used for drilling:			
Method of dosing and volume of Chlorine used in drilling and deve	lopment: <u>14</u>		
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:			
Purpose of borehole (check one): Water Well <u>Geotechnical/Geological Investigation</u> Ground Source Heat Pump			
Seismic Survey Other (<i>describe</i>	2)		
If drilling is not related to water well construction, skip the remainder of this block			
Purpose of Well (check one): Home 🖌 Industrial Public Supply Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation: Valve $\frown \frown \frown$ C	Other (describe)		
Static Water Level:			
Method of Measurement (circle one) steel tape electric tape air line other: <u>String - weight</u>			
Well depth: 140 Well grouted to a depth of (5 feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: <u>130</u> feet Casing diameter: <u> </u>			
Screen length: 10 feet Screen diameter: 4 inches Type of screen:			
Screen slot size: <u>010</u> inches Setting depth: From <u>130</u> feet to <u>140</u> feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):	∧ ¬		
Top of lap pipe or reduction in casing: feet. If te	elescoped or more than one screen, describe on next page		

Form: OLWR-SWR-1A

1

M-25L

The sketch below only required for water wells


If well telescopes, show depths on sketch. Ground Level_

a.

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth) Ground Level	15
white clay	15	30
orivel	30	65
white clay	65	25
white coud	25	140
	1	
·····		
		ł
······································		
		<u> </u>
		

If more than one screen, show location of each on sketch



Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws. Joneswi, Mason 0-620 1-15-08

Signature of Licensee

Print Name of Responsible Licensee and License No.

Date

	STATE WELL REPORT			
County: Desoto	Part 2 Pump Installer's Completion Report	For Office Use Only:		
Permit #:	Mississippi Department of Environmental Quality Office of Land and Water Resources	Aquifer:		
Driller: Jones un Mosan	P.O. Box 10631	well #: M-256		
Date completed: <u>12 ~(ダー0 ア</u>	Jackson, MS 39289-0631 (601)961-5210			
Copy information from block on Part 1	(601)354-6938 (fax)	Elevation:		
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.				

. .

report must be attached and both parts filed with the Department a Well Owner Information	Well Location
Owner Name: <u>Stewat</u> Lott Mailing Address: 9142 Hex Bea	Latitude: <u>34, 48-733</u> Longitude: <u>81, 49, 67</u> Method of Lat/Long (check one): Conventional Survey,
Hernodo ms <u>3863</u> Z City State Zip Code	USGS quad, Hand-held GPS, Survey-grade GPS $5 \cdots 4 \times 14$ Sec $3 \rightarrow 2$ T $3 \leq R \leq 12$ Distance Direction Nearest Town
Telephone No. (101) 568 - 2920	78 Miles NW of OCEIVA
Pumn Tyne	Power Type

	Pump Type Circle one			Power Type Circle one	
Air Lift	Jet	Submersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket	Piston	Turbine	Electric Motor	Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill	Other (specify):	
Other (specify):			Horse Power Rating	of Motor: 3/4	
Date Pump Installed:	12-18-0	<u> </u>	Setting Depth:	100	feet
Rated Pump Capacity:	(3	_Gallons Per Minute	Number of Stages: _	8	

Pump Test Data	Method of Measuring Water Level Circle one		
Date Well Tested: <u>12-18-07</u> Static Water Level (A): <u>75</u> Feet Below Land Surface Pumping Water Level (B): <u>A</u> Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify): <u>String Ineight</u>		
Tumping watch Level (b). \checkmark rest Delow Land Surface Drawdown [(B) – (A)]: \land Feet Below Land Surface Test Pumping Rate: (\circlearrowright Gallons Per Minute Duration of Pump Test (minimum 4 hours): \supseteq hours	For flowing well, measured shut in head:feet Well yielded GPM with a drawdown of feet afterhours of pumping		

I HEREBY CERTIFY that the above statements are true to the best of	f my knowledge.
Jues W-Mosen 0-620	Gens without
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer
	Form: OLWR-SWR-1B

_