$\sim \sim 1.5$	Port 1 T	brillar's I og	For Office Use Only:	
County: Deseto	Part 1 – Driller's Log  Mississippi Department of Environmental Quality  Aquifer:		Aquifer:	
Permit #:	Office of Land and Water Resources		Well #: M-265	
Driller: Janes Us. Mosen	P.O. Box 230%		Well #: /// / 6 5	
Driller: Janes Grives 62		, MS 39225	L. S. Elevation:	
Date drilling completed:  \( \frac{7-10-c\beta}{} \)	· ,	961-5210 I-5228 (fax)	E-log #:	
State Law requires that this repor	t he prepared by the lice	 onse halder resnansible for t		
Department at the above address				
Information on Well C		Well or Borehole Location		
(Landowner if borehole is not fo	·	34.46.851	89,44,228	
Owner Name Southarn Ho	בהוֹנב	Latitude: 37 / 133/	Longitude: 77 7 JU	
		Method of Lat/Long (circle or	" Longitude: 87° 44, 338 e): Conventional Survey,	
Mailing Address 5440 Myers	<u>rd</u>			
		USGS quad, (Hand-held GPS), Survey-grade GPS		
		SW 14 NW 14 Sec 33	Twn 35 Rng 5w	
Byholia M City Stat	53611			
City Stat	e Zip Code	Distance Direction	Nearest Town of insums mill	
Telephone No. (663) 838 - 377	3		on the total	
	Well / Bore	hole Data		
Date drilling started: 7-10-08 Date dri	lling completed: 7-10-0	& Hole denth: 125	Hole diameter: 63/4	
Date drilling stated.				
Location of the source of any surface water Method of dosing and volume of Chloring	r used for drilling:^	Onment: ALL		
	_			
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic S	SurveyOther (describe)	)		
If drilling is not related	to water well construction	n, skip the remainder of this blo	ock	
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 46 feet above or below circle one) land surface Date measured: 7-14-06				
Method of Measurement (circle one) steel tape electric tape air line other: String weight				
Well depth: 125 Well grouted to a depth of 15 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 115 feet Casing diameter: inches Type of casing:				
Screen length: 10 feet Screen diameter: 4 inches Type of screen: px 6				
Screen slot size: COO inches Setting depth: From 115 feet to 125 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:	Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page			
			Form: OLWR-SWR-1A (04/08)	

**State Well Report** 

**RECEIVED** 

JUL 3 1 2008

BY: OLWR

The sketch	below	only i	required :	for wa	ter wells

If well telescopes, show depths on sketch. Ground Level\_

## Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clary Birt	Ground Level	10
red Soud	10	35
grovel	35	45
ustite clay	42	70
white said	70	125
		<u> </u>
		<u> </u>
		1
		1
A		
	<del></del>	<u> </u>
		<del>                                     </del>

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2 aid in locating the well; 3) any roads, power lines, or other item 4) a north arrow.	
વ	
hove	7
	8 TT
Landowner Name: 500thern Heusing	Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

Joses	vi Moson	0-620	7-27-00
Print Name of R	Responsible Licensee	and License No.	Date

JUL 3 1 2008

BY: OLWP

	SIAIL WI	LL REPORT		
Permit #:  Driller: Joses w Mosca  Date completed: 7 - 14 - 08  Copy information from block on Part 1  This part of the report must be completed	Pump Installer's Mississippi Departmen Office of Land a P.O. Jackson (601)	art 2 s Completion Report to of Environmental Quality and Water Resources Box 2309 a, MS 39225 1961-5210 1-5228 (fax)	For Office Use Only:  Aquifer:  Well #:	
report must be attached and both parts fil				
Well Owner Informa	tion	Well Location		
Owner Name: Souther 1-to	्राहरू हर्नाहरू	Latitude: 31-46 851 Longitude: 81-44-226		
Mailing Address: 5490 Mes : d.		Method of Lat/Long (check one): Conventional Survey,		
			GPS, Survey-grade GPS	
Bytatio My 38611 City State Zip Code		5w 1/2 N 1/2 1/2 Sec 33		
			Nearest Town	
Telephone No. $(663)$ $838-37$	77	$\frac{5}{\text{Miles}} \frac{5E}{0}$	fingions Mill	
<b>Pump Type</b> Circle one			wer Type ircle one	
Air Lift Jet	Submersible	Diesel Engine Gasolir	ne Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well	Windmill Other	(specify):	
Other (specify):		<u> </u>	:3/4	
Date Pump Installed: 7-14-06	<u>§</u>	Setting Depth:		
Rated Pump Capacity:(_\( \sum_\) Gallons Per Minute		Number of Stages:		
Pump Test Data		Method of Me	asuring Water Level	
Date Well Tested: 7-14-08		C	ircle one	
Static Water Level (A): G Feet Below Land Surface			suring Line Steel Tape	
Pumping Water Level (B):Feet		Other (specify): 5tring	(neight	
Drawdown [(B) – (A)]: Feet Below Land Surface		For flowing well, measured sh	nut in head:feet	
Test Pumping Rate: Gallons Per Minute		Well yielded( 🛇	GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours)	_	feet after_	24 hours of pumping	
I HEREBY CERTIFY that the above stater	-620	f my knowledge.  Signature of Pump In	istaller Form: OLWR-SWR-1B (04/08)	
			ILVLIV L	

JUL 3 | 2008

BY: OLWR