	State Well Report			
County: Desoto	Part 1 – Driller's Log	For Office Use Only:		
Mississipp	oi Department of Environmental Quality	Aquifer:		
Driller: Jones w. Moson	ce of Land and Water Resources P.O. Box 2309	Well #: M-272		
	Jackson, MS 39225	L. S. Elevation:		
Date drilling completed: 6-19-0 9	(601)961- 5210 (601)961- 5228 (fax)			
State I am requires that this report he proper	ad bu the license helder were well to Con-	E-log #:		
State Law requires that this report be prepare Department at the above address within 30 a	ave of the acense notaer responsible for t ays of completion of drilling of the well	ne work ana juea wun the or borehole.		
Information on Well Owner	Well or Bo	rehole Location		
(Landowner if borehole is not for a water we	u) Latitude: 34 . 46 . 482	" Longitude: 89° 48', 199"		
Owner Name Lorry McCullor		72		
Owner Name Local McCullor  Mailing Address: 10500 00 Fuseu  USGS quad (Hand-held GPS, Survey-grade GPS)				
Hernando ma 38	$\frac{3E}{3}$ $\frac{3S}{3}$ $\frac{3S}{3}$ $\frac{3S}{3}$	Twn 35 Rng 6w		
Hesnondo Ms 38 City State Zip	Code Distance Direction	Nearest Town		
Telephone No. (901) 491- 4637	178 Miles <u>SE</u>	of cockrum		
0	Well / Borehole Data			
Date drilling started: $\frac{9-19-08}{}$ Date drilling complete	ed: $8-19-08$ Hole depth: $153'$	Hole diameter: 63/4		
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and development:				
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:				
Purpose of borehole (check one): Water WellGeotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)				
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:				
Purpose of Well (check one): Home Industrial F	ublic SupplyIrrigation Fish Culture _	Other:		
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 100 feet above of below deircle one) land surface Date measured: 8-29-08				
Method of Measurement (circle one) steel tape electric tape air line other: String   weight				
Well depth: 153 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 133 feet Casing diameter: inches Type of casing: puc				
Screen length: 20 feet Screen diameter: _				
Screen slot size: Olo inches Setting de				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:	feet. If telescoped or more than one screen	n, describe on next page		

Form: OLWR-SWR-1A (04/08)

RECEIVED

SEP 17 2008

BY: OLWR

	The sketch	below o	only	required	for	water	wells
--	------------	---------	------	----------	-----	-------	-------

If well telescopes,	show	depths	on	sketch.
Ground Level.				

## Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
cial dist	Ground Level	18
red'soud	10	15
Grand	15	30
red clay	30	45
grael	45	70
white clay	70	100
white soud.	(00)	(53
		<u> </u>
***************************************		1

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well aid in locating the well; 3) any roads, power lines, 4) a north arrow.	location; 2) any permanent structures on the property that may or other items that may aid in locating the property and the well;
7	
Landowner Name: Carry McCullor	J well
	F OL WD CWD 14 (04/00)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

SEP 17 2008

BY: OLWR

STATE WI	ELL REPORT
Permit #: Mississippi Department  Driller: Moson  Date completed: 8 - 39 - 08	Mell Location  Latitude: 34.46.483 Longitude: 89.48-199  Method of Lat/Long (check one): Conventional Survey,  USGS quad, Hand-held GPS, Survey-grade GPS  SE1/4 Sw_1/4 Sec_35_T_3s_R_6w
Telephone No. (901) 491 - 4637	Distance Direction Nearest Town  17/8 Miles SE of Cockrum
Pump Type Circle one Air Lift Jet Submersible	Power Type Circle one Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	(Electric Motor) Hand Tractor PTO
Centrifugal Rotary Flowing Well	Windmill Other (specify):
Other (specify):	Horse Power Rating of Motor: 3/4
Date Pump Installed: 8-39-08	Setting Depth: feet
Rated Pump Capacity: ( Gallons Per Minute	Number of Stages:
Pump Test Data	Method of Measuring Water Level Circle one
Date Well Tested: 8-39-08  Static Water Level (A): 100 Feet Below Land Surface  Pumping Water Level (B): M Feet Below Land Surface  Drawdown [(B) - (A)]: Feet Below Land Surface  Test Pumping Rate: Gallons Per Minute  Duration of Pump Test (minimum 4 hours): hours	Air Line Electric Measuring Line Steel Tape  Other (specify): String I weight  For flowing well, measured shut in head:
I HEREBY CERTIFY that the above statements are true to the best of	f my knowledge.  Signature of Pump Installer  Form: OLWR-SUM #8(0404) F.

SEP 17 2008