County: Desoto
Permit #:
Driller: Jones w. Mosan
Date drilling completed: 9-19-14

Owner Name: DC Horris

Well Owner Information (Landowner if borehole is not for a water well)

STATE WELL REPORT

Part 1 Driller's Log

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601)961-5210 (601)360-0535 (fax)

For Office Use Only:
Aquifer:
E-Log #:

Well or Borehole Location

Latitude: 34°47'11.55N Longitude: 89°50'14.77 W

Method of Lat/Long (check one): Conventional Survey_

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Mailing Address: 5075 Gitter rd.	USGS quad, Hand-held GPS, Survey-grade GPS			
Itemendo MS 3863a City State Zip Code Telephone No. (901) 517-5777	NEW Miles Sw of Cockrum (Distance) (Direction) (Nearest Town)			
Well / Borehole Data				
Date drilling started: 9-10-14 Date drilling completed: 9-10-14 Hole depth: 170 Hole diameter: 63/4				
Location of the source of any surface water used for drilling:				
Method of dosing and volume of Chlorine used in drilling and development: 5 pps and greater				
Logs run (circle all applicable) No log run Electric Gamm				
Name of organization running log(s): ~~ \(\times \)\(\times \)				
Purpose of borehole (circle one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other ((describe)			
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (circle all applicable) Home Industrial Public Supply Irrigation Fish Culture				
Other (describe): NIA				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 78 feet [above or below] land surface Date measured: 9-10-14				
Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): String / weight				
Well depth: 170 Well grouted to a depth of: 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 150 feet Casing diameter: 4 inches Type of casing: puc				
Screen length: 20 feet Screen diameter: 4 inches Type of screen: puc				
Screen slot size:, <u>Ol</u> inches Setting depth:	From 150 feet to 120 feet			
Type of completion (circle all applicable): Gravel packed	Underreamed Open hole Natural Development			
Other (describe): NA				
Top of lap pipe or reduction in casing:feet				
If telescoped or more than one screen, describe on next page Form: OLWR-SWR-1A (4/13)				

Permit #:	Fo	r Office Use M オイミ	Only:
The sketch below only required for water wells	Description of formations encountered and boreholes, unless specifically exem	must be provided	
f well telescopes, show depths on sketch.		.	
Ground Level	Description of Formations Encountered	From (depth) Ground level	To (depth)
	cloy dirt	30	<u></u>
	white said	70	170

			_
		-	
		-	
f more than one screen, show location of each on sketch			<u>~</u>
1) the well location	5		
2) any permanent structures on the property that may a 3) any roads, power lines, or other items that may aid in 4) north arrow	aid in locating the well n locating the property and the well		w)
2) any permanent structures on the property that may a 3) any roads, power lines, or other items that may aid in 4) north arrow	aid in locating the well		
2) any permanent structures on the property that may a 3) any roads, power lines, or other items that may aid in 4) north arrow	aid in locating the well in locating the property and t	In some	
2) any permanent structures on the property that may a 3) any roads, power lines, or other items that may aid in 4) north arrow Shew	aid in locating the well in locating the property and t	In spras	
2) any permanent structures on the property that may a 3) any roads, power lines, or other items that may aid in 4) north arrow	aid in locating the well In locating the property and the well A Constructed, and completed in accordance.	ce with all appli	cable
2) any permanent structures on the property that may a 3) any roads, power lines, or other items that may aid in 4) north arrow Shew andowner Name: HEREBY CERTIFY that the well/borehole was drilled, equirements of the Mississippi Department of Environ applicable, and state laws.	aid in locating the well In locating the property and the well A Constructed, and completed in accordance.	ce with all appli	cable

STATE WELL REPORT

Oes ato County: Permit #: Driller: Joves w-Mason Date completed: 9 - 10 - 14

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309

For Office Use Only:			
well #: <u>№ 342</u>	<u>.</u>		
Aquifer:			

		601)961-5210) 360-0535 (fax)				
	This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1					
•	of the report must be attached and both parts filed with the Department at the above address within 30 days of well complet					
	Well Owner Information	Well Location				
	Owner Name: D.C. Horris	Latitude: 34 47 11、55ん Longitude: 89 50 14,77 w				
	Mailing Address: 5075 Gi Her rd.	Method of Lat/Long (check one): Conventional Survey,				
	11.	USGS quad, Hand-held GPS, Survey-grade GPS				
	Hernando MS 38632 City State Zip Code	NENTA NOTA, Sec 33 T 35 R 6W				
	Telephone No. (201) 517-5779	11/2 Miles Sw of Cockrom (Nearest Town)				
		pe (circle one)				
Ч	Submersible Turbine Air Lift Centrifugal Flowing Well Jet Piston Rotary Other (describe):					
	Is This Pump (circle one): New Repaired Replacemen	pe (circle one)				
	Electric Diesel Gasoline Natural Gas Tractor PTO Wind					
	Horse Power Rating of Motor: 1 2 Setting Dept					
1		for Non Flowing Well				
	•					
	Date Well Tested: 9-10-14 Duration of Pump Test (minimum 4 hours): 94 hours Static Water Level (A) 28 Feet Below Land Surface Duration Water Level (B): 214 Feet Below Land Surface					
	Static Water Level (A): つる Feet Below Land Surface Pumping Water Level (B): へい Feet Below Land Surface Drawdown [(B) - (A)]: つい トー・「Feet Below Land Surface Test Pumping Rate: つり Gallons Per Minute					
	Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): String I weight					
Pump Test Data for Flowing Well						
	Measured shut in head: feet.					
l	Well yielded <u>20</u> GPM with a drawdown of <u>ん</u>	feet after <u>24</u> hours of pumping				
Meter Installation						
	Meter Manufacturer: Meter Serial Number:					
	Meter Model Number/Name: レト	Type of Meter:				
	Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):					
	Installation Date: Meter installed by:					
	Is This Meter (circle one): New Repaired Replacement					
	Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website.					
Γ	I HEREBY CERTIFY that the above statements are true to the	e best of my knowledge.				
	Print Name of Pump Installer and License No. (if applicable)	Date Signature of Pump Installer				

Form: OLWR-SWR-1B (4/13)