County: Desoto
Permit #:
Driller: Janes W. Mason
Date drilling completed: 6 7-16

Well Owner Information

STATE WELL REPORT

Part 1 Driller's Log

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601)961-5210

(601)360-0535 (fax)

For Office Use Only:
Well #: 11\341
Aquifer:
E-Log #:

Well or Borehole Location

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

(Landowner if borehole is not for a water well)	Latitude: 34°48'38.00" Longitude: 89°46'43.19" w			
Owner Name: Timber Ridge	Method of Lat/Long (check one): Conventional Survey,			
Mailing Address: 3430 hwy 305				
	USGS quad, Hand-held GPS, Survey-grade GPS			
Hernando ms 38632	<u>5w 4 Nw 4, Sec 33 T 35 R 6w</u>			
City State Zip Code	1/2 Miles N of Cockrum			
Telephone No. (90] 399-9380	(Distance) (Direction) (Nearest Town)			
	orehole Data			
Date drilling started: 6-9-16 Date drilling completed: 6-9-16 Hole depth: 110' Hole diameter: 7''				
Location of the source of any surface water used for drilling:				
Method of dosing and volume of Chlorine used in drilling and development: 5pp and 5rcely				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s): ~\alpha\A				
Purpose of borehole (circle one) Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe) _ N\/h				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (circle all applicable): Home Industrial Public Supply Irrigation Fish Culture				
Other (describe):				
If a flowing well, method of flow regulation: Valve _~\@	Other (describe)			
Static Water Level: 51 feet [above or below] land surface Date measured: 6-9-16 (circle one)				
Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Stray Luciput				
Well depth: 110 Well grouted to a depth of: 10	feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 100 feet Casing diameter: 4 inches Type of casing:				
Screen length: 10 feet Screen diameter:inches Type of screen:				
Screen slot size: <u>CO</u> inches Setting depth				
Type of completion (circle all applicable): Gravel packed	Underreamed Open hole Natural Develope CEIVEC			
Other (describe):	JUL 08 2016			
Top of lap pipe or reduction in casing:feet				
If telescoped or more than	one screen, describe on next page Form: OLWR-SWR-1A (4/13)			

1. '		For Office Use (
Permit #:	W	/ell #:	
The sketch below only required for water wells	Description of formations encou and boreholes, unless specifical		
If well telescopes, show depths on sketch.	ana borenotes, untess specificati	ly exempled by regulation	<u> </u>
Ground Level	Description of Formations Encount		To (depth)
Ground Level	clay dish	Ground level	20
	white clay	90	45
	unite soud	112	110
If more than one screen, show location of each on sketch			
			
1) the well location2) any permanent structures on the property that may3) any roads, power lines, or other items that may aid4) north arrow	aid in locating the well in locating the property and the well locating the property and the well locations.	ب	
2) any permanent structures on the property that may3) any roads, power lines, or other items that may aid4) north arrow	in locating the property and the well	 5E	
1) the well location 2) any permanent structures on the property that may 3) any roads, power lines, or other items that may aid 4) north arrow	both cockram farm	Re	Ceive 1L 0 8 2016
1) the well location 2) any permanent structures on the property that may 3) any roads, power lines, or other items that may aid 4) north arrow	both cockram farm	Re	Ceive
1) the well location 2) any permanent structures on the property that may 3) any roads, power lines, or other items that may aid 4) north arrow	Seconstructed and completed in a	Recordance with all appli	OLWF
1) the well location 2) any permanent structures on the property that may 3) any roads, power lines, or other items that may aid 4) north arrow Landowner Name: Timber Mississippi Department of Environments of the Mississippi Department of Environments	Seconstructed and completed in a	Recordance with all appli	OLWF

STATE WELL REPORT

Desoto County: Permit #: Driller: Joses w. Majon Date completed: 6-9-16

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601)961-5210

For Office Use Only:
Aquifer:

) 360-0535 (fax)
,	,
This part of the report must be completed by a licensed water of the report must be attached and both parts filed with the D	well contractor or a licensed pump installer. A copy of Part 1 epartment at the above address within 30 days of well completion.
Well Owner Information	Well Location
Owner Name: Timber Ridge	Latitude: <u>34°46′38、00"ハ</u> Longitude: <u>名9°48′43、19゜ω</u>
Mailing Address: 3430 huy 305	Method of Lat/Long (check one): Conventional Survey,
	USGS quad, Hand-held GPS, Survey-grade GPS
Hernado Ms 38632	56 14 NW 14, Sec 33 T 35 R 6W
Wernedo MS 38632 City State Zip Code	
Telephone No. (901) 399- 9280	12 Miles N of COCKTUM (Distance) (Direction) (Nearest Town)
Pump Typ	pe (circle one)
Submersible Turbine Air Lift Centrifugal Flowing Well	· · · · · · · · · · · · · · · · · · ·
	Rated Pump Capacity: Gallons Per Minute
Is This Pump (circle one): New Repaired Replacemer	pe (circle one)
Electric Diesel Gasoline Natural Gas Tractor PTO Win	
Horse Power Rating of Motor: 3/4 Setting Dept	^
Horse Power Rating of Motor: Setting Dept	n:
•	for Non Flowing Well
Date Well Tested: 6-9-16	
Static Water Level (A): Feet Below Land Surface	Pumping Water Level (B): Feet Below Land Surface
Drawdown [(B) - (A)]: Feet Below Land Surf	face Test Pumping Rate: 10 Gallons Per Minute
Method of measurement (circle one): Steel tape Electric ta	ape Air line Other (describe): Stry weight
Pump rest Da	ta for Flowing Well
Measured shut in head: feet.	
Well yieldedOPM with a drawdown of	₩ feet after 34hours of pumping
	Installation
Meter Manufacturer:	, , , , , , , , , , , , , , , , , , ,
Meter Model Number/Name:	
Totalizer Register Unit and Multiplier Factor (AF x .001, gal	1 x 1000, etc):
Installation Date: P /A Meter installed by:	~ \n
Is This Meter (circle one): New Repaired Replaceme	
P. I. Min the above information you are c	ertifying that this meter was installed to manufacturer standards.
For agricultural wells, a list of ap	proved meters is on the MDEQ website.
I HEREBY CERTIFY that the above statements are true to the	ne best of my knowledge.
	7-6-16 Open w. Mar - JUL 08 201
Jans w. Majur 0-620	Signature of Pump Installer
Print Name of Pump Installer and License No. (if applicable	Form: OHRSVRIB WA