•	COLUMN MUNICIPANT	Wroten 5-13#1				
Englin	STATE WELL REPORT Part 1	For Office Use Only:				
county tranklin	Driller's Log	Well #:				
Permit #:	Mississippi Department of Environmental Quali					
Driller: Gary Rayborn	Office of Land and Water Resources P.O. Box 2309	E-Log #:				
Date drilling completed: <u>\Q/Q/13</u>	Jackson, MS 39225-2309 (601)961-5210					
	(601)360-0535 (fax)					
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.						
Well Owner Informat (Landowner if borehole is not for		orehole Location				
0.77		Longitude: 90°50′04″W				
003		Google Earth one): Conventional Survey,				
Mailing Address: P.O. DOX		d GPS, Survey-grade GPS				
Total In	•	ec 5/T 6N/R 4E				
Ferriday LA State		of Bude				
Telephone No. (318) 757 - 3	· I Milet /					
Telephone No. (S.S)						
Date drilling started: 6/6/13 Date	Well / Borehole Data drilling completed: 6613 Hole depth:	160 Hole diameter: 411				
Location of the source of any surface v		note diameter.				
		_				
Method of dosing and volume of Chlori		4				
	un) Electric Gamma Ray Density Sonic Ne	utron Other:				
Name of organization running log(s):	3					
Purpose of borehole (circle one):(Water	Well Geotechnical/Geological Investigation	Ground Source Heat Pump				
Seism	ic Survey Other (describe)	REC				
If drilling is not rel	ated to water well construction, skip the remain					
Purpose of Well (circle all applicable):	Home Industrial Public Supply Irrigation	Fish Culture				
Other (describe): Rig Si	pply	BY:				
If a flowing well, method of flow regul	ation: Valve Other (describe)					
Static Water Level:feet [above or below] land surface Date measured:feet [above or below] land surface Date measured:						
Method of measurement (circle one): S	iteel tape Electric tape Air line Other ( <i>descri</i>	be):				
Well depth: 160 Well grouted to a depth of: 50 feet Type of grout (circle one); Neat Cement Bentonite Mix						
Casing length: 140 feet Casing diameter: 4 inches Type of casing: PVC						
Screen length: 20 feet Screen diameter: 4 inches Type of screen:						
Screen slot size: 1020 inches Setting depth: From 190 feet to 160 feet						
Type of completion (circle all applicable) Gravel packed Underreamed Open hole Natural Development						
Other (describe):	<del></del>	· •				

If telescoped or more than one screen, describe on next page

Top of lap pipe or reduction in casing: \_\_\_

Form: OLWR-SWR-1A (4/13)

R-SWR-1A (4/13)	Form: OLWI					\$1. f		17		i i
	o y yceusee	Signature		ate	eo.	icense No.	see and L	uapre Licen	rme of Respo	SM Jund
	W	\ <u></u>		81/91	6 2				AYBORN D	
icable h regulations,	gas ils att ent of Healtl	cordance mrsepart	os ni bətəlqn qqississiM ər	cted, and con Quality and th	construc mental (	וור חו בוואונחנ	aun ıpdan	Ate laws.	cable, and sta	if applic
									ner Name:	мориет
OSNIJOS	TO TO	Pa su	New John		A OP	79 1				
	<b>K</b>	/ . /	and the well	g the property : ,\	in locatin <u>i</u>	егту трат тау	u the prop	: afuncénues o ou	the property la the well locati any permanent any roads, pow north arrow	() () ()
	· · · · · · · · · · · · · · · · · · ·	<del></del>	,				-3 - 4v - Fr	and been direct.	- I Marada odi	454543
(qebth) To (depth)		шәхә лүр:	oyjoəds ssəju	cription of for the foreholes, un cription of Form Shall Shall	puv				il telescopes,	əm JŢ
se Ouly:	r Office U	PO Well #:						47Vz	:# ;winty:	

## STATE WELL REPORT

## Part 2

## Pump Installer's Completion Report

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309

For Office Use Only:				
Well #:	J75			
Aquifer:				

Date completed: (601)961-5210 Copy information from block on Part 1 (601) 360-0535 (fax) This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. **Well Location** Well Owner Information N Longitude: 90 Owner Name: Method of Lat/Long (check one): Conventional Survey\_ Mailing Address: USGS guad\_\_\_\_\_, Hand-held GPS\_\_\_\_\_, Survey-grade GPS Telephone No. 6001 (Distance) (Direction) Pump Type (circle one) Submersible Turbine Air Lift, Centrifugal Flowing Well Jet Piston Rotary Other (describe): (OC) \_\_\_\_Gallons Per Minute 616 Rated Pump Capacity: \_\_\_ Date Pump Installed: Is This Pump (circle one); ( New Repaired Replacement Power Type (circle one) Electric / Diesel Gasoline Natural Gas Tractor PTO Windmill Other (describe): \_\_\_\_\_\_ Horse Power Rating of Motor: Setting Depth: feet Number of Stages: \_ Pump Test Data for Non Flowing Well Date Well Tested: Duration of Pump Test (minimum 4 hours): Static Water Level (A): 10 Feet Below Land Surface Pumping Water Level (B): \_\_\_\_\_ Feet Below Land Surface Feet Below Land Surface Test Pumping Rate: \_ \_\_\_\_\_ Gallons Per Minute Drawdown [(B) - (A)]: \_\_ Method of measurement (circle one): Steel tape Electric tape Air line Other (describe):\_\_\_\_ Pump Test Data for Flowing Well Measured shut in head: \_\_\_\_\_feet. Well vielded \_GPM with a drawdown of  $\_$ feet after\_ hours of pumping Meter Installation Meter Manufacturer: \_\_\_\_\_ Meter Serial Number: \_\_\_\_\_ Meter Model Number/Name: \_\_\_ \_\_ Type of Meter:\_\_\_\_\_ Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):\_\_\_\_\_ Installation Date: \_\_\_ Meter installed by: \_ Is This Meter (circle one): New Repaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website. I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

RAYBORN DRILLING, INC.

tranklin

County:

Permit #:

Driller: 6000

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer

Form: OLWR-SWR-1B (4/13)