~ 1'.4		on Keport	For Office Use Only:
County: FRUKLIN	Part 1 Mississippi Department of Environmental Quality		Aquifer:
Permit #:	Mississippi Department of Environmental Quality Office of Land and Water Resources		Well #: <u>K- 59</u>
Driller: GRENN WATER WELL &	· .	ox 10631	Well #:/\
SUPPLY, INC.	T .	IS 39289-0631	L. S. Blevation:
Date drilling completed:		961-5210 4-6938 (fax)	B-log #:
	[ (001)55-	1-0550 (IMI)	
State Law requires that this rep 30 days of completion of drilling		driller in detail and filed w	ith the Department within
Well Owner Information		Well	Location
Owner Name Jerry Dunnigan		Latitude: 31 · 28:546	" Longitude: <u>90 · 39 · 726</u> "
Mailing Address: 3038 Bill	-	Method of Lat/Long (circle or	. 13 1
		USGS quad, Hand-held	GPS-Survey-grade GPS
McCall Creek 1	ns 39647	5W4 WW4 Sec 2	4 Twn 6 N Rng 5 E
	•	Distance Direction	Nearest Town
Telephone No. (60/) 532-6	56.7	Distance Direction  Miles	of Lucien
: :	Well I	Data	
Purpose of Well (circle one) Home Inc	dustrial Public Supply	Irrigation Fish Culture	Other:
Date well drilling started:		well drilling completed:	11/17/05
·	•		
If flowing, method of flow regulation: Valve Other (describe)  Static Water Level://7 _ feet above of below (circle one) land surface Date measured://///05			
Method of Measurement (circle one) steel tape electric tape air line other:			
Hole depth: 145 Well depth:			
Type of grout (circle one): Cement Bentonite Mix			
Casing length: 130 feet Casing diameter: 4 inches Type of casing:			
Screen length: 4 inches Type of screen:			
Screen slot size: 10/0 inches Setting depth: From 130 feet to 140 feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page			
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:			
Name of organization running log(s):			
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi			
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.			
GRENN WATER WELL & SUPPLY, INC.		2010 01	
Brian McClendon, lic. no.	0-664	13 New 1	Mª Charon
Print Name of Water Well Contractor and	l License No.	Signature o	of Water Well Contractor

RECEIVED

DEC 0 5 2005

BY: OLWA

Ground Level		
•		

From	To_
0	16
16	44
40	45
43	140
100	141
130	
_	
	<b> </b>
	-
	From    ©   1/4     4/0     4/5     1/4     1/

If more than one screen, show location of each on sketch

4) indicate direction.	• ·
W_road	drive house
	$\chi'$ $\int$ nouse

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may

Landowner Name: Jerry Dunnigan

Brian McClendon, lic. no. 0-664 GRENN WATER WELL & SUPPLY, INC.

Signature of Water Well Contractor

## STATE WELL REPORT

## Part 2

County: Franklin Permit #: Driller: GRENN WATER WELL &

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 10631 Jackson MS 39289-0631

Aquifer:	For Office Use Only:	
12)	Aquifer:	
Well #: K-59		

This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the Installation of pump.  Well Owner Information  Owner Name: \( \text{Tarm A.m.in a.m.} \)  Mailing Address: \( \text{ 3038 O:11 Lotter R.d.} \)  Mailing Address: \( \text{ 3038 O:11 Lotter R.d.} \)  Method of Lat/Long (circle one): Conventional Survey, USOS quad/Hand-held GPS) Survey-grade GPS  \( \text{NC Call Greek MS 39647} \)  \( \text{ State Zip Code} \)  Telephone No. (\( \text{Coll 1} \) \( \text{ 532 - 6567} \)  Telephone No. (\( \text{Coll 1} \) \( \text{ 532 - 6567} \)  Pump Type  Circle one  Pump Type  Circle one  Pump Type  Circle one  Air Lift	Date completed: 11 / 18/05	(601)961-5210 (601)354-6938 (fax)	
Well Owner Information  Owner Name: Text Dentique  Malling Address: 3038 Dill Loston Ed  Well Location  Latitude: 31028 544 Longitude: 5004 7226 Method of Lat/Long (circle one): Conventional Survey,  USGS quad Hand-hold GPS Survey-grade GPS  Surv	This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the		
Mailing Address: 3038 Poil Lofton Rd  Method of LavLong (circle one): Conventional Survey,  USCS quad Hand-held GPS Survey-grade GPS  Sw 4 Nw 8 Sec Z 4 Twn 6N Rng 5F  Distance Direction Nearest Town  Telephone No. (201) 532-1557  Telephone No. (201) 532-15567  Telephone No. (201		Well Location	
Mailing Address: 3038 3:11 Loffe: Rd  Method of Lat/Long (circle one): Conventional Survey, USGS quad/Hand-hold GPS. Survey, grade GPS  NC (all GCCK M5 33647 City State Zip Code  Distance Direction Nearest Town  Telephone No. (601) 532-6567  Pump Type Circle one  Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO  Centrifugal Rotary Flowing Well Windmill Other (specify):  Horse Power Rating of Motor: 1  Date Pump Installed: 11 13/65  Rated Pump Capacity: 10 Gallons Per Minute  Date Well Tested: 11/18/65  Static Water Level (A): 117 Feet Below Land Surface  Pumping Water Level (B): 121 Feet Below Land Surface  Drawdown [(B) - (A)]: 4 Feet Below Land Surface  Drawdown [(B) - (A)]: 4 Feet Below Land Surface  Drawdown [(B) - (A)]: 4 Feet Below Land Surface  Drawdown [(B) - (A)]: 5 Gallons Per Minute  Well yielded 12 GPM with a drawdown of  Uration of Pamp Test (minimum 4 hours): 4 hours  HERREBY CERTIFY that the above statements are true to the best of my knowledge.  GREENN WACER WEIL & SUPPLY, TNC.  William Hardin, 1ic. no. 0-717P  Print Name of Pamp Installer and License No. (if applicable)  Signature of Pump Installer  Well yielded Signature of Pump Installer  Signature of Pump Installer	Owner Name: Terry Punnique	Latitude: 310 28 546 " Longitude: 90° 39 726"	
Sw 14 NW 14 Sec 2 4 Twn 6N Rng 5F		Method of Lat/Long (circle one): Conventional Survey,	
Sw 14 NW 14 Sec 2 4 Twn 6N Rng 5F		USGS quad, Hand-held GPS, Survey-grade GPS	
Pump Type Circle one  Air Lift  Jet Submersible  Diesel Engine  Gasoline Engine  Natural Gas  Bucket  Piston  Turbine  Electric Motor  Hand  Tractor PTO  Centrifugal  Rotary  Flowing Well  Windmill  Other (specify):  Horse Power Rating of Motor:  1  Date Pump Installed:  11   18   65  Rated Pump Capacity:  10  Gallons Per Minute  Pumping Water Level  Air Line  Pumping Water Level  Circle one  Air Line  Electric Measuring Water Level  Circle one  Air Line  Circle one  Air Line  Circle one  Air Line  Circle one  Air Line  Other (specify):  Power Type  Circle one  Natural Gas  Method of Measuring  Method of Measuring  Feet  Circle one  Air Line  Circle one  Air Line  Circle one  Air Line  Circle one  Air Line  Other (specify):  For flowing well, measured shut in head:  For flowing well, measured shut in head:  Feet  Well yielded  12  GPM with a drawdown of  Unation of Pump Test (minimum 4 hours):  HERREBY CERTIFY that the above statements are true to the best of my knowledge.  GREEN WATER WELL & SUPPLY, INC.  Will liam Hardin, 11c. no. 0-717P  Print Name of Pump Installer and License No. (if applicable)  Signature of Pump installer  Signature of Pump installer	McCall Grek MS 3964 City State Zip Code	17 SW 14 NW 14 Sec 24 Twn 6N Rng 5E	
Pump Type Circle one  Air Lift  Jet Submersible  Diesel Engine  Gasoline Engine  Natural Gas  Bucket  Piston  Turbine  Electric Motor  Hand  Tractor PTO  Centrifugal  Rotary  Flowing Well  Windmill  Other (specify):  Horse Power Rating of Motor:  Date Pump Installed:  11   18   65  Rated Pump Capacity:  10 Gallons Per Minute  Pump Test Data  Date Well Tested:  11   18   65  Static Water Level (A):  Drawdown [(B) - (A)]:  Horse Power Rating of Motor:  Stating Depth:  13 5  feet  Number of Stages:  Circle one  Air Line  Electric Measuring Water Level  Circle one  Air Line  Electric Measuring Water  Air Line  Electric Measuring Water  Circle one  Air Line  Electric Measuring Water  Air Line  Electric Measuring Water  Circle one  Air Line  Electric Measuring Water  Air Line  Circle one  Air Line  Electric Measuring Water  Circle one  Air Line  Electric Measuring Water  Circle one  Air Line  Electric Measuring Water  Air Line  Electric Measuring Water  Circle one  Air Line			
Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas  Bucket Piston Turbine Electric Motor Hand Tractor PTO  Centrifugal Rotary Flowing Well Windmill Other (specify):	Telephone No. (601) 532-6567	Miles S of Lucien	
Bucket Piston Turbine (Electric Motor) Hand Tractor PTO  Centrifugal Rotary Flowing Well Windmill Other (specify):			
Centrifugal Rotary Flowing Well Windmill Other (specify):	Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Other (specify):	Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Date Pump Installed: 11   13   65   Setting Depth: 135   feet    Rated Pump Capacity: 10   Gallons Per Minute   Number of Stages: 15    Pump Test Data   Method of Measuring Water Level   Circle one   Circle one    Air Line   Electric Measuring Line   Steel Tape   Other (specify):    Pumping Water Level (B): 12   Feet Below Land Surface   Drawdown [(B) - (A)]:   Heet Below Land Surface   Test Pumping Rate:   12   Gallons Per Minute   Duration of Pump Test (minimum 4 hours):   Hours    I HEREBY CERTIFY that the above statements are true to the best of my knowledge.  GRENN WATER WELL & SUPPLY, INC.   William Hardin, lic. no. 0-717P   When Hardin   Print Name of Pump Installer and License No. (if applicable)   Signature of Pump Installer	Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Pump Test Data  Pump Test Data  Date Well Tested:	Other (specify):	Horse Power Rating of Motor:1	
Pump Test Data  Pump Test Data  Method of Measuring Water Level Circle one  Air Line  Static Water Level (A): 117 Feet Below Land Surface  Pumping Water Level (B): 121 Feet Below Land Surface  Prawdown [(B) - (A)]: Heet Below Land Surface  Test Pumping Rate: 12 Gallons Per Minute  Duration of Pump Test (minimum 4 hours): Hours  Well yielded 12 GPM with a drawdown of  HEREBY CERTIFY that the above statements are true to the best of my knowledge.  GRENN WATER WELL & SUPPLY, INC. William Hardin, lic. no. 0-717P  Print Name of Pump Installer and License No. (if applicable)  Signature of Pump Installer	Date Pump Installed: 11 18/65	Setting Depth: 135feet	
Date Well Tested:	Rated Pump Capacity: Gallons Per Min	ute Number of Stages: 15	
Date Well Tested:	Pump Test Data Method of Measuring Water Level		
Static Water Level (A):	Date Well Tested: 11/18/65		
Pumping Water Level (B): 121 Feet Below Land Surface  Drawdown [(B) - (A)]:		Air Line Electric Measuring Line Steel Tape	
Drawdown [(B) - (A)]: Feet Below Land Surface		Other (specify):	
Test Pumping Rate: 17. Gallons Per Minute Well yielded 12 GPM with a drawdown of Unration of Pump Test (minimum 4 hours): 4 hours feet after 4 hours of pumping  I HEREBY CERTIFY that the above statements are true to the best of my knowledge.  GRENN WATER WELL & SUPPLY, INC. William Hardin, lic. no. 0-717P  Print Name of Pump Installer and License No. (if applicable)  Signature of Pump Installer	Pumping Water Level (B): 12' Feet Below Land Surfa	ace	
Duration of Pump Test (minimum 4 hours): 4 hours 4 hours 4 hours of pumping  I HEREBY CERTIFY that the above statements are true to the best of my knowledge.  GRENN WATER WELL & SUPPLY, INC.  William Hardin, lic. no. 0-717P  Print Name of Pump Installer and License No. (if applicable)  Signature of Pump Installer	A SOL DOLON EMILE DULL	ace For flowing well, measured shut in head:feet	
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.  GRENN WATER WELL & SUPPLY, INC.  William Hardin, lic. no. 0-717P  Print Name of Pump Installer and License No. (if applicable)  Signature of Pump Installer	Test Pumping Rate: 12. Gallons Per Mine	ute Well yielded 12 GPM with a drawdown of	
GRENN WATER WELL & SUPPLY, INC. William Hardin, lic. no. 0-717P  Print Name of Pump Installer and License No. (if applicable)  Signature of Pump Installer	Duration of Pump Test (minimum 4 hours):hou	urs 4 feet after 4 hours of pumping	
GRENN WATER WELL & SUPPLY, INC. William Hardin, lic. no. 0-717P  Print Name of Pump Installer and License No. (if applicable)  Signature of Pump Installer	I LIDDEDY CERTIFY 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4		
	GRENN WATER WELL & SUPPLY, INC. William Hardin, lic. no. 0-717P  William Hardin		
RECEIVED	Print Name of Pump Installer and License No. (if applicable)		

DEC 0 5 2005

BY: OLWR