State V	Vell Report	
County: Part 1 - Driller's Log		For Office Use Only:
Pennit # Office of Lond	nt of Environmental Quality and Water Resources	Aquiter.
Driller Fitzgein 12 WellSerge P.O.	Box 10631	Well #: <u>N-18</u>
Jackson, Jackson, J	MS 39289-0631	L. S. Elevation:
	)961-5210	
	54-6938 (fax)	E-log #:
State Law requires that this report be prepared by the lie Department, at the above address within 20 days of the	cense holder responsible for i	he work and filed with the
Department at the above address within 30 days of com Information on Well Owner	pletion of drilling of the well	<i>or borehole.</i> rehole Location
(Landowner if borehole is not for a water well)		
Owner Name_SAIAh Havill	Latitude:	" Longitude"
Mailing Address: Glosfer RJ,	Method of Lat/Long (circle or	e): Conventional Survey.
	USGS quad. Hand-held	GPS, Survey-grade GPS
Q		Twn SN Rng 3E
Bude ms,		••=
City State Zip Code	Distance Direction	Nearest Town
Telephone No. ()		~~(/
Well / Bør	ehole Data	
Purpose of borehole (check one): Water Well Ceotechnical/Geo Seismic Survey Other (describ	y Density Sonic Neutron	Other: Source Heat Pump
If ariting is not related to water well construction	on, skip the remainder of this bl	
Purpose of Well (check one): Home Industrial Public Suppl If a flowing well, method of flow regulation: Valve of	Other (describe)	•
Static Water Level:feet above or below (circle one)	land surface Date measured:	
		8-11-05
Method of Measurement (circle one) (teel tape) electric tape	e air line other:	
Method of Measurement (circle one) (teel take) electric take Well depth: 80 Well grouted to a depth of 10 feet Type	e of grout (circle one) Neat Cem	Rantoniu Min
Method of Measurement (circle one) (teel take) electric take Well depth: 80 Well grouted to a depth of 10 feet Type	e of grout (circle one) Neat Cem	Rantoniu Min
Method of Measurement (circle one) (teel take) electric take Well depth: 80 Well grouted to a depth of 10 feet Type	e of grout (circle one) Neat Cem	Rantoniu Min
Method of Measurement (circle one) (tel tape) electric tape Well depth: 80 Well grouted to a depth of 10 feet Typ Casing length: 20 feet Casing diameter: 4" Screen length: 10 feet Screen diameter: 4"	e of grout (circle one) Neat Ceminches Type of casing:inches Type of screen	Bentonite Mix IVC IVC
Method of Measurement (circle one)       Itel tape       electric tape         Well depth:       80       Well grouted to a depth of 10       feet       Typ         Casing length:       10       feet       Casing diameter:       911         Screen length:       10       feet       Screen diameter:       911         Screen slot size:       012       inches       Setting depth:       From	inches Type of screen.	Bentonite Mix PVC PVC fcet
Method of Measurement (circle one) Well depth: <u>SO</u> Well grouted to a depth of <u>LO</u> feet Typ Casing length: <u>TO</u> feet Casing diameter: <u>4</u> ( Screen length: <u>LO</u> feet Screen diameter: <u>4</u> ( Screen slot size: <u>-OL</u> inches Setting depth: From Type of completion (circle all applicable): Gravel packer Under	e of grout (circle one). Neat Cem inches Type of casing: inches Type of screen. feet toS erreamed Telescoped Open	Bentonite Mix PUC PUC 0 feet hole Natural Development
Method of Measurement (circle one) Well depth: Second Low Well grouted to a depth of Well depth: Well grouted to a depth of Well grouted to a depth of feet Typ Casing length: Second length: Sec	e of grout (circle one) Neat Cem inches Type of casing: inches Type of screen. feet toS erreamed Telescoped Open	Bentonite Mix PVC PVC 0 feet hole Natural Development

ALC 1 8 2995 BY: OLWR

N- 18

## The sketch below only required for water wells



Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
cluz, gravel. chy curse: Sand	0	20 30 90 80
chul.	20	20
Chin	30	20
Curser Sand	20	80
	·····	
		+
		÷
	+	4
		;
		-
		+
		1
	1	
		+
		+
	1	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location: 2) any permanent structures on the property that may aid in locating the well: 3) any roads, power lines, or other items that may aid in locating the property and the well: 4) a north arrow.

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Date

laws. Brad E-Pagera Id.

8-11-05

P

Print Name of Responsible Licensee and License No.

Signature of Licensee

RECEIVED AUG 18 2005 BY: OLW R

	STATE W	ELL REPORT	
County Franthin Permit #: Driller: Frigger I well Sever Date completed: Copy information from block on Part 1 This part of the report must be completed report must be attached and both parts fil Well Owner Informat Owner Name: StarAH Havill Mailing Address: Glosfler Red	Pump Installer Mississippi Departme Office of Land P.O. Jackson. (60 (601)3 by a licensed water well ed with the Department tion	Part 2 's Completion Report ent of Environmental Quality and Water Resources Box 10631 MS 39289-0631 1)961-5210 54-6938 (fax) <i>I contractor or a licensed pump</i> <i>at the above address within 30 d</i> We Latitude: Method of Lat Long (check of	days of well completion. Il Location Longitude: ne): Conventional Survey
Bude     MS       City     State	Zip Code	Distance Direction	Nearest Town
Pump Type Circle one		4	wer Type Circle one
Air Lift Jet (	Submersible	Diesel Engine Gasoli	ne Engine Natural Gas
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO
Centrifugal Rotary	Flowing Well		(specify):
Other (specify):			<u> 1/2</u>
Date Pump Installed: 8-11-05		Setting Depth: 60	feet
Rated Pump Capacity:	Gallons Per Minute	Number of Stages:	
Pump Test Data Date Well Tested:			easuring Water Level
Static Water Level (A):Feet Pumping Water Level (B):Feet	Below Land Surface	Air Line   Electric Mea     Other (specify):	asuring Line Seel Tape
Drawdown [(B) - (A)]:Feet	Below Land Surface	For flowing well, measured s	nut in head:feet
Drawdown [(B) - (A)]:Feet Test Pumping Rate:		For flowing well, measured sl Well yielded	

\* \* \* \*

and the second second

Att is with

BY OLWA