	State Well Report				
County: FIAN KIN.	Part 1 - Driller's Log	For Office Use Only:			
	Mississippi Department of Environmental (Quality Aquifer:			
Permit #:	Office of Land and Water Resources	Well #: P - 77			
Driller: Fitzgerald Will Serce	P.O. Box 10631	Well #:			
	Jackson, MS 39289-0631	L. S. Elevation:			
Date drilling completed: 927-05	(601)961-5210				
	(601)354-6938 (fax)	E-log #:			
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.					
Information on Well C (Landowner if borehole is not fo		ell or Borchole Location			
. .	1.64.1				
Owner Name Chen MiGhe					
Mailing Address: Hen Rd	Method of Lat/Long	Method of Lat/Long (circle one): Conventional Survey,			
	i i	and-held GPS, Survey-grade GPS			
Sonthdule me	/ ¼ ¼ So	r = 10 Twe $r = 10$ Rng $r = 10$			
City Stat	Zip Code Distance Dir	ection Nearesy Town			
Talenburg No. (Miles // U	th of Smithdule			
Telephone No. ()					
	Well / Borehole Data				
0.10					
Date drilling started: 47+15 Date dril	ling completed: 920-55 Hole depth 330	Hole diameter:			
Location of the source of any surface water	and for drilling.				
	Electric Gamma Ray Density Sonic No.	utron Other:			
Purpose of borehole (check one): Water We	II Geotechnical/Geological Investigation	Ground Source Heat Pump			
Seismic S	urveyOther (describe)				
If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): Homel Industrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: 160 feet above or below (circle one) land surface Date measured: 9-27-0 5					
Method of Measurement (circle one) Steel tape electric tape air line other:					
Well depth: 230 Well grouted to a depth of 10 feet Type of grout (circle one) Neat Cement Bentonite Mix					
Casing length: 220 feet Casing diameter: 4" inches Type of casing: PVC					
Screen length: 10 feet Screen diameter: 4" inches Type of screen: Pre					
Screen slot size: 1012 inches Setting depth: From 220 feet to 230 feet					
ype of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					
	Other (days miles).				

The WAREHOUSE is going to set the pump

Top of lap pipe or reduction in casing: _

Form: OLWR-SWR-1A

feet. If telescoped or more than one screen, describe on next page

RECEIVED

OCT 13 2005

BY: OLWR

The sketch below only required for water wells

f well	telesco	pes, s	how	depths	on	sketch
	ound L			•		

Description of formations encountered must be provided for a wells and borcheles, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	T
Cluy-	0	20
Sandy	20	(00)
c/que!	60	80
cluy	80	100
Class	100	120
Scurd,	120	122
Eve Shad	122	190
FireSkind	190	220
course sandtsmall	230	230
srave!		
		1
		

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well locating the well; 3) any roads, power lines, or (4) a north arrow.	cation; 2) any permanent structures on the property that may other items that may aid in locating the property and the well;
Fr. 2 Allen Rd.	
andowner Name: Oven A Chec	

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Signature of Licensee

Print Name of Responsible Licensee and License No.

RECEIVED

OCT 13 2005

BY: OLWR

STATE WELL REPORT

Part 2

County: Frankling Pump Installer's Completion Report Mississippi Department of Environmental Quality Permit #: Office of Land and Water Resources

P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only:		
Aquifer:		
Well #:	P-77	
Elevation:	-	

This report should be prepared by the pump installer in deta installation of pump.	ail and filed with the Department within 30 days of the
Well Owner Information	Well Location
Owner Name: Ohen Michel	Latitude:Longitude:
Mailing Address: 2845 Albarka	Method of Lat/Long (circle one): Conventional Survey,
	USGS quad, Hand-held GPS, Survey-grade GPS
Smitheld No. 3944	1414 Sec
City State Zip Code	Distance Direction Nearest Town
Telephone No. ()	Miles No of Smithball
Pump Type Circle one	Power Type Circle one
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	Electric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well	Windmill Other (specify):
Other (specify):	Horse Power Rating of Motor:
Date Pump Installed: 9-77-15	Setting Depth:feet
Rated Pump Capacity:Gallons Per Minute	Number of Stages:
Pump Test Data	Method of Measuring Water Level Circle one
Date Well Tested: <u>G-27-05</u>	
Static Water Level (A):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape
Pumping Water Level (B):Feet Below Land Surface	Other (specify):
Drawdown [(B) - (A)]: Feet Below Land Surface	For flowing well, measured shut in head:feet
Test Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping
I HEREBY CERTIFY that the above statements are true to the best	of my knowledge.
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer
	MCL,CIVE!

OCT 13 2005

BY: OLWR