State W	ell Report	T. 000 - 11 - 0 - 1
	Oriller's Log	For Office Use Only:
Mississippi Departmer	nt of Environmental Quality and Water Resources	Aquifer: <u> </u>
	Box 2309	Well #:
	, MS 39225	L. S. Elevation:
	961- 5210 1- 5228 (fax)	
		E-log #:
State Law requires that this report be prepared by the lic Department at the above address within 30 days of comp		
Information on Well Owner	Well or Bo	rehole Location
(Landowner if borehole is not for a water well)	Latitude: 310 · 21 · 23	F Longitude: 50 ° 41 , 22,6 1
Owner Name Conner Spine	Method of Lat/Long (circle on	e): Conventional Survey,
Mailing Address: Evans RJ	USGS quad, Hand-held	GPS, Survey-grade GPS
C // / / ms	NN 15E 1/2 Sec 34	Twn <u>5 N</u> Rng <u>5 E</u>
Smithdule MS. City State Zip Code	Distance Direction	Nearest Town
Telephone No. ()	Miles	of
Well / Bore	hole Dete	
		Ç"
Date drilling started: 5-7-11 Date drilling completed: 5-7-1	Hole depth: //	Hole diameter: _O
Location of the source of any surface water used for drilling:		
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:		
Purpose of borehole (check one): Water Well Geotechnical/Geol	ogical Investigation Ground	Source Heat Pump
Seismic Survey Other (describe		ock
		i
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:		
If a flowing well, method of flow regulation: Valve Other (describe)		
Static Water Level:		
Method of Measurement (circle one) seet tape electric tape air line other:		
Well depth: 146 Well grouted to a depth of 16 feet Type of grout (circle one): Near Cement Bentonite Mix		
Casing length: 136' feet Casing diameter: 4" inches Type of casing: Poc		
Screen length: 10 feet Screen diameter: 4 inches Type of screen: 10		
Screen slot size: .012 inches Setting depth: From 136 feet to 146 feet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development		
Other (describe):		
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page		
		Form: OLWR-SWR-1A (04/08)

RECEIVED

JUN 0 7 2011 BY: OLWR

## The sketch below only required for water wells

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

f well telescopes, show depths on sketch.	To the CD of the Tournessed	Enom (donth)	To (depth)
Ground Level	Description of Formations Encountered	From (depth) Ground Level	
	Clay	Ground Level	20
	771	20	40
	Yeur	70	80
	Sand	10	100
	Cleral	100	120
		(20	130
	Say (ougo Sing	130	146
		_	+
		<del></del>	
		<del></del>	
If more than one screen, show location of each or			
	the state of the s	a property that ma	av I

4) a north arrow.  RECEIVED  JUN 0 7 2011  Evans Rd  BY: OLWR	Sketch the	property layout and include the following: 1) the well location; 2) any permanent structures aid in locating the well; 3) any roads, power lines, or other items that may aid in locating	on the property that may the property and the well;
JUN 0 7 201		4) a north arrow.	
JUN 0 7 201		1	l
JUN 0 7 201		e he "	
JUN 0 7 201		$\langle \chi \rangle$	·
JUN 0 7 201		( C 4 )	
JUN 0 7 201		Touse site	Dra-
JUN 0 7 201	!		RELIFINE
JUN 0 7 201			-05.01
PV. October		\	JIN 0 7 mg
PV. October			2017 / 2019
Evans Rel Dr. ULWA			RV. Dura
		Frans Rd	Dr. ULWR
		4.012	
1/ 00)			
		11 . (1)	ļ
Huy 98		Hwy 98	
	1		<u> </u>
	1	<i>(</i>	
Landowner Name: Councy Sping	Landown	er Name: _(ouncy ) Ping	(0.1100)
Form: OLWR-SWR-1A (04/08)			Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Bit Signature of Licensee and License No. Date Signature of Licensee

Permit #: Prince	the above address within 30 days of wen completion.  Well Location
Owner Name: Conner Spry  Mailing Address: Evens Rd  Sn-thdule ms  City State Zip Code  Telephone No. ()	Latitude: 31° 21′ 23.9 Longitude: 90° 41′ 23.6″  Method of Lat/Long (check one): Conventional Survey,  USGS quad, Hand-held GPS, Survey-grade GPS
Air Lift Jet Submersible  Bucket Piston Turbine  Centrifugal Rotary Flowing Well  Other (specify):  Date Pump Installed:	Power Type Circle one Diesel Engine Gasoline Engine Natural Gas  Electric Motor Hand Tractor PTO  Windmill Other (specify): Horse Power Rating of Motor:  Setting Depth: 110 feet  Number of Stages: 12
Pump Test Data  Date Well Tested:Feet Below Land Surface  Pumping Water Level (B):Feet Below Land Surface  Drawdown [(B) - (A)]:Feet Below Land Surface  Test Pumping Rate:Gallons Per Minute  Duration of Pump Test (minimum 4 hours):hours	Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape Other (specify):  For flowing well, measured shut in head:feet Well yieldedGPM with a drawdown offeet afterhours of pumping
This is for (circle one): New Well Replacement of E  I HEREBY CERTIFY that the above statements are true to the bes  BIAG ELECTRICAL COLUMN  Print Name of Pure Installer and License No. (if applicable)	

JUN 0 7 2011 BY: OLWR