

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

Office of Land and Water Resources

COUNTY WELL LOCATED

FRANKLIN

WELL NUMBER

P-2081

CODED

PERMIT NUMBER

0-287

NAME OF DRILLING FIRM

REEVES Well SER.

DATE WELL COMPLETED

9-23-99

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

NAME & MAILING ADDRESS OF LANDOWNER

THOMAS HANCOCK

Burt Jordan Rd.

Smithdale, MS

WELL LOCATION: SEC. TOWNSHIP RANGE

23 5 S 5 W

DISTANCE DIRECTION NEAREST TOWN

8 Miles W of Summit

OTHER LANDMARK

WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc.

PUMP DATA

PUMP TYPE (Circle One):
Submersible, Turbine, Jet, Flowing Well,
Other (Describe)

POWER TYPE (Circle One):
Electric, Tractor, Diesel, Gasoline, Butane,
Other (Describe) H/P

Pump Capacity (GPM) No. of Stages Setting Depth

FT.

PUMP TEST

Well yielded 50 GPM with
a drawdown of 0 ft.
after 1 hours of pumping

WELL DATA

Well Depth 120' Casing Diameter (In.) 4" Casing Length (Ft.) 20'

Type of Casing PVC Hole Depth 120' Depth to Static Water Level 80'

TYPE OF COMPLETION: (Circle One or More):
Gravel Packed, Underreamed, Telescoped,
Natural Development, Open Hole, Other
(Describe) 10 GAL. SAND

WELL GROUTED TO A DEPTH OF 10 FEET
Type Grout (circle one): Cement, Bentonite, or Mix

LOG DATA

TYPE OF LOG RUN (Circle One):
No Log Run, Electric, Gamma Ray, Density, Sonic, Neutron,
Other (Describe)

Name of Organization Running Log

SCREEN DATA

Diameter - Inches 4" Length - Feet 10' Slot Size - Inches 10 THS.

Screen Type PVC Depth to Bottom - Feet 120'

GEOLOGIC DATA (Office Use Only)

Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test

Driller's Remarks

REC'D JAN 03 2002

Top of Lap Pipe or Reduction in Casing

FEET IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued)	FROM	TO
Clay	0	15			
Red Sand	15	50			
sand & gravel	50	80			
Chalk	80	100			
sand & pebbles gravel	100	120			

IF MORE SPACE IS NEEDED, USE BACK