

George 2 Q
C26
1-67

MISSISSIPPI BOARD OF WATER COMMISSIONERS

Elec log m GS

WATER WELL DRILLERS LOG

Finish

Date: January, 1967, Driller: M & B Drilling Co. County George
(When well drilled) (Name) (Where well is located)

Multi-Mart Water Association
(1) Owner of Land:

Lucedale, Miss.
(Name)

Well #1
(Address) 16
(2) Location: SE 1/4, SW 1/4, Sec. 23 T5R W

2 miles NE of Lucedale
(distance) (direction) (Nearest Town)

(3) Topography: Flat
(Hilly) (Flat) (Level)

(4) Purpose of Well: Community Water System
(Domestic Irrigation
Municipal, Industrial, Other)

Description & Color of Materials Sand, Clay, Red Clay, Shell, etc.	Thick- ness Feet	Depth Feet
Surface Sandy Clay	20	20
Sand, Clay Small Gravel	15	35
Red Clay	15	50
White Sand	90	140
Red Clay & Fine Sand	25	165
Red & White Clay	15	180
Blue Clay	30	210
Sand & Clay Breaks	20	230
Blue Clay	60	290
Fine Sand	110	400
Blue Clay	22	422
Fine Sand	13	435
Blue Clay	95	530
Fine Sand	15	545
Blue Clay	7	552
Fine Sand	18	570
Blue Clay	30	600
Sand	8	608
Blue Clay	12	620
Sand	4	624
Blue Clay	66	690
Fine Sand	30	720
Blue Clay	7	727
Fine Sand	18	745
Sand & Clay Breaks	40	785
Blue Clay	50	835
Sand & Sea Shells	65	900
Blue Clay	30	930
Sand	70	1000
Good Sand	940	990
Fine Sand	990	1000

Information upon completion of well:

250 FT 8" Top Cemented

(1) Diameter 6" inches.

(2) Total Depth 980 feet.

(3) Water Level 190 feet below top of ground.

(4) Cased to _____, Size _____

Underbar Screen on 5" O.D. Pipe

(5) Screen: Size _____, Length 28 FT

(6) Were any formations sealed against pollution?

_____ yes, _____ no.

If YES depth of formation _____

Why _____

Drillers Remarks: 4" Discharge Pipe

Yield in gpm: 195 gpm with pump

Size pump: 25 HP Subm. Turbine

Type power: 220 Volt 3φ

Mail this copy to Board of Water Commissioners 429 Miss. St. Jackson, Miss.
MGS Elec. 289' TD 1003