[ /A		eli Report	For Office Use Only:
County: Storge		riller's Log	
Permit #: 0 - 780	Mississippi Departmer	nt of Environmental Quality and Water Resources	Aquifer:
	P.O.	Box 2307	Well #: <u>C. 165</u>
Driller: Joel Pier	Jacksor	n, MS 39225	L. S. Elevation:
Date drilling completed: 2-14-09		961- 5210 4 - 5220 (fau)	
	(100)	1- 5228 (fax)	E-log #:
State Law requires that this repor	t be prepared by the lic	ense holder responsible for t	the work and filed with the
Department at the above address	within 30 days of comp	oletion of drilling of the well	or porenote.
Information on Well (			orehole Location
(Landowner if borehole is not f	•	Latitude: 30 . 56 . 688	Y Longitude: 88 ° 32 677.
Owner Name 1 Frencha Mu	ssey		
	•	Method of Lat/Long (circle or	ne); Conventional Survey,
Mailing Address: 2111 Hg 61	<u> </u>		GPS. Survey-grade GPS
( )		14 4 DE 14 Sec 30	Twn 15 Rng 500
(undah nu	39452	SW NE 25	6W
City Sta	te Zip Code	SW NE Direction	of Cudal, W
Telephone No. (601) 508 25	1	Miles	01
		Lala Data	
	Well / Bore		2
Date drilling started: 7-1409 Date dr	filling completed: 1-14	-09 Hole depth: 100	Hole diameter:
Location of the source of any surface wat Method of dosing and volume of Chlorin		a la mes	
Method of dosing and volume of Chlorin	er used for drilling:	dopment: 2000 Wa	h toplate
Logs run (circle all applicable): Ho log ru Name of organization running log(s):	Electric Gamma Ray	Density Sonic Neutron	Other:
Purpose of borehole (check one): Water V	ellGeotechnical/Geol	ogical Investigation Ground	d Source Heat Pump
Saismic	Survey Other (describe	<i>)</i>	
If drilling is not relate	d to water well construction	on, skip the remainder of this bi	lock
Purpose of Well (check one): Home	industrial Public Supply	yImgation Fish Culture	Omer.
If a flowing well, method of flow regulati	on: Valve (	Other (describe)	- 1clCo
Static Water Level: 3 feet a	bove or solow (direle one)	land surface Date measured:	7-14-09
Method of Measurement (circle one)	steel tape electric tape	air line other:	
Well depth: 100 Well grouted to a d	epth of 10 feet Typ	e of grout (circle one): Neat Cer	ment Bentonite Mix
Casing length: 90 feet Cas			
Screen length: 10 feet Scr	een diameter: 2	inches Type of screen:	3ch 40 Plast
Screen slot size: 10inches	Setting depth: From_	O feet to	100 feet
Type of completion (circle all applicable)	: Gravel packed Under	rreamed Telescoped Oper	n hole Natural Development
	Other (describe):		
Top of lon nine or radication in coning.	fact If to	elesconed or more than one SCT	een, describe on next page

Form: OLWR-SWR-1A (04/08)
RECEIVED

AUG 0 3 2009

BY: OLWR

IC. all talance and about deaths an abatab	reas and porenotes, wheels open sour,	Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations			
If well telescopes, show depths on sketch.  Ground Level————	Description of Formations Encountered	From (depth)	To (deptl		
		Ground Level			
	Red Sand	0	20		
	100 1000				
	M. A.		-		
	yellow clay	20	40		
			†		
	unde sand	40	100		
		<del> </del>	·		
			<del>                                     </del>		
			ļ		
			1		
			+		
			<del> </del>		
			<u> </u>		
4) a north arrow.	r lines, or other items that may aid in locating the professional forms.		<b>,</b>		
4) a north arrow.	•	Huy 98			
A well	•				
andowner Name: Bunda Massey.	Ford, and completed in accordance with all applicable	n: OLWR-SWR-e requirements	A (04/0		
andowner Name: Bunda Massey.	Ford, and completed in accordance with all applicable	n: OLWR-SWR-e requirements	A (04/0		
andowner Name: Brenda Massey ertify that the well/borehole was drilled, constructed ssissippi Department of Environmental Quality and	Formation of Health regulations	n: OLWR-SWR-e requirements	A (04/0		
andowner Name: <u>Bunda Massey</u> ertify that the well/borehole was drilled, constructed ississippi Department of Environmental Quality and	Ford, and completed in accordance with all applicable	n: OLWR-SWR-e requirements	A (04/0		

## STATE WELL REPORT Part 2 For Office Use Only: **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 10631 C165 Well#: Jackson, MS 39289-0631 (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location Well Owner Information Latitude: 30-56-058 Longitude: 88 Method of Lat/Long (check one): Conventional Survey \_\_\_, Hand-held GPS\_\_\_, Survey-grade GPS Distance Telephone No. (601) 508 - 2511 Power Type Pump Type Circle one Circle one Gasoline Engine Natural Gas Air Lift Submersible Diesel Engine Tractor PTO Turbine Electric Mo Hand Bucket Piston Centrifugal Rotary Flowing Well Windmill Other (specify): Horse Power Rating of Motor: Other (specify): 7-14-09 Date Pump Installed: Setting Depth: 10 Gallons Per Minute Rated Pump Capacity: Number of Stages: Pump Test Data Method of Measuring Water Level Circle one 7-14-09 Date Well Tested: Air Line Electric Measuring Line Steel Tape Feet Below Land Surface Static Water Level (A): Other (specify): Pumping Water Level (B): . 60 Feet Below Land Surface \_\_\_Feet Below Land Surface Drawdown [(B) - (A)]: For flowing well, measured shut in head: \_\_\_ GPM with a drawdown of Well yielded Test Pumping Rate: Gallons Per Minute Duration of Pump Test (minimum 4 hours): 486 hours \_hours of pumping

TIFY that the above statements are true to the best of my knowledge.

Print Name of Pump Installer and License No. (if applicable)

Form: OLWR-SWR-1B

Signature of Pump Installer

AUG 0 3 2009

BY: OLWR