

# State Well Report

## Part I

Mississippi Department of Environmental Quality  
Office of Land and Water Resources  
P.O. Box 10631  
Jackson, MS 39289-0631  
(601)961-5210  
(601)354-6938 (fax)

For Office Use Only:

Aquifer: \_\_\_\_\_  
Well #: D-79  
L. S. Elevation: \_\_\_\_\_  
E-log #: \_\_\_\_\_

County: George  
Permit #: \_\_\_\_\_  
Driller: Mike  
Date drilling completed: 1-18-05

State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.

Well Owner Information	Well Location
Owner Name: <u>Bryford &amp; Eubank</u>	Latitude: <u>30.55356N</u> Longitude: <u>088.27005W</u>
Mailing Address: <u>122 Boon Walters Rd</u>	Method of Lat/Long (circle one): <u>Conventional Survey</u>
<u>Lucedal</u> MS <u>39452</u>	USGS quad, <u>Hand-held GPS</u> Survey-grade GPS
City State Zip Code	<u>NW 1/4 NE 1/4 Sec 26 Twn 15 Rng R5W</u>
Telephone No. ( ) _____	Distance Direction Nearest Town
	<u>3 1/2</u> Miles <u>E</u> of <u>4 miles South of</u>

Well Data

Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Camp

Date well drilling started: 1-18-05 Date well drilling completed: 1-18-05

If flowing, method of flow regulation: Valve \_\_\_\_\_ Other (describe) \_\_\_\_\_

Static Water Level: 20 feet above or below (circle one) land surface Date measured: 1-18-05

Method of Measurement (circle one) steel tape electric tape air line other: \_\_\_\_\_

Hole depth: 100' Well depth: 100' Well grouted to a depth of 10 feet

Type of grout (circle one): Cement Bentonite Mix

Casing length: 90 feet Casing diameter: 4' inches Type of casing: PVC 40

Screen length: 10 feet Screen diameter: 4 inches Type of screen: PVC wrapped

Screen slot size: 8 inches Setting depth: From 90 feet to 100 feet

Type of completion (circle all applicable): Gravel packed Undecreamed Telescoped Open hole Natural Development

Other (describe): \_\_\_\_\_

Top of lap pipe or reduction in casing: \_\_\_\_\_ feet. If telescoped or more than one screen, describe on back of page

Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: \_\_\_\_\_

Name of organization running log(s): \_\_\_\_\_

I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.

Michael R Fry Fogle 0408  
Print Name of Water Well Contractor and License No.

Michael R Fry Fogle 0408  
Signature of Water Well Contractor

RECEIVED

FEB 14 2005

BY: OLWR

If well telescopes please sketch below and show depths.

Ground Level

D-79

Description of Formations Encountered

From To

Description of Formations Encountered	From	To
top sand	0	2
sand	2	19
Clay	19	25
sand	25	32
Blue Clay	32	40
silt + clay	40	70
sand	70	100

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.

Landowner Name: Bryford L. Embank

Michael R. Foy 0408  
Signature of Water Well Contractor

RECEIVED  
FEB 14 2005  
BY: OLWR

# STATE WELL REPORT

## Part 2

**Pump Installer's Completion Report**  
 Mississippi Department of Environmental Quality  
 Office of Land and Water Resources  
 P.O. Box 10631  
 Jackson, MS 39289-0631  
 (601)961-5210  
 (601)354-6938 (fax)

For Office Use Only:

Aquifer: \_\_\_\_\_

Well #: D-79

Elevation: \_\_\_\_\_

County: George  
 Permit #: \_\_\_\_\_  
 Driller: Mike  
 Date completed: 1-20-05

This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.

Well Owner Information	Well Location
Owner Name: <u>Burford &amp; Embank</u>	Latitude: <u>30 55.350N</u> Longitude: <u>088-27-005W</u>
Mailing Address: <u>122 Booth Walter Rd</u>	Method of Lat/Long (circle one): Conventional Survey,
<u>Lucedale Ms 39452</u>	USGS quad. <u>Hand-held GPS</u> Survey-grade GPS
City State Zip Code	_____ 1/4 _____ 1/4 Sec <u>36</u> Twn <u>T15</u> Rng <u>R5W</u>
Telephone No. ( ) _____	Distance Direction Nearest Town
	<u>3 1/2</u> Miles <u>E</u> of <u>4 Mile Church Stop</u>

Pump Type Circle one	Power Type Circle one
Air Lift Jet <u>Submersible</u>	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	<u>Electric Motor</u> Hand Tractor PTO
Centrifugal Rotary Flowing Well	Windmill Other (specify): _____
Other (specify): _____	Horse Power Rating of Motor: <u>1</u>
Date Pump Installed: <u>1-20-05</u>	Setting Depth: <u>100'</u> feet
Rated Pump Capacity: <u>19</u> Gallons Per Minute	Number of Stages: _____

Pump Test Data	Method of Measuring Water Level Circle one
Date Well Tested: <u>1-20-05</u>	<u>Air Line</u> Electric Measuring Line Steel Tape
Static Water Level (A): <u>20</u> Feet Below Land Surface	Other (specify): _____
Pumping Water Level (B): <u>60'</u> Feet Below Land Surface	For flowing well, measured shut in head: _____ feet
Drawdown [(B) - (A)]: <u>20</u> Feet Below Land Surface	Well yielded <u>30</u> GPM with a drawdown of
Test Pumping Rate: <u>30</u> Gallons Per Minute	<u>20</u> feet after <u>1 1/2</u> hours of pumping
Duration of Pump Test (minimum 4 hours): <u>4</u> hours	

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Michael R Fryfogel 0408  
 Print Name of Pump Installer and License No. (if applicable)

Michael R Fryfogel 0408  
 Signature of Pump Installer

RECEIVED  
 FEB 14 2005  
 BY: OLWR