State W	Vell Report					
	Driller's Log	For Office Use Only:				
	nt of Environmental Quality	Aquifer:				
Office of Land a	and Water Resources	D 111				
	Box 10631	Well #:				
Deta delle	AS 39289-0631	L. S. Elevation:				
(001)	961-5210					
(001)33	4-6938 (fax)	E-log #:				
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.						
Information on Well Owner						
(Landowner if borehole is not for a water well)		rehole Location				
Owner Name Joe Pierco	Latitude: 88 º 31 , 356	" Long tude: 30 . 55 , 326"				
Mailing Address: 181 Faulkman RJ	Method of Lat/Long (circle on	19				
Walling Address: 181 Tauxono ICA	USGS quad. Hand-held GPS, Survey-grade GPS					
		_				
Lucdale no 39452	NE 1/4 Sec_ 31	Twn IS Rng Sw				
City State Zip Code	Distance Direction	Nearest Town				
Telephone No. (601) 508-1594	Distance Direction  Miles	of Lucdale, mo				
10. ( <u>10.</u> ( <u>15.</u> )		,				
Well / Bore	hole Data					
•						
Date drilling started: 8-11 Date drilling completed: 8-13	Hole depth: (50	Hole diameter: 4 neh				
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and development:  4 4 4 5 6 6 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7						
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):						
Purpose of borehole (check one): Water Well_ Geotechnical/Geological Investigation_ Ground Source Heat Pump_						
Seismic Survey Other (describe)						
If drilling is not related to water well construction	n, skip the remainder of this blo	ck				
Purpose of Well (check one): Home Industrial Public Supply						
If a flowing well, method of flow regulation: Valve On						
Static Water Level: 5 feet above of below circle one) land surface Date measured: 8-13-07 2007						
Method of Measurement (circle one) steel tape electric tape air line other:						
Well depth: 150 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix						
Casing length: 130 feet Casing diameter: 4 inches Type of casing: Sch 40 Plastic  Screen length: 20 feet Screen diameter: 4 inches Type of screen: 5ch 80 Plastic						
Screen slot size: 6 inches Setting depth: From 7	Ofeet to15	<u>feet</u>				
Type of completion (circle all applicable): Gravel packed Underr						
Other (describe):						
Top of lap pipe or reduction in casing:feet. If teld	escoped or more than one scree	n, describe on next page				

Form: OLWR-SWR-1A

ound Level	Description of Formations Encountered  Luck Sand  Luck Game	From (depth) Ground Level	To (dept
Juna Level	4.0	Ground Level	50
	luhit fancl	0	
	uhite Gancl		
	uhite Gamel		
	whitefance	50	150
	mm. gamex	30	/50
			1
			1
		-	
			-
			-
			-
		<del> </del>	-
			-
			+
ı		1	
nore than one screen, show location of each on sketch			
he property levent and include the fall			
he property layout and include the following: 1) the well aid in locating the well; 3) any roads, power lines, or	location; 2) any permanent structures on the parties of the partie	property that may	1.
4) a north arrow.		perty and the wei	1,
	East		
	1 CC		
	1		
	1		
	Foulankl		
	Jan 100		
	FOR	_	
		•	0
		mel	人
		W	
		Dra-	
		NECE	VET
	Hury 198	RECEI	VEL
	198	11017 1 /	00
	\ \unix^\nu	BY: OLI	.007
	1 4000	DY: OII	

Form: OLWR-SWR-1A
I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the
Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state
laws.

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

## STATE WELL REPORT

## 0-780 Date completed: 8-13-07 Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the

## Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality

report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only:			
Aquifer:			
Well#: D-//6			
Elevation:			

Well Owner Information Well Location Latitude: 88 - 31 - 356 Longitude: 30-55 - 326 Owner Name: Method of Lat/Long (check one): Conventional Survey\_\_\_\_, Mailing Address: USGS quad\_\_\_\_, Hand-held GPS\_\_\_, Survey-grade GPS\_\_\_ SW 1/1 NE 1/4 Sec 31 T 15 R 560 Distance Direction Nearest Town Miles East of Lundal, Telephone No. (601) 508 - 1594 Power Type Pump Type Circle one Circle one Gasoline Engine Natural Gas Air Lift Jet Submersible Diesel Engine Tractor PTO Bucket Piston Turbine Electric Motor Hand Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): \_\_\_ Horse Power Rating of Motor: \_ 8-13-07 Date Pump Installed: \_ Setting Depth: 50 Rated Pump Capacity: Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one 8-13-07 Date Well Tested: Steel Tape Air Line Electric Measuring Line Static Water Level (A): \_ 5 Feet Below Land Surface Other (specify): Pumping Water Level (B): 80 Feet Below Land Surface Drawdown [(B) - (A)]: \_\_\_\_3 Feet Below Land Surface For flowing well, measured shut in head: \_\_\_\_\_feet Test Pumping Rate: 50 50 GPM with a drawdown of Gallons Per Minute Well vielded Duration of Pump Test (minimum 4 hours): 48 hours 2 feet after 48 hours of pumping

Statement of the later of the l	I HEREBY CERTIFY that the al	bove statements are true to the best of	f my knowledge.	
and the same of the last	I will	0-780	beltie	
and deposits	Print Name of Pump Installer and	d License No. (if applicable)	Signature of Pump Installer	
Ī			V	Form: OLIMP-SIMP-1F