State W	ell Report				
F 1 4 / 1 / 1 / 1 / 1   1   1   1   1   1   1	Priller's Log For Office Use Only:				
Permit #: 0 - 780 Mississippi Departmen	t of Environmental Quality Aquifer:				
Office of Land a	and Water Resources Well #: D-127				
	30X 10031				
20 - C	IS 39289-0631 L. S. Elevation:				
(	961-5210 4-6938 (fax) E-log #:				
•					
State Law requires that this report be prepared by the lice	ense holder responsible for the work and filed with the				
Department at the above address within 30 days of comp	pletion of drilling of the well or borehole.				
Information on Well Owner (Landowner if borehole is not for a yeater welly	Well or Borehole Location				
(	Latitude: 88 . 31 . 070 Longitude: 30 . 54 . 215				
Owner Name Supular	Latitude: 88 ° 31 ° 070 Longitude: 30° 54 . 215  Method of Lat Long (circle one): Conventional Survey.				
Mailing Address: Hopper Rd	Method of Lat Long (circle one): Conventional Survey,				
	USGS quad, fland-held GPS, Survey-grade GPS				
Cuedale us 39457	JE 14 Sec 31 / Twn 15 / Rng 5W				
City State Zip Code	Distance Direction Nearest Town				
Telephone No. (6d) 623-6263	Distance Direction Nearest Town  Miles Toot of Landah, and				
retepnone No. (401) 62 J 62 6	·				
Well / Bore	hole Data				
	<i>^</i> 1				
Date drilling started: 3-26-	Hole depth: O Hole diameter: T				
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and development:  490 Chlorine 2000 Coh					
Logs run (circle ali applicable): No log run Biectric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):					
Purpose of borehole (check one): Water WellGeotechnical/Geole	ogical Investigation Ground Source Heat Pump				
Seismic SurveyOther (describe)					
Purpose of Well (check one): HomeIndustrialPublic Supply	Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: feet above on below (circle one) I	and surface Date measured: 3-28-08				
Method of Measurement (circle one) steel tape electric tape	air line other:				
Well depth: 100 Well grouted to a depth of 10 feet Type	of grout (circle one): Neat Cement Bentonity Mix				
Casing length: 6 feet Casing diameter: 4	_inches Type of casing: Sch 40 Vlastu				
Screen length: 20 feet Screen diameter: 4	inches Type of screen: Sch 40				
Screen slot size: inches Setting depth: From	O feet to 100 feet				
Type of completion (circle all applicable) Gravel packed Underreamed Telescoped Open hole Natural Development					
Other (describe):					

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A

RECEIVED

feet. If telescoped or more than one screen, describe on next page

APR 17 2008

BY: OLWR

BY: OLWR

The sketch below only required for water wells	Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations		
If well telescopes, show depths on sketch.  Ground Level	Description of Formations Encountered	From Gepth To Certh Ground Level	
	white soul	0 5	
	Yellow clay	5 45 45 100	
	Witt Dry	45 100	
If more than one screen, show location of each on sketch.  Sketch the property layout and include the following: 1) the w			
aid in locating the well: 3) any reads, power line 4) a north arrow.	s, or other items that may aid in locating the pr	VY 198	
198		Fudd	
		inel	
Landowner Name: Kerrlall Stufill	<u>പ</u>		
I certify that the well/borehole was drilled, constructed, and Mississippi Department of Environmental Quality and the laws.			
Print Name of Responsible Licensee and License No.	Date Signature of Lice:	IECEIVED	
		APR 17 2008	

## STATE WELL REPORT

## Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality Office of Land and Water Resources

P.O. Box 10631

For Office Use Only:				
Aquifer:				
Well #:	D-	127		
Elevation:				

Date completed: 3-28-08	Jackson, MS 39289-0631		Well#:	- 121		
	(601)961-5210 (601)354-6938 (fax)		Elevation:			
Copy information from block on Part I	] To a linear and content mall a	ontractor or a licensed Dui	mn installer. A conv	of Part 1 of the		
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.						
Well Owner Informa	tion		Well Location			
Owner Name: Kershall St	infellow_	Latitude: <u>68-31-070</u> Longitude: <u>30 54815</u>				
Mailing Address: Hopper Co	(0,	Method of Lat/Long (check one): Conventional Survey				
		USGS quad Hand-				
City State	39452	5E 14 5E 14 Sec	3/ T/5 R	5W		
City State	Zip Code	Distance Direction				
Telephone No. (601) 623 - 67	163	5 Miles Last of Lundar, us				
Pump Type Circle one			Power Type Circle one			
Air Lift Jet	Submersible	Diesel Engine Ga	asoline Engine	Natural Gas		
Bucket Piston	Turbine	Electric Motor H	and	Tractor PTO		
Centrifugal Rotary	Flowing Well		ther (specify):			
Other (specify):		Horse Power Rating of M				
Date Pump Installed: 3-28-08 Setting Depth:				feet		
Rated Pump Capacity: 120	Gallons Per Minute	Number of Stages:	15			
		Mathada	of Measuring Water	Laval		
Pump Test Data Date Well Tested: 3-28-08	ı	Method	Circle one			
_		Air Line Electric	: Measuring Line	Steel Tape		
Static Water Level (A): Feet Below Land Surface  Other (specify):						
Pumping Water Level (B): 100 Fee	t Below Land Surface					
Drawdown [(B) - (A)]: 5 Feet Below Land Surface For flowing well, measured shut in head:			feet			
Test Pumping Rate: 120 Gallons Per Minute Well yielded 120 GPM with a drawdown of						
Duration of Pump Test (minimum 4 hours): 48 hours 5 feet after 48 hours of pumping						
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.						

Joel / wul 0-780 Joel Veu Signature of Pump Installer Print Name of Pump Installer and License No. (if applicable)

PE FORM OLWE SWR-1B

APR 17 2008 BY: OLWR