

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

Office of Land and Water Resources

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED <i>George</i>	
WELL NUMBER <i>D 2103</i>	CODED
DATE WELL COMPLETED <i>9-10 94</i>	

PERMIT NUMBER <i>0408</i>
NAME OF DRILLING FIRM <i>Fry Fogle Well Serv.</i> <i>RT 4 Box 3</i> <i>Lucedale MS 39452</i>

NAME & MAILING ADDRESS OF LANDOWNER <i>Mike Wilford</i> <i>RT 4 Box 241</i> <i>Lucedale MS 39452</i>			
WELL LOCATION	SEC	TOWNSHIP	RANGE
<i>Green</i>	<i>118</i>	<i>T10N</i>	<i>R5E</i>
DISTANCE	DIRECTION	NEAREST TOWN	
<i>14</i>	<i>Miles NE</i>	<i>of Lucedale</i>	
OTHER LANDMARK <i>On Deacons Saw Mill Rd.</i>			
WELL PURPOSE (Home, Irrigation, Municipal, Industrial, Fish Pond, etc.) <i>Irrigation</i>			

PUMP DATA		
PUMP TYPE (Circle One): Submersible, Turbine, <u>Jet</u> Flowing Well, Other (Describe) _____		
POWER TYPE (Circle One): <u>Electric</u> Tractor, Diesel, Gasoline, Butane, Other (Describe) _____ H/P <u>1</u>		
Pump Capacity (GPM) <i>10</i>	No. of Stages <i>2</i>	Setting Depth <i>100</i> FT.
PUMP TEST		
Well yielded <u>8</u> GPM with a drawdown of <u>10</u> ft. after <u>1/2</u> hours of pumping		

WELL DATA		
Well Depth <i>194</i>	Casing Diameter (In.) <i>2"</i>	Casing Length (Ft.) <i>190'</i>
Type of Casing <i>PVC</i>	Hole Depth <i>203</i>	Depth to Static Water Level <i>60'</i>
TYPE OF COMPLETION: (Circle One or More): Gravel Packed, Underreamed, Telescoped, Natural Development, <u>Open Hole</u> , Other (Describe) <i>see Log Dept Log</i>		
WELL GROUTED TO A DEPTH OF <u>20</u> FEET Type Grout (circle one): Cement, Bentonite, or Mix		

LOG DATA	
TYPE OF LOG RUN (Circle One): No Log Run, Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe) _____	
Name of Organization Running Log	

SCREEN DATA		
Diameter - Inches <i>2"</i>	Length - Feet <i>10'</i>	Slot Size - Inches <i>#8</i>
Screen Type <i>Proped PVC</i>	Depth to Bottom - Feet <i>200'</i>	

GEOLOGIC DATA (Office Use Only)			
Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test
Driller's Remarks			
Top of Lap Pipe or Reduction in Casing			
FEET IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE			

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO
<i>Top Soil</i>	<i>0</i>	<i>5</i>
<i>Sandy red clay</i>	<i>5</i>	<i>20</i>
<i>Sandy + clay</i>	<i>20</i>	<i>40</i>
<i>Clay</i>	<i>40</i>	<i>60</i>
<i>Clay</i>	<i>60</i>	<i>80</i>
<i>Clay</i>	<i>80</i>	<i>120</i>
<i>Sand</i>	<i>120</i>	<i>128</i>
<i>Clay</i>	<i>128</i>	<i>140</i>
<i>Strick clay + sand</i>	<i>140</i>	<i>160</i>
<i>Med. Sand</i>	<i>160</i>	<i>180</i>
<i>Med. Sand</i>	<i>180</i>	<i>200</i>

FORMATIONS (Continued)	FROM	TO
RECEIVED		
NOV 07 1994		
Dept. of Environmental Quality Office of Land & Water Resources		
IF MORE SPACE IS NEEDED, USE BACK		