

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

Office of Land and Water Resources

P. O. Box 10631

Jackson, MS 39289-0631

WATER WELL DRILLERS LOG

COUNTY WELL LOCATED
 Pearl
 WELL NUMBER
 D 2120
 CODED
 5-30-94
 DATE WELL COMPLETED

PERMIT NUMBER
 0-408
 NAME OF DRILLING FIRM
 Frutledge Well Serv.
 194 Depot Rd
 Lumboldt MS 39452

NAME & MAILING ADDRESS OF LANDOWNER
 Chris McKissick
 109 Lake Wood Rd
 Lumboldt MS 39452
 WELL LOCATION
 15th St N T2 S R 6 W
 DISTANCE
 3 1/2 Miles SE of West of Lumboldt
 DIRECTION
 NEAREST TOWN
 UNDER 500
 OTHER LANDMARK
 WELL PURPOSE
 Home, Irrigation, Municipal, Industrial, Fish Pond, etc.

PUMP DATA
 PUMP TYPE (Circle One):
 Submersible, Turbine, Flowing Well, Other (Describe)
 POWER TYPE (Circle One):
 Electric, Tractor, Diesel, Gasoline, Butane, Other (Describe)
 H/P 1
 Pump Capacity (GPM) 10 No of Stages 2 Setting Depth 65 FT.
 PUMP TEST
 Well yielded 10 GPM with a drawdown of 0-3 ft. after 1/2 hours of pumping

WELL DATA
 Well Depth 80' Casing Diameter (In) 8" Casing Length (Ft) 70'
 Type of Casing PVC Hole Depth 90' Depth to Static Water Level 40'
 TYPE OF COMPLETION: (Circle One or More):
 Gravel Packed, Underreamed, Telescoped, Natural Development, Open Hole, Other
 (Describe) sand

LOG DATA
 TYPE OF LOG RUN (Circle One):
 No Log Run, Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe)
 Name of Organization Running Log

WELL GROUTED TO A DEPTH OF 70 FEET
 Type Grout (circle one): Cement, Bentonite, or Mix

GEOLOGIC DATA (Office Use Only)

Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test

SCREEN DATA
 Diameter - Inches 2" Length - Feet 10' Slot Size - Inches #8
 Screen Type PVC wrapped Depth to Bottom - Feet 80

Driller's Remark
RECEIVED
 Top of pipe or Reduction in Casing
 11 IN IF TELESCOPED OR MORE THAN ONE SCREEN USE BACK PAGE

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued)	FROM	TO
Top Soil	0	5	Dept of Environmental Quality Office of Land & Water Resources		
Sand	5	20			
Sandy Red clay	20	40			
Red Sand	40	60			
Sand	60	80			

IF MORE SPACE IS NEEDED, USE BACK