| State Well Report | | | |
|---|---|--|--|
| 1 21 | Driller's Log For Office Use Only; | | |
| Mississinni Danartmar | nt of Environmental Quality Aquifer: | | |
| Permit #: 0 - 180 Office of Land | | | |
| | and Water Resources Box 10631 Well #: # - 119 | | |
| lackson N | MS 39289-0631 L. S. Elevation: | | |
| 1 But the |)961-5210 | | |
| (601)35 | 4-6938 (fax) E-log #: | | |
| State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole. | | | |
| Information on Well Owner | Well or Borehole Location | | |
| (Landowner if borehole is not for a water well) | 00 (12) 2 (110) | | |
| Owner Name Charles Sears | Latitude: 88 ° 71 ° 101 " Longitude 30 ° 31 · 137 | | |
| Mailing Address: 1117 Her 26 west | Latitude: 88 ° 51 ° 201 " Longitude 30 ° 51 ° 139 ° Method of Lat Long (circle one): Conventional Survey. | | |
| 0 | USGS quad, Hand-held GPS, Survey-grade GPS | | |
| | NK 4.1 20 25 011 | | |
| Condala ous 39457 | MW Ses 27 Two 25 Rng 9W | | |
| City State Zip Code | Distance Direction Nearest Town | | |
| | Distance Direction Nearest Town | | |
| Telephone No. (601) 947 - 8569 | | | |
| | | | |
| Well / Borehole Data | | | |
| Date drilling started: 3-3-08 Date drilling completed: 3-3-0 | 8 Hole depth: 80 Hole diameter: 2 | | |
| Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development: 2000 whater Ugal Clibrure | | | |
| Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: | | | |
| Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump | | | |
| Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block | | | |
| Purpose of Well (check one): HomeIndustrialPublic SupplyIrrigationFish CultureOther: | | | |
| If a flowing well, method of flow regulation: Valve Other (describe) | | | |
| Static Water Level: 2 feet above or below circle one) land surface Date measured: 3=3-08 | | | |
| Method of Measurement (circle one) steel tape electric tape other: | | | |
| Well depth: Well grouted to a depth of feet Type of grout (circle one): Neat Cement Bentonite Mix | | | |
| Casing length: 76 feet Casing diameter: 2 inches Type of casing: 3th 40 Ylaste. | | | |
| Screen length: 10 feet Screen diameter: 2 inches Type of screen: 5th 80 Plaste | | | |
| Screen slot size: 6 inches Setting depth; From 0 - feet to 80 feet | | | |
| Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development | | | |
| | | | |

Top of lap pipe or reduction in casing: __

MAR 18 2008 BY: OLWR

Form: OLWR-SWR-1A

feet. If telescoped or more than one screen, describe on next page

BY: OLWR

| The sketch below only required for water wells | Description of formations encounte wells and boreholes, unless specific | of formations encountered must be provided for all preholes, unless specifically exempted by regulations | |
|--|--|--|--|
| If well telescopes, show depths on sketch. Ground Level. | Description of Formations Encountered | i From (depth) To der | |
| | white | J 0 15 | |
| : | Grey Cla | y 15 20 | |
| , | Juy sand | 20 20 | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | : | |
| 1 | | | |
| | | | |
| If more than one screen, show location of each on sketch the property layout and include the following: 1] | | the property factor in the | |
| | cheach (1) | | |
| Landowner Name: Charles Suy | Hw\2601 | | |
| certify that the well/borehole was drilled, constructe lississippi Department of Environmental Quality an | d. and completed in accordance with all application | | |
| rint Name of Responsible Licensee and License No. | Date Signature of L | RECEIVED | |
| | | MAR 1 8 2008 | |

| STATE WELL REPORT | | |
|--|--|--|
| Permit #: 0 - 780 Driller: U. 5ce Pierce Pump installer's Mississippi Department Office of Landa P.O. I Jackson, M. (601) | For Office Use Only: Aquifer: Aquifer: Weil #: | |
| City State Zip Code Telephone No. (601) 947 - 8559 | hw 1/4 5w 1/4 Sec 27 T 25 R 9w Distance Direction Nearest Town 10 Miles west of Candoly us | |
| Pump Type Circle one Air Lift Submersible | Power Type Circle one Diesel Engine Gasoline Engine Natural Gas | |
| Bucket Piston Turbine | Electric Motor Hand Tractor PTO | |
| Centrifugal Rotary Flowing Well Other (specify): Date Pump Installed: 3-3-08 Rated Pump Capacity: 10 Gallons Per Minute | Windmill Other (specify): Horse Power Rating of Motor: Setting Depth: | |
| Description of the second of t | Method of Measuring Water Level | |
| Pump Test Data Date Well Tested: 3-3-08 Static Water Level (A): 2 Feet Below Land Surface Pumping Water Level (B): 40 Feet Below Land Surface | Circle one Air Line Electric Measuring Line Steel Tape Other (specify): | |
| Drawdown [(B) - (A)]: Z Feet Below Land Surface | For flowing well, measured shut in head:feet | |
| Test Pumping Rate: (O Gallons Per Minute | Well yielded GPM with a drawdown of | |
| Duration of Pump Test (minimum 4 hours): 48 hours | 2 feet after 48 hours of pumping | |
| I HEREBY DERTIFY that the above statements are true to the best of my knowledge. Dell (u) | | |

RECEIVED

MAR 18 2008

BY: OLWR