Permit #:  Driller: Muks & Wall  Date drilling completed: 6 22-09	State Well Report Part 1 – Driller's Log Mississippi Department of Environmental Qualit Office of Land and Water Resources P.O. Box 2307 Jackson, MS 39225 (601)961- 5210 (601)961- 5228 (fax)	Well #: E   QL		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well Owner (Landowner if borehole is not for a water well)  Owner Name  Method of Lat/Long (circle one): Conventional Sur  Well or Borehole Location  Latitude: 30°50°34" Longitude: 88°2  Method of Lat/Long (circle one): Conventional Sur  USGS quad, Hand-held GPS, Survey-grade of State  Zip Code  Telephone No. (  Telephone No. (		e one): Conventional Survey,  neld GPS, Survey-grade GPS  Twn T25 Rng R8 W		
Well / Borehole Data				
Date drilling started: 6-22-9 Date drilling completed: 6-22-9 Hole depth: 2/6 Hole diameter: 4/2  Location of the source of any surface water used for drilling: No No E  Method of dosing and volume of Chlorine used in drilling and development:  Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):  Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump  Seismic Survey Other (describe)				
If drilling is not related	to water well construction, skip the remainder of thi	s block		
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:  If a flowing well, method of flow regulation: Valve Other (describe)  Static Water Level: feet above or below (circle one) land surface Date measured:  Method of Measurement (circle one) steel tape electric tape air line other:  Well depth: 2/O Well grouted to a depth of /O feet Type of grout (circle one): Neat Cement Bentonite Mix  Casing length: 200 feet Casing diameter: inches Type of casing: PVC YO  Screen length:   D feet Screen diameter: 2 inches Type of screen: PVC Wrappus  Screen slot size: 6 inches Setting depth: From 200 feet to 210 feet  Type of completion (circle all applicable): Pravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe).				

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A (04/08) RECEIVED

feet. If telescoped or more than one screen, describe on next page

JUL 2 0 2009

BY: OLWR

To (depth)

JUL 2 0 2009 BY: OLWR

Signature of Licensee

From (depth)

Ground Level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered

				<del></del>
				<del></del>
	how location of each on sketch	2) and a second of the street was a	the property that may	
		location; 2) any permanent structures or r other items that may aid in locating th		
xueU				
Souther Ce	reford La			
Souther	5	7 Serval		
Landowner Name: 5co	H Taylor		J. OLIVID GWG. 4.	(04/02)
Form: OLWR-SWR-1A (04/08) sertify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the				
,	,,,,	*		

Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Michael R Fry Fog/104086.22.09

Print Name of Responsible Licensee and License No.

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level.

## STATE WELL REPORT

## Part 2

## Pump Installer's Completion Report

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631

For Office line Only:

Date completed: 6 23-01

County Herry

(601)354-6938 (fax)

This report must be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pages. A copy of Part 1 of this report must be attached to this report.

(601)961-5210

installation of pump. A copy of Part 1 of this report must be attached to this report.				
Well Owner Information	Well Location			
Owner Name: Scott Saylon	Latitude: 30 50 24 Longitude: 88 47 09			
Mailing Address: 132 Southern Confort Diffethod of Lat/Long (circle one): Conventional Survey,				
	USGS quad, Hand-held GPS, Survey-grade GPS			
ducidal Ms 39452	1/4 Sec 28 TWN 725 Rng R8W			
City State Sip Code	Distance Direction Nearest Town			
Telephone No. ()	21/2 Miles S of Berndal			
Pump Type	Power Type			
Circle one	Circle one			
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine	Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing Well	Windmill Other (specify):			
Other (specify):	Horse Power Rating of Motor:			
Date Pump Installed: 6 · 2 3 - 09	Setting Depth: 100 feet			
Rated Pump Capacity: 8-12 Gallons Per Minute	Number of Stages: 3			
Pump Test Data	Method of Measuring Water Level Circle one			
Date Well Tested:				
Static Water Level (A): 75 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape			
_	Other (specify):			
Pumping Water Level (B): 85 Feet Below Land Surface				
Drawdown [(B) - (A)]: / O Feet Below Land Surface	For flowing well, measured shut in head:feet			
Test Pumping Rate: 8 Gallons Per Minute	Well yielded S GPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping			
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.				
Michael R Fryfus /2 0408 Michael Kory DECEIVED				
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer			

BY: OLWR